



2026

PRODUCT BOOKLET www.brazzen.com



# Product Index

The specifications are subject to change without prior notice.

**HEAD OFFICE** 

(435) 901-5404 cam@brazzen.com

1145 South 800 East Suite 111 Orem, UT 84097

Cattle		3-27
	Head Catcher	3
	Hobby Chutes	3-4
	Premium Full Squeeze Chute	5
	Premium/Standard Chutes	
	Cattle Ramps	8-11
	Maternity Pen	12
	Cattle Grid	
	Cattle Anit-Backing Bar	13
	Permanent Post	13
	Bud Box Yard/Cattle Scale Load Bar	14
	Panels/Walkway Kit	15-17
	Calf Tilting Cradle	17
	Cattle Gates	18-23
	Curved Alley Panels	
	Combo Gates/Panels	
	Alley Bows	25
	Blind Sweep Yard	
	Combo Panel & Gate	27
CI		20.24
Sheep	cl. II	
	Sheep Handler	
	V 3 Way Draft	29
	Panels	29 29-31
	Gates	
	Anti-Backing Wing/Permanent Post	31-33
	Loading Ramp	34
	Localing Hamp	
Pig		35
5	Pig Panel & Gate	35
	3	
Goat		36
	Goat Panel & Gate	36
Horses		37-41
	Shelters	37-38
	Panels & Gates	39-41
Feeder	_	42.47
reedei	Round Bale Feeders	<b>42-47</b>
	Square Bale Feeders	42
	Line Feeders	42
	Diagonal Feeder	
	Cradle Feeder	43
	AU Round Hay Feeder	43
	Round Bale Cradle Feeder	44
	Dual Hay Feeder	44
	Heavy Duty V Top Square Feeder	44
	Sheep Feeders	45-47
	Lick Feeder	47
_		40
Dogs_	Day Kannala	48
	Dog Kennels	48

# Why Do Cattle Panel Prices Vary Across the USA?

# **What You Need to Know Before You Buy!**



#### **BRAZZEN: A LEADING FORCE IN THE LIVESTOCK EQUIPMENT INDUSTRY**

- 1 Thicker Rails & Posts: Brazzen panels use 0.059in thick oval rails and 0.067in thick posts, ensuring durability.
- 2 Standard Weight: Each panel weighs 79lb, providing solid, reliable support.
- Superior Dimensions: Brazzen panels have 2.76x1.57in oval rails and 1.97x1.97in posts, compared to smaller, thinner options on the market.
- 4 Full C Cleats: Panels feature full C cleats on both sides with rubber inserts to prevent rattling, unlike half-pin cleats used by competitors.









# **BE BRAZEN BUY BRAZZEN**

- 6 High-Quality Galvanization: High-Quality Galvanization: Brazzen Posts are Hot Dipped Gal, not a coating, which is over 200gms/m2 and the rails are over 80gms/m2 for 2.36"×1.18" (60mm x 30mm) & 2.75"×1.57" (70mm x 40mm), and over 120gms/m2 for 4.53"×1.65" (115mm x 42mm), significantly more than standard 20mgs/m2 coatings.
- Salt-Tested Welds: Select welds undergo salt testing to ensure long-lasting durability.
- Anti-Rust Measures: Welders use spatter rubbers to prevent hidden rust-causing spatter on rails and posts.
- **8** Brazzen Branding: Every panel includes the Brazzen logo on the caps of all posts for authenticity.

Own a Farm? Create Additional Income as a Brazzen Dealer.

**Contact Us to Learn More!** 

P: (435) 901-5404 / E: cam@brazzen.com





# **GATTLE**



#### **HEAD CATCHER**

- Ideal for use with two cattle panels and a sliding gate to create a budget chute
- · Easy to operate ratchet system
- Head Catcher is 2.5 ft inside and 2.79 ft outside





	Width	Depth	Height	Weight
Head Catcher CHB	2′9″	10"	6′11″	265lb
Baulk Gate CGBAULK		3′3″	3′3″	46lb

#### **HOBBY CHUTE**

- Ideal for the Hobby Rancher
- Simple Construction
- Portable
- Easy Operating Sliding Gate
- · Anti-Bruise Oval Rail Panels

#### **Base Model Kit Includes:**

- · 1x Cattle Head Catcher
- · 2x Cattle Panels
- 1x Cattle Sliding Gate

#### You can DIY the Hobby Chute according to your needs:

- · Sliding Gate Options: Standard, Premium, Blind
- Cattle Head CATCHER Options: CHB, CHBK (CHBK only works on chute with vet section)
- Side Option: Two sides panel, two sides panel gate, or one side panel with one side panel gate, with vet section or without



		Length	Depth	Height	Weight
Hobby Chute	ссн	8′	2′9″	7′6″	582lb



## **HOBBY CHUTE WITH VET**

#### Kit includes:

- Standard Cattle Slide Gate 1xCGSS
- Standard Cattle Head Catcher 1xCHB
- Chute Side Panel 10'1xCPC3.0
- Chute Side Panel Gate 10' 1xCPGC3.0

		Width	Depth	Height
Hobby Chute with Vet	ссни	11′11″	2′9″	8′6″



#### **HOBBY CHUTE BLINDED WITH VET**

#### Kit includes:

- Standard Cattle Slide Gate 1xCGSS
- Cattle Head Catcher with Long Handle Kits 1xCHBK
- Chute Side Panel Blinded 10' 1xCPCB3.0
- Chute Side Panel Gate Blinded 10' 1xCPGCB3.0

#### \* CHBK Head Catch This Kit Only

Hobby Chute Blinded with Vet **CCHBV** 

Width	Depth	Height
11′11″	2′9″	8'6"



## **HOBBY CHUTE WITH SPLIT GATE**

#### Kit includes:

- Standard Cattle Slide Gate 1xCGSS
- Standard Cattle Head Catcher 1xCHB
- Standard Cattle Gate Split 7' 1xCGSPL2.1
- Standard Cattle Panel 7' 1xCPS2.1

	Width	Depth	Height
Hobby Chute with Split Gate	8′11″	2′9″	8′6″







## PREMIUM FULL SQUEEZE CHUTE

- Sheeted head catcher & bottom side gates for operator and animal safety
- · Auto lock rear sliding gate
- · Innovative silent operation
- · Walk through vet section
- · Parallel squeeze
- · 2x large access doors
- · Neck inspection doors
- Front & rear head catcher operation
- Supplied in flat pack





Ensure the Chute is bolted down if the roof is attached.

\* Optional Small and Large Roof


	Length	Width	Height	Weight
Squeeze Chute CCPSFP	11′11″	2′9″	7′	2359lb
Optional Roof - Large RCL	13′8″	13′11″		454lb
Optional Roof - Small RCS	7′6″	12′4″		265lb

5 CATTLE BRAZZEN 💗



#### **PREMIUM CHUTE**

- 3mm gauge steel frame
- Walk through vet section
- · Kick latch
- Rump squeeze
- New design allows safer access to rear of animal
- Triple top gates allowing full access along animal
- Double lower doors on each side for hoof access
- · Sheeted sliding gate
- Long ratchet rump bar mechanism
- Auto lock rear sliding gate
- Supplied in flat pack





		Length	Depth	Height	Weight
Premium Chute	CCPFP	11′	2′9″	7′6″	1420lb
Floor - Large	CCFL	6′8″	2′5″	2"	454lb
Floor - Small	CCFS	3′	2′5″	2	265lb



 Optional Small And Large Floor For STANDARD and PREMIUM Chute



#### STANDARD CHUTE

- · Sheeted bottom side gates for operator and animal safety
- Triple top gates allowing full access along animal
- · Auto lock rear sliding gate
- · Adjustable rear handle
- Walk through vet section
- · Supplied in flat pack





• Optional Small And Large Floor For STANDARD and PREMIUM Chute

		Length	Depth	Height	Weight
Standard Chute	CCSFP	11′	2′9″	7′6″	1279lb
Baulk Gate	CCL				101lb






- Optional Chin Lift of STANDARD and PREMIUM Chute
- Offside Chin Lift Available





## **ADJUSTABLE RAMP**

- Fully adjustable height for trailer to truck loading
- Designed to suit all cattle pens
- · Optional, detachable, personnel walkways available





Kit Available





WITH MOBILE KIT





		Length	Depth	Height	Weight
Standard Ramp	CRFP	10′9″	2′9″	11′	732lb
Premium Ramp	CRPFP	10′9″	2′9″	11′	853lb
Standard Ramp WPC	CRTFFP	10′9″	2′9″	11′	869lb
Premium Ramp WPC	CRPTFFP	10′9″	2′9″	11′	993lb
Walkway Kit With Safety Rail	CRWK600F	10′3″	2′2″	5′11″	223lb
Walkway Kit	CRWK	11′4″	1′		86lb
Cattle Ramp Mobile Kit	CRKM				







## PREMIUM MOBILE RAMP

- Robust construction
- 1x3.6m mobile cattle ramp
- Easy setup and quick conversion for towing
- Holds 12x portable cattle panels (not included)
- The premium floor is WPC (Wood Plastic Composite) Board



#### PANELS NOT INCLUDED WHEN ORDERING



	Length	Depth	Height	Weight
Premium Mobile CRPM	17′6″	7'4"	8′9″	1534lb

9 CATTLE BRAZZEN 💗

Differences Between Standard & Premium Cattle Ramps

#### **Standard Cattle Ramp:**

Side Fence (left and right), Roof Frame, Front Support, Frame Structure is made of 50\*50 square tubes (green color)

#### **Premium Cattle Ramp:**


Side Fence (left and right), Roof Frame, Front support, Frame Structure is made of 60\*60 square tubes (green color)


Standard and Premium ramps have the same outline dimensions, except as noted below, yet they have different weights.

The rest are the same for these two ramps.

- 1. Cattle Walkway Inner Dimensions: Both standard and premium cattle ramps have the same inner dimensions: 2'5"
- 2. Cattle Walkway Outer Dimensions: Standard cattle ramp's cattle walkway outer dimension is 2'9"

Premium cattle ramp's cattle walkway outer dimension is 2'10"











#### **HEAVY DUTY CATTLE RAMP**

- Heavy-duty steel construction ensures it can handle even the toughest outdoor conditions
- Overall size: 17 feet 7 inch L x 10 feet 9 inch H
- 11 feet ramp with a 6 feet 7 inch level extension for easy loading
- · 3 feet 11 inches fixed loading height
- 2 feet 11 inches anti-slip walkway with a safety rail
- 2 access gates on the top to shut off the truck and/or ramp

• Detachable side walkway that can be placed on the left or right side

• Rubber contact points added to protect your ramp and truck





Length	Depth	Height	Weight
17′7″	6′	10′9″	1984lb



Heavy Duty Cattle Ramp CRHWK



## **MATERNITY PEN**

- · Auto Head Catcher
- Split Gate Sweep Arm with Safety Latch
- Manual Slide Gate
- Rear Access Gate






	Length	Width	Height	Weight
Maternity Pen <b>CPM</b>	13′7″	12′2″	7′7″	1350lb





#### **CATTLE GRID/CATTLE GRID WINGS**

- · Animal Friendly
- Tested to 20 Ton per axle
- Designed with 5 bearers and 12 rails
- Removable wings SOLD SEPARATELY



	Width	Depth	Height	Weight
Cattle Grid CG3	9′10″	6′7″	1′	966lb
Cattle Grid <b>CG4</b>	13′1″	6′7″	1′	1001lb
Wings <b>CGW</b>	6′11″		4′1″	159lb

#### **CATTLE ANTI-BACKING BAR**

- Mounts to alley panel rails
- · Adjustable Height



	Length	Height	Weight
Cattle Anti-Backing Bar CBAB	3′9″	3′	53lb

#### **CATTLE PERMANENT POST**

		Length	Width	Height
Cattle Permanent Post	CPP-8.3	2.56"	2.56"	8′6″







## CATTLE SCALE LOAD BAR

15'11"

10'

2030lb

20'8"

• Works with all Brazzen Chutes

Bud Box CBBY-10

- 5,000 kg/11,000 lbs capacity for heavy-duty performance
- Hot-dip galvanized & IP67-rated for durability in harsh conditions
- Compatible with Brazzen and other leading indicators (no calibration needed)



Cattle Scale CSB







## **CATTLE PANELS 5 RAIL**

#### Premium 5 Rail Panel

This strong heavy duty panel, is equipped with:

- 4.52" x 1.65"
- 2 SHS 2" x 2" posts
- 4 easy to connect lugs
- 2 holes for ground pins

All panels can be pre-ordered in Hot Dip Galvanized (HDG) after welding.

Panels can be used for cattle and horses






Panel comes standard without the center strap & does not come installed.

12' PANEL WITH LOOP FEET STANDARD OVAL 5 RAILS, ROUND END POSTS,
OPTIONAL CENTER BAR

Premium 5 Rail Panel 6.0	CPP6/5.11-5
Premium 5 Rail Panel 8.0	CPP8/5.11-5
Premium 5 Rail Panel 10	CPP10/5.11-5
Premium 5 Rail Panel 12	CPP12/5.11-5
12' Panel with Loop Feet Standard	5 Rails CPLF12

Uprights	Rails	Length	Height	Weight
2"x2"	5	6′	5′11″	79lb
2"x2"	5	8′	5′11″	106lb
2"x2"	5	10′	5′11″	115lb
2"x2"	5	12′	5′11″	137lb
Round pipe 1 3/4"	5	12′	5′4″	84lb



		Rails	Length	Height	Weight
Standard 5 Rail Panel 6.0	CPS6/5.2-5	5	6′	5′2″	57lb
Standard 5 Rail Panel 8.0	CPS8/5.2-5	5	8′	5′2″	71lb
Standard 5 Rail Panel 10	CPS10/5.2-5	5	10′	5′2″	86lb
Standard 5 Rail Panel with Strap 12	CPS12/5.2-5	5	12′	5′2″	97lb



#### **CATTLE WALK WAY KIT**

 Cattle Walk Way Kit is designed to assist with maximum access to the cattle while they are in the alley, therefore giving you safe access above the cattle

	3	-
		1
		1
		L
4	Anni Ka	Dh.
		r
ght		
	-	No.
1lb		

Cattle Walkway Kit 6.0	CRWW6FT	5'8"	1"	1′7″	61lb
Cattle Walkway Kit 8.0	CRWW8FT	7′8″	1″	1′7″	43lb
Cattle Walkway Kit 10	CRWW10FT	9'8"	1"	1′7″	90lb
Cattle Walkway Kit 12	CRWW12FT	11′8″	1″	1′7″	104lb

## **STANDARD CATTLE PANELS 6 RAIL**

		Rails	Length	Height	Weight
Premium 6 Rail Panel 6.0	CPS6/5.11-6	6	6′	5′11″	66lb
Premium 6 Rail Panel 8.0	CPS8/5.11-6	6	8′	5′11″	84lb
Premium 6 Rail Panel 10	CPS10/5.11-6	6	10′	5′11″	99lb
Premium 6 Rail Panel 12	CPS12/5.11-6	6	12′	5′11″	119lb



## PREMIUM CATTLE PANELS 6 RAIL

		Rails	Length	Height	Weight
Premium 6 Rail Panel 6.0	CPP6/5.11-6	6	6′	5′11″	88lb
Premium 6 Rail Panel 8.0	CPP8/5.11-6	6	8′	5′11″	122lb
Premium 6 Rail Panel 10	CPP10/5.11-6	6	10′	5′11″	137lb
Promium 6 Pail Panel 12	CDD12/5 11 6	6	12′	5′11″	15/lb





#### **SHEETED CATTLE PANEL**



				Leng	th	Height	We	ight
-	_		_		_		-	ľ
	_	_		_	_			
1								ľ

ht	J
b	
h	

Sneeted Panel	CPPB8/5.11-5
Sheeted Panel	CPPB10/5.11-5
Shooted Panel	CDDR12/5 11-5

U	511	מודכו
10′	5′11″	161lb
12′	5′11″	190lb

#### **CREEP FEEDER PANEL**

- · Designed with an adjustable horizontal bar for calf-only access
- · Ideal for use between pastures and sheds for targeted calf feeding
- · Suitable for both small and large herds
- · Comes with pins on both ends to connect seamlessly with any Brazzen panel or gate
- Each panel includes 6 calf access openings
- Includes a D-pin for easier and guicker height adjustmont

aujustinent		Length	Height	Weight
Creep Feeder Panel	CPF10-5.2	10′	62"	103lb

## CALF TILTING CRADLE

- Secure holding
- Three independent drop-down slam gates provide full access to the calf
- Reversible design accommodates both right and left side use
- Designed for safety and to make pen work easier for stock handlers

	nn		
eight	Weight		11
5′	364lh	end.	-

		Width	Depth	Height	Weight
Calf Cradle	СССТ	5′5″	4′7.5″	5′	364lb



#### **SLIDING CATTLE GATE**

 Ideal for use in alleys and anywhere requiring a compact gate arrangement or precise control of animal travel

• Easy operation with roller sliding





		Width	Depth	Height	Weight
Standard Slide Gate	CGSS	2′9″	8″	6′5″	176lb
Premium Slide Gate	CGPS	2′9″	8″	6′5″	185lb
Blind Cattle Slide Gate	CGSSB	2′9″	8"	6'5"	265lb

#### **STANDARD CATTLE GATE SPLIT 2.1M**

• Top and bottom swing and latch independently

		Length	Depth	Height	Weight
Split 2.1m	CGSPL2.1	6′11″	2″	7′3″	150lb



#### **2 WAY CATTLE ALLEY GATE**

- · Easy operation
- Designed to assist with sorting and separating cattle with a minimal of stress on the animals
- Fully sheeted sides to help minimise cattle distraction
- · Can be operated from either side

	Length	Width	Height	Weight
2 Way Cattle Alley Gate CGR2W	5′5″	5′5″	6′11″	370lb







## **2 WAY SLIDING CATTLE GATE**

• This sliding gate can be operated from both sides or locked off for single side operation



2 Way Sliding Gate

CG2WS

2′9″

Width

Depth 1′3″

6'5"

Height

212lb

Weight


#### **R360 CATTLE GATE**

- INNOVATION design 360 Degrees
- Gate will swing in both directions
- · Comes with both chain & slam latch

		Length	Depth	Height
2.1 Standard 360 Degrees	CGS2.1-R360	6′11″	2″	7′3″
2.1 Premium 360 Degrees	CGP2.1-R360	6′11″	2″	7′3″
3.0 Standard Single 360 Degrees	CGSS3.0-R360	9′10″	2.36"	7′3″
3.0 Premium Single 360 Degrees	CGPS3.0-R360	9′10″	2.36"	7′3″



#### **MESH DRIVEWAY GATES**



		Length	Height	Rails	Weight
Mesh Driveway Gate 8.0	DGBM8/4.5-5	8′	6"	5	82lb
Mesh Driveway Gate 10	DGBM10/4.5-5	10′	4'6"	5	93lb
Mesh Driveway Gate 12	DGBM12/4.5-5	12′	4'6"	5	106lb
Mesh Driveway Gate 14	DGBM14/4.5-5	14′	4′6″	5	121lb
Mesh Driveway Gate 16	DGBM16/4.5-5	16′	4′6″	5	133lb

BRAZZEN 🍪 **CATTLE** 



#### **5 RAIL DRIVEWAY GATES**

- End posts are square 2 inches x 2 inches and 14 gauge
- Made from our premium oval rails 4½ inches x 2 inches and 16 gauge, each rail almost has a 5 inch face on them
- Total 5 rails and with vertical strengthening post/tube to ensure this gate will never bend or break, they all come with 4 long bolt through L hinges to carry the weight



		Length	Height	Rails	Weight
Driveway Gate 8.0	DGP8/4.2-5	8′	4'2"	5	119lb
Driveway Gate 10	DGP10/4.2-5	10′	4′2″	5	141lb
Driveway Gate 12	DGP12/4.2-5	12′	4′2″	5	168lb
Driveway Gate 14	DGP14/4.2-5	14′	4'2"	5	190lb
Driveway Gate 16	DGP16/4.2-5	16′	4'2"	5	211lb


#### **6 RAIL DRIVEWAY GATES**

 6 Rail Gates have same construction and features as 5 Rail Gates

		Length	Height	Rails	Weight
Driveway Gate 8.0	DGP8/5.1-6	8′	5′1″	6	139lb
Driveway Gate 10	DGP10/5.1-6	10′	5′1″	6	165lb
Driveway Gate 12	DGP12/5.1-6	12′	5′1″	6	196lb
Driveway Gate 14	DGP14/5.1-6	14′	5′1″	6	220lb
Driveway Gate 16	DGP16/5.1-6	16′	5′1″	6	216lb

This cowboy latch is made for all you cowboys out there. Mount it on the gate and you won't even have to get out of the saddle to open it.

Heavy-duty steel construction. It could be used on Brazzen standard, premium driveway gates and mesh driveway gates. 58 in. long handle







## PREMIUM HEAVY DUTY 5 RAIL GATE


- Frame made by 2.76" x 2" HDG tube at 14GA
- Inside post made by 2" x 2" HDG tube at 15GA
- 5 Rails made by 4.52" X 1.65" 16GA oval pregal tube
- Comes with slam lock and chain lock system
- Lugs provided for connecting to fence panels and Posts



	Length	Height	Weight	
Premium 5 Rail Gate 6.0 CGP6/10-5	6′	10′	169lb	
Premium 5 Rail Gate 8.0 CGP8/10-5	8′	10′	194lb	
Premium 5 Rail Gate 12 CGP12/10-5	12′	10′	282lb	

#### **STANDARD 5 RAIL GATE**

- Frame made by 2.76" x 2" HDG tube at 14GA
- Inside post made by 2" x 2" HDG tube at 15GA
- 5 Rails made by 2.76" X 1.57" @ 16GA oval pregal tube
- Comes with slam lock and chain lock system
- Lugs provided for connecting to fence panels and posts



	Length	Height	Weight
Standard 5 Rail Gate 6.0 CGS6/10-5	6′	10′	156lb
Standard 5 Rail Gate 8.0 CGS8/10-5	8′	10′	179lb
Standard 5 Rail Gate 12 CGS12/10-5	12′	10′	227lb

# MAN PANEL GATE

- Designed for easy access between yards
- · Fast exit from yards
- Also available in 6-Rail Standard





		Rails	Length	Height	Weight
Premium Man Gate-5 Rail	CGMP2.1-5	5	7′4″	5′11″	118lb
Premium Man Gate-6 Rail	CGMP2.1	6	7′4″	5′11″	145lb

#### **ACCESS GATE**

- Ideal for use in workers alley, or access to yards
- Comes with both chain & slam latch
- Handy lugs for ground pinning







		Rails	Length	Height	Weight
Premium Access Gate - 4 Rail	CGP1.25-4	4	4′1″	7′	99lb
Premium Access Gate - 5 Rail	CGP1.25-5	5	4′6″	7′2″	115lb
Standard Access Gate - 6 Rail	CGAS1.25-6	6	4'6"	7′2″	64lb





#### **SPEAR TRAP GATE**

- · Designed for self mustering
- Ideal for decreasing handling & increasing mustering efficiency on large properties
- Reduces stress on both the animal and handler
- Arms are removable

· Efffective and easy to install into an existing portable yard

		Width	Depth	Height	Weight
Spear Trap Gate	CGST	3′9″	5″	6′7″	189lb

## **CATTLE 3 WAY DRAFTING GATE**

- · Galvanised construction
- · Robust construction
- Animal Friendly
- · Handy lugs for ground pinning
- Designed to improve speed of stock flow easy operation

		Width	Depth	Height	
ng Gate	C3WD	7′9″	2′9″	6′11″	

# Cattle 3 Way Drafti

## **CURVED ALLEY PANELS**

- De of
- M

Pesigned to improv f stock flow Minimal distractions	•		_				the same of the sa
	Curve Width	Radius	Depth	Height	Weight		

		Curve Width	Radius	Depth	Height	Weight
Standard Outer	СРСО	10′7″	12′6″	1′4″	5′11″	190lb
Standard Inner	CPCI	9′9″	11′1″	1′4″	5′11″	205lb





#### 12' COMBINATION GATE/PANEL WITH LOOP FEET

- 6' Panel and 6' Gate, Making 12' Wide
- Panel is 5'4" High, Gate is Adjustable 10ft Tall
- 2 Side Posts 1 3/4" Round Tubing
- 5 Rails Made by 2.4" x 1.2" Oval Tube



Length Panel Height Gate Height Weight

Combination Gate/Panel Loop Feet CP/GLF12

12'


5'4"

10'

128lb

#### 12' COMBO STANDARD 6 RAIL GATE & PANEL

- Frame made by 1 3/4 inch round tube with slot in top 12/5 inch round pipe
- 6 rails 2.76"x1.6" oval tube
- Slam lock and Chain lock provided
- Clete and pins are provided for connection



Length Panel Height Gate Height Weight

12'Combo Stand 6 Rail Gate & Panel CP/GSA12/10-6

12' 5'11" 10' 200lb

#### 12' COMBO STANDARD 5 RAIL GATE & PANEL



Length Panel Height Gate Height Weight

12' Combo Stand 5 Rail Gate & Panel CP/GSA12/10-5

12'

5'2"

10'

181lb





#### **CATTLE ALLEY BOW**

Assists with maintaining a sturdy alley

		Length	Depth	Height	Weight
Cattle Alley Bow	CRB	2′9″	2"	6′10″	40lb

#### **DOUBLE ALLEY BOW**

- · Assists with maintaining a sturdy alley
- · Creates a safe work area for personnel

	Length	Depth	Height	Weight
Double Alley Bow <b>CRBD</b>	7′	2″	8'8"	97lb

#### **ADJUSTABLE ALLEY BOW**

- Reduces turning around in alley for smaller animals
- · Assists with maintaining a sturdy alley
- Modifications required to attach Adjustable Alley Bows to Slide Gates and Chutes

	Length	Depth	Height	Weight	
ustable Cattle Bow <b>CRBA</b>	2′9″	2″	6′10″	93lb	



## CATTLE 🤗



#### **BLIND SWEEP YARD**

- The sweep yard allows the handler to push cattle into the alley system with minimal risk to the handler
- Innovative braking system stops the cattle from pushing the gate back therefore protecting the operator
- The curved layout works with the natural behavior of how cattle run and tend to circle back to where they came from
- · Standard Slide Gate Included

#### **CLOCKWISE SWEEP AVAILABLE**

 When using a clockwise sweep yard and a standard chute, the sweep yard requires the walkway to allow operation from the outside in line with chute operation








		Width	Depth	Height	Weight	
Blind - Counter Clockwise	CFYB	20'8"	10'4"	7′2″	1495lb	
Blind - Clockwise	CFYBO	20'8"	10'4"	7′2″	1371lb	
Walkway Kits	CFYBWK				229lb	
90 - Counter Clockwise	CFYB90	10'8"	10'8"	7′9″	1111lb	
90 - Clockwise	CFYBO90	10'8"	10'8"	7′9″	1085lb	





## **COMBO PANEL & GATE**

- These panels will pen in Cattle, Sheep and Goats
- 8 Rails 2.75"x1.57" Oval Rail
- 2 Posts 1.97"x1.97"



**SHEEP** 

# SHEEP 🤯



## **SHEEP HANDLER**

Extra alley panels and slide gates are sold separately and not included with the Sheep Handler.



- Designed to Improve the efficiency of managing your sheep or goats
- Comes with 4 adjustment positions, to accommodate all stock sizes
- Comes with slide gate front and back
- Easy to tip sheep/goat up at a safe working height and do handling work
- Supplied in Flat Pack



Length Width Height Weight

Sheep Handler **SGH** 5'9" 3'11" 3'11" 313lb







#### **SHEEP V 3 WAY DRAFT**

- · Manufactured from Galvanized Steel
- · Fully Sheeted
- The 'v' profile minimizes the chance of small stock turning around in the alley
- Alley has full sheeted sides (prevents) legs and heads from getting out, and improves stock flow)
- Alley is made without overhead bracing this eliminates the danger of an operator getting his arm caught between the yard and animal



		Length	Depth	Height	Weight
Sheep V	SRAFP	11′2″	1′9″	3′10″	485lb

#### **SHEEP ALLEY BOW**

	Width	Height	Weight
ow SRBB	2′2″	3′7″	24lb

Sheep Alley Bo

#### **PREMIUM SHEEP PANELS**

- Manufactured from Galvanized Steel
- Wide top rail for operator comfort when leaning over or accessing yard to yard
- Lamb proof rail spacing
- Panels can be used in permanent or portable applications

		Length	Height	Weight
Premium Sheep Panel 1.0	SPP1.0	3′3″	3′7″	29lb
Premium Sheep Panel 2.0	SPP2.0	6′6″	3′7″	55lb
Premium Sheep Panel 3.0	SPP3.0	9′10″	3′7″	75lb







## **SHEEP PREMIUM DRENCH RACE PANEL**

- 6 rails 2.36x1.18 inch oval tubes
- 2 posts 1.57x1.57 inch square posts
- Top rail is removable







Sheep Premium Drench Race Panel 3.0m SPPD3.0

## SHEEP MARKING PANEL

- HPost: 40 x 40 x 1.7mm square tube
- Rails: 60 x 30 x 1.5mm oval tube
- Top 2 rails drop down



Length Height SPPM3.0 9'10" 3′7″ Sheep Marking Panel



#### **BLIND SHEEP PANELS**

- · Manufactured from Galvanized Steel
- Panels can be used in Permanent or Portable applications
- · Handy lugs for ground pinning
- Wide top rail for operator comfort when leaning over or accessing yard to yard
- · Height is 3'7"



		Length	Height	Weight	
Blind Sheep Panels 1.0	SPPB1.0	3′3″	3′7″	37lb	
Blind Sheep Panels 2.0	SPPB2.0	6′7″	3′7″	71lb	
Blind Sheep Panels 3.0	SPPB3.0	9'10"	3′7″	106lb	

#### **BUDGET SHEEP PANEL**

- Frame OD 1.25" pipe, lower 6 rails made of 1" Round pipes
- · Mid-plate welded on
- C lugs provided for connection on two ends



		Width	Height	Weight
Budget Sheep Panels	SPB10/3.3-7	9'9"	3′3″	44lb

#### **BUDGET SHEEP GATE**


- Overall Size: 9'4"
- Frame Pipe is 2" x 2" HDG US Pipe
- Inner Gate Frame is 1.26" OD x 16 GA
- Rails for inner gate are 0.98" OD pipes

1	
10	1

		Width	Height	Weight
Budget Sheep Gate	SGB10/3.3-7	9'4"	3′3″	95lb



## **SHEEP DRAFT GATE**





## **SHEEP ALLEY GATE**

		Length	Height	Weight
Sheep Alley Gate	SGR	2′2″	3′3″	37lb



## **SHEEP PREMIUM ALLEY**

		Length	Height	Weight	
Sheep Premium Alley	SGPR	2′2″	3′10″	44lb	








## **PREMIUM SHEEP GATE**

· Manufactured from Galvanized Steel

		Length	Height	Weight
Premium Sheep Gate 1.0	SGP1.0	3′3″	3′7″	68lb
Premium Sheep Gate 2.0	SGP2.0	6'6"	3′7″	110lb
Premium Sheep Gate 3.0	SGP3.0	9′10″	3′7″	134lb



## SHEEP SLIDE GATE

- · Manufactured from Galvanized Steel
- Push/pull operation from either side

		Length	Height	Weight
Sheep Slide Gate	SGS	2′6″	3′9″	68lb



#### **2 WAY SHEEP ALLEY GATE**

- Easy operation
- Designed to facilitate the sorting and separating of sheep while minimizing stress on the animals
- Fully sheeted sides to help minimize sheep distraction
- · Can be operated from both sides

	Length	Width	Height	Weight
2 Way Sheep Alley Gate SG2W	4′4″	4′	3′5″	234lb





## **ANTI-BACKING WING**

- · Sold in pairs
- · Mount to sheep alley panels



## **SHEEP PERMANENT POST**

Sheep Permanent Post SPP 6'2" 22lb

-





Optional	Walkwa	ıy Kıt <i>I</i>	Avail	lable

		Length	wiatn	Height	weignt
Standard Sheep Loading Ramp	SLR	10′7″	4'2"	10′2″	626lb
Walkway Kit	SLRWK	10′7″	4'2"	10′2″	652lb



# COMBO PANEL & GATE/PIGS

· 8 Rails 60mm x 30mm Oval Rail



## **COMBO GATES**


#### **Budget**

#### Standard

- 8 Rails 70mm x 40mm Oval Rail
- 2 Post 50mm x 50mm Posts

Fits all livestock types including cattle, horses, sheep, and goats.

		Length	Height	Weight
Standard Combo Gate	C/SGS2.1	6′11″	7′3″	170lb
Budget Combo Gate	C/SGBA	6′11″	9′10″	152lb





**BUDGET COMBO GATE** 

#### **COMBO PANELS**

#### **Budget** · 8 Rails 60mm x 30mm Oval Rail

#### Standard

- 8 Rails 70mm x 40mm Oval Rail
- 2 Post 50mm x 50mm Posts

Fits all livestock types including cattle, horses, sheep, and goats.

		Length	Height	Weight
Standard Combo Panel	C/SPS2.1	6′11″	5′11″	99lb
Budget Combo Panel	C/SPB2.1	6′11″	5′11″	82lb



STANDARD PANEL

#### **PIG PANEL**

· Vertical slats to discourage climbing

		Length	Height	Weight
Pig Panel	PP6.6-6	6'6"	3′5″	57lb



#### **PIG GATE**

Flip Latch and Chain Latch

		Length	Height	Weight
Pig Gate	PG6.6-6	6'6"	3′7″	109lb







#### **GOAT PANEL**

- Outer frame made by OD1.26x0.05in pipe
- Inside 7 rail made by OD1x0.05in
- C Clugs provided


• Middle strap welded to all rails on 9'-10" long panels



		Length	Height	Weight
Goat Panel 6.6	GP2.0	6′7″	4′1″	37lb
Goat Panel 9.10	GP3.0	9′10″	4′1″	55lb

## **GOAT GATE**

- Frame's bottom rail made by 2x2x0.09in HDG tube
- Panel frame made by OD1.26x0.06in, 7 rail OD0.98x0.05in pipe
- Uprights 2x2x0.067in HDG tube
- C Clugs provided
- · Chain lock system provided



		Length	Height	Weight
Goat Gate 6.6	GG2.0	6′7″	4′5″	77lb
Goat Gate 9.10	GG3.0	9′10″	4′5″	99lb





#### **DOUBLE HORSE SHELTER**

- Suitable shelter for animals, stock feed and machinery
- Providing shelter along with air flow for all conditions
- Lined with heavy duty marine ply to protect stock from injury
- · Supplied in flat pack
- Anchor plates so you can bolt the shelter down
- Handy lugs on the front so you can attach panels or gates



## SINGLE HORSE SHELTER

#### **CONFIGURATION OPTIONS:**

- 1. Basic Design
- 2. With Mesh
- 3. With Mesh With Sheet
- 4. With Mesh With Steel Gate/Panel
- 5. With Sheet With Steel Gate/Panel
- 6. With Mesh With Sheet With Steel Gate/Panel
- 7. With Mesh With Plywood Panel & Gate
- 8. With Sheet With Plywood Panel & Gate
- 9. With Mesh With Sheet With Plywood Panel & Gate
- 10. Foot Pegs Are Optional



	Wic	lth Depth	Height	Weight
3m Horse Shelter - Single H	<b>IS3/3</b> 9′1	0" 9'10"	8′9″	860lb
4m Horse Shelter - Single H	<b>IS4/4</b> 13'	1" 13′1″	8′9″	1605lb

Please check with us for other configuration item codes.

37 HORSE BRAZZEN 💗



# **HORSE STALL**

- Suitable shelters for animals, stock feed and machinery
- Providing shelter along with air flow for all conditions
- Supplied in flat pack, with modular function for side-by-side Stalls with common walls
- Handy lugs on the front so you can attach panels or gates.



	Width	Depth	Height	Weight
Horse Stall <b>HS12F</b>	12′	12′	10′	1631lb





# **PREMIUM 4 RAIL PANEL**

• Panels can be used for horses and cattle



		Rails	Length	Height	Weight
Premium 4 Rail Panel 6.0	CPP6/5.2-4	4	6′	5′2″	66lb
Premium 4 Rail Panel 8.0	CPP8/5.2-4	4	8′	5′2″	84lb
Premium 4 Rail Panel 10	CPP10/5.2-4	4	10′	5′2″	106lb
Premium 4 Rail Panel 12	CPP12/5.2-4	4	12′	5′2″	110lb

# PREMIUM HEAVY DUTY 4 RAIL GATE



		Length	Height	Weight
Premium 4 Rail Gate 6.0	CGP6/10-4	6′	10′	159lb
Premium 4 Rail Gate 8	CGP8/10-4	8′	10′	180lb
Premium 4 Rail Gate 12	CGP12/10-4	12′	10′	251lb



#### **HORSE PANEL**

Round Yard Diameter Specifications (Approx.)

33ft	13 panels plus 1 gate = 14 Units
39ft	15 panels plus 1 gate = 16 Units
43ft	17 panels plus 1 gate = 18 Units
46ft	19 panels plus 1 gate = 20 Units
51ft	21 panels plus 1 gate = 22 Units
55ft	23 panels plus 1 gate = 24 Units
59ft	25 panels plus 1 gate = 26 Units
66ft	27 panels plus 1 gate = 28 Units



		Rails	Length	Height	Weight
Horse Panel	HP2.1	5	7′3″	5′5″	53lb

# **ADJUSTABLE TOP HORSE GATE**

- 5 rails made by 2.36"x1.18" pregal oval tube at 16GA
- 2 posts made by 1.57" x 1.57" pregal gal tube at 16GA
- Frame made by 2" x 2" hot dip gal tube at 14GA
- C-Lugs and pins provided for connecting, chain lock provided



		Length	Height	Weight
Adjustable Top Horse Gate	HGA	7′3″	9′9″	121lb





## **HORSE FLOAT PANELS**

- Powder coated
- Ideal for temporary holding yards
- Portable light weight panels
- 2x panel pieces make a 6'6" x 6'6" holding pen






#### Horse Float Panel HFP2.0

cigiit	Width Folded	Widthilat	Weig
4′1″	6′6″	13′1″	40H

# **HORSE/SHEEP COMBO PANEL AND GATE**



		Rails	Length	Height	Weight
Horse/Sheep Combo Panel	CSPB2.1	8	7′3″	5′11″	80lb
Horse/Sheep Combo Gate	CSGBA	8	7′3″	9′9″	146lb





#### **ROUND FEEDERS**

- Holds 6 ft round bales
- Feeds up to 18 animals simultaneously
- 2 Piece construction makes it easy to relocate
- · Hot dipped galvanized after welding




		Diameter	Height	Weight
Round Bale Feeder-Straight Bar	FRS-US	7′	4′3″	227lb
Round Bale Feeder-Angled Bar	FRA-US	7′	4'3"	205lb



## **SQUARE FEEDERS**

- Can fit one large square bale
- Feeds up to 22 animals simultaneously
- 4 Piece construction makes it easy to relocate
- · Hot dipped galvanized after welding







		Length	Height	Weight
Line Feeder 5.0	FL-5	5′	4′3″	53lb
Line Feeder 9.0	FL-9	9′	4'3"	91lb
Line Feeder 18	FL-18	18′	4'3"	182lb







# **DIAGONAL FEEDER**

- Holds large rectangle bales
- · Manufactured from hot dipped galvanized pipe

Width



3	5′	18′	4'3"	5

Length

# **CRADLE FEEDER**

- Holds large rectangle bales
- · Keeps bales raised off the ground
- Manufactured from hot dipped galvanized pipe



**FSC/R Optional Rubber Sheet** 

		Width	Depth	Height	Weight
Cradle Feeder	FSC	9'6"	4′11″	3′6″	335lb
Cradle Feeder with Rubber Sheet	FSC/R	9'6"	4′11″	3′6″	434lb

# **AU ROUND HAY FEEDER**

		Diameter	Height	Weight
AU Round Hay Feeder	FR	6′9″	3′5″	207lb





#### **ROUND BALE CRADLE FEEDER**

- Full 1-1/4" OD pipe
- Holds 1x round bale



		wiatn	Depth	neight	weight
Round Bale Cradle Feeder	FRC	5′5″	5′	4′	313lb

## **DUAL HAY FEEDER**

• Holds 2x round bales or 1x large



		Width	Depth	Height	Weight
Dual Hay Feeder	FSCS	9′5″	7′3″	3′9″	282lb

# **HEAVY DUTY V TOP SQUARE FEEDER**



		Width	Length	Height	Weight
Heavy Duty V Top Square Feeder	FSVHDH	5′5″	9′3″	4′5″	434lb





## **LARGE SHEEP FEEDER**

- Overall size: 5'4" x 4'9" x 2'7" H
- Main frame made by 1.18" and square tube at 2 GA
- Supplied flat packed to be bolted together for ease of storage and delivery.
- · Fully Galvanized



		Width	Depth	Height	Weight
Large Sheep Feeder	LSF	5′4″	4′9″	2′7″	171lb

#### **SHEEP UK FEEDER**

- Two corners bolted together and two corners connected with coupling bars
- · Open bottom feeder
- 11.42" deep welded sheeted base to form skirting
- Supplied flat packed for ease of storage and delivery



		Width	Length	Height	Weight
Sheep UK Feeder	SFUK	5′	9′	3′3″	209lb



## **SHEEP HANGING FEEDER**



		Length	Width	Height	Weig
Sheep Hanging Feeder	SF008	1′10″	1′	1′6″	9

#### **SHEEP FEEDER WITH SKID**

- Overall size: 2401L x 800D x 1200H
- 1200mm Height designed to assist any tractor job to lead hay easily
- Lip rolled to the outside means no feed build up, fresher feed and no mold.
- Formed so bunks can be set end-to-end or stacked for storage
- HDG rounded skid legs allow for easy movement in muddy conditions while providing lasting strength and reliability
- A distinctive design that helps to reduce hay wastage



		Length	Depth	Height	Weight
Sheep Feeder with Skid	FSVT	7′9″	2′8″	3′11″	249lb





#### **SHEEP TROLLEY FEEDER**

- · Ideal to keep the weather off stock-feed
- · Reduces waste
- Supplied with 4x 10" wheels x 0.78" bore with rubber tire with 2'71/2" wide lid c/w protex fastening and lid catch

Width

Depth

1′11″

2'3"

• Double sided 3"x 3" hay-rack



Sileeh	Holley Feedel	113	4 /12

#### **LICK FEEDER 5200L**

- · Unique barrel design increases strength and does away with the need for internal supports
- · Sizes available 800ltr, 2400ltr, 3200ltr, 4200ltr & 5200ltr
- Fully adjustable
- · Full top hinge opening lid
- 3 viewing feed level indicators
- · Robust galvanized contruction with fork slots for easy moving





		Length	Width	Height	Weight
ick Feeder 5200L	CLF52	9′7″	7'4"	5′2″	1145lb





#### **RAISED DOG KENNELS**

#### Standard Dog Kennels

- Available in single and double in both standard and raised
- Raised flooring composite boards with drainage gaps
- · Sturdy construction and design
- · Providing great protection for your pets



Frame 30 x 30 x 1.6mm galvanised tube Mesh: 25 x 84mm with 3mm diameter Hot dip galvanised









#### **Budget Raised Dog Kennels**

- · No back door
- FRP (Fiber glass grating floor)
- Designed as modular, it can be set up provided into a single, double, triple, etc...
- · Detachable mid-wall
- · Comes in Flat pack version
- Anti-UV Trim Deck and flashing

Single Raised Dog Kennel	DCSR
Double Raised Dog Kennel	DCDR
Single Raised Dog Kennel Budget	DCBSR
Double Raised Dog Kennel Budget	DCBDR

Depth	Width	Height	Weight
7′6″	3′7″	5′6″	370lb
7′6″	6′10″	5′6″	811lb
7′6″	3'6"	5′4″	
7′6″	6′10″	5'4"	

#### **ON-GROUND DOG KENNELS**



**SINGLE** 

		Rails	Length	Height	Weight
Dog Kennel Single	DCS	12′	7′	6′	392lb
Dog Kennel Double	DCD	12′	7′10″	6′	613lb



**DOUBLE** 







# How To Recognize GENUINE BRAZZEN EQUIPMENT

#### BRAZZEN, OVER THE YEARS HAS BECOME A DOMINANT PLAYER IN THE LIVESTOCK EQUIPMENT INDUSTRY.

- We pride ourselves in having excellent galvanizing and even our upright posts are hot dipped galvanized on all our panels which is important as this is the part that touches the ground.
- All the gauges/tube wall thickness of our rails and posts are exactly the thickness as stated in our specifications.
- Our workers pride themselves in their welding and you will see the difference with our welding compared with our competitors. "If it is not Genuine Brazzen
- All our equipment has the anti-rattle rubbers where the pins join the Equipment.

there is no Brazzen Warranty" Our 2.1m 6-rail Standard Panels are 36kg/79lbs in weight, the biggest deception with cheaper panels is the thin steel tube gauge which reflects in the

6 Some companies have cheap panels with only half a C-Lugs on one side to save on steel. When linked with other panels this is much weaker than the full C-Lugs. Beware of these inferior panels.

weight of steel.

The factory manufacturing is controlled by Australians and so the quality control and the development are all looked after by Australians. Australia Livestock Equipment is known to be the most robust equipment throughout the world and a lot of Brazzen equipment in used in the Northern Territory and the outback where buffalos and wild cattle and horses are penned and captured in Brazzen Equipment.

We now have a lot of manufacturers starting to copy our equipment and trying to sell them as Brazzen Equipment.

For you to recognize Genuine Brazzen Equipment, you will see a logo on the cap on the top of the posts on our panels, you will see a Brazzen sticker on the panels. A lot of our equipment will have the logo stamped in them.

If you have a ranch and would like to make another income we are looking for dealers. Reach out if this is something you are interested in.

Do please keep buying Brazzen Equipment and make sure it is genuine.





**BRAZEN BUY BRAZZEN** 



# **Contact & Sales**

#### **HEAD OFFICE**

Tel (435) 901-5404

1145 South 800 East Suite 111 Orem, UT 84097

www.brazzen.com cam@brazzen.com



