



BRAZZEN

LIVESTOCK EQUIPMENT

2023



www.brazzen.com

Contact & Sales

HEAD OFFICE

Tel (435) 901-5404

1145 South 800 East
Suite 138
Orem, UT 84097
cam@brazzen.com

www.brazzen.com



Product Index

*The specifications are subject
to change without prior notice.*

Cattle _____ 2-10

| | |
|------------------------|-----|
| Head Bale _____ | 2 |
| Hobby Chute _____ | 2 |
| Sliding Gate _____ | 2 |
| Premium Chute _____ | 3 |
| Bud Box Yard _____ | 4 |
| Scales _____ | 4 |
| Panels _____ | 5 |
| Alley Bows _____ | 6 |
| Driveway Gates _____ | 7 |
| Cattle Gates _____ | 8-9 |
| Blind Sweep Yard _____ | 10 |

Sheep _____ 11-13

| | |
|-----------------------------|----|
| V 3 Way Draft _____ | 11 |
| Alley Bow _____ | 11 |
| Panels _____ | 11 |
| Gates _____ | 12 |
| Budget Panels & Gates _____ | 13 |
| Blind Panels _____ | 13 |

Horses _____ 14-16

| | |
|----------------------|-------|
| Shelters _____ | 14 |
| Panels & Gates _____ | 15-16 |

Feeders _____ 17-19

| | |
|----------------------------|----|
| Round Bale Feeders _____ | 17 |
| Square Bale Feeders _____ | 17 |
| Line Feeders _____ | 17 |
| Diagonal Feeder _____ | 18 |
| Cradle Feeder _____ | 18 |
| Sheep Trolley Feeder _____ | 18 |
| Sheep Cradle Feeder _____ | 19 |
| Sheep UK Feeder _____ | 19 |





Head Bale

- Ideal for use with two cattle panels and a sliding gate to create a budget chute
- Main frame made by 2" x 2" square tubing
- Diamond shaped design stops the animals head from lifting up and down when caught on the head bale
- Goes with 16 GA Sheeting

| | | Length | Depth | Height | Weight |
|-----------|-----|--------|-------|--------|--------|
| Head Bale | CHB | 2'9" | 9" | 6'11" | 257lb |



Hobby Chute

- Ideal for the hobby rancher
- Simple construction
- Portable
- Easy operating sliding gate
- Anti-Bruise oval rail panels

Kit Includes:

- 1x Cattle Head Bale
- 2x Cattle Panels
- 1x Cattle Sliding Gate

| | | Length | Depth | Height | Weight |
|-------------|-----|--------|-------|--------|--------|
| Hobby Crush | CCH | 8' | 2'9" | 7'6" | 573lb |



Sliding Cattle Gate

- Ideal for use with two cattle panels and a head bale to create a budget chute
- Easy operation with roller sliding

| | | Length | Depth | Height | Weight |
|---------------------|------|--------|-------|--------|--------|
| Sliding Cattle Gate | CGSS | 2'9" | 8" | 6'6" | 173lb |



STANDARD SLIDING GATE


Suggestion for use:
1x Sliding Gate
1x Head Bale
2x Standard Panels





Premium Cattle Squeeze Chute

- Walk through vet section
- Baulk gate
- Kick latch
- Rump squeeze
- New design allows safer access to rear of animal
- Triple top gates allowing full access along animal
- Double lower doors on each side for hoof access
- Sheeted sliding gate
- Long ratchet rump bar mechanism
- Auto lock rear sliding gate
- Supplied in Flat Pack



| | Length | Depth | Height | Weight |
|----------------------|--------|-------|--------|--------|
| Premium Chute CCPSFP | 11' | 2'10" | 7'6" | 1920lb |



Premium Cattle Ramp



| | | Length | Depth | Height | Weight |
|---------------------|--------------|--------|-------|--------|--------|
| Premium Cattle Ramp | CRPFP | 10'9" | 2'9" | 11' | 650lb |

Standard Cattle Ramp



| | | Length | Depth | Height | Weight |
|----------------------|--------------|--------|-------|--------|--------|
| Standard Cattle Ramp | CRSFR | 10'9" | 2'9" | 11' | 582lb |




Differences Between Standard & Premium Cattle Ramps

Standard Cattle Ramp:

Side Fence (left and right), Roof Frame, Front Support, Frame Structure is made of 50*50 square tubes (green color)

Premium Cattle Ramp:

Side Fence (left and right), Roof Frame, Front support, Frame Structure is made of 60*60 square tubes (green color)



Due to these reasons, these two different ramps have the same outline dimensions, yet they have different weights.

The rest are the same for these two ramps.

Based on these reasons:


1. Cattle Walkway Inner Dimensions:

Both standard and premium cattle ramps have the same inner dimensions: 2'5"

2. Cattle Walkway Outer Dimensions:

Standard cattle ramp's cattle walkway outer dimension is 2'9"

Premium cattle ramp's cattle walkway outer dimension is 2'10"





Cattle Grid/Cattle Grid Wings

• Fully Hot Dipped Galvanized



| | | Width | Length | Height | Weight |
|-------------|------------|-------|--------|--------|--------|
| Cattle Grid | CG3 | 6'7" | 11'6" | 4'10" | 904lb |
| Cattle Grid | CG4 | 6'7" | 14'9" | 4'10" | 1129lb |
| Wngs | CGW | 2" | 6' | 4' | 68lb |

2 Way Cattle Alley Gate



| | | Length | Width | Height | Weight |
|-------------------------|--------------|--------|-------|--------|--------|
| 2 Way Cattle Alley Gate | CGR2W | 5'5" | 5'5" | 6'11" | 381lb |



Bud Box Yard

- Designed to improve speed of stock flow



| | | Length | Width | Height | Weight |
|---------|--------|--------|--------|--------|--------|
| Bud Box | CBBY-6 | 20'8" | 15'11" | 10' | 2030lb |





Cattle Panels 5 Rail


Premium 5 Rail Panel

This strong heavy duty panel, is equipped with:

- 4.52" x 1.65"
- 2 SHS 2" x 2" posts
- 4 easy to connect lugs
- 2 holes for ground pins

All panels can be pre-ordered in Hot Dip Galvanized (HDG) after welding.

- Panels can be used for cattle and horses




Panel comes standard without the center strap & does not come installed.
12' PANEL WITH LOOP FEET STANDARD OVAL 5 RAILS, ROUND END POSTS,
OPTIONAL CENTER BAR



PREMIUM OVAL 5 RAIL PANEL

| | | Uprights | Rails | Height | Length | Weight |
|---|--------------|----------------------|-------|--------|--------|--------|
| Premium 5 Rail Panel 6.0 | CPP6/5.11-5 | 2"x2" | 5 | 6' | 6' | 97lb |
| Premium 5 Rail Panel 8.0 | CPP8/5.11-5 | 2"x2" | 5 | 6' | 8' | 125lb |
| Premium 5 Rail Panel 10 | CPP10/5.11-5 | 2"x2" | 5 | 6' | 10' | 132lb |
| Premium 5 Rail Panel 12 | CPP12/5.11-5 | 2"x2" | 5 | 6' | 12' | 152lb |
| 12' Panel with Loop Feet Standard 5 Rails | CPLF12 | Round pipe 1 3/4" | 5 | 5'4" | 12' | 94lb |

| | | Rails | Height | Length | Weight |
|-------------------------------------|-------------|-------|--------|--------|--------|
| Standard 5 Rail Panel 6.0 | CPS6/5.2-5 | 5 | 5'2" | 6' | 61lb |
| Standard 5 Rail Panel 8.0 | CPS8/5.2-5 | 5 | 5'2" | 8' | 76lb |
| Standard 5 Rail Panel 10 | CPS10/5.2-5 | 5 | 5'2" | 10' | 90lb |
| Standard 5 Rail Panel with Strap 12 | CPS12/5.2-5 | 5 | 5'2" | 12' | 104lb |



STANDARD OVAL 5 RAIL PANEL, SQUARE END POSTS



Cattle Walk Way Gate Kit

Cattle Walk Way Gate Kit is designed to assist with maximum access to the cattle while they are in the alley, therefore giving you safe access above the cattle.



| | | Height | Width | Length | Weight |
|-----------------------------|----------|--------|-------|---------|--------|
| Cattle Walkway Gate Kit 6.0 | CRWW6FT | 1'7.3" | 1" | 5'8.5" | 61lb |
| Cattle Walkway Gate Kit 8.0 | CRWW8FT | 1'7.3" | 1" | 7'8.5" | 76lb |
| Cattle Walkway Gate Kit 10 | CRWW10FT | 1'7.3" | 1" | 9'8.5" | 90lb |
| Cattle Walkway Gate Kit 12 | CRWW12FT | 1'7.3" | 1" | 11'8.5" | 104lb |

Cattle Panels 6 Rail

| | | Rails | Height | Length | Weight |
|---------------------------|--------------|-------|--------|--------|--------|
| Standard 6 Rail Panel 6.0 | CPS6/5.11-6 | 6 | 6' | 6' | 71lb |
| Standard 6 Rail Panel 8.0 | CPS8/5.11-6 | 6 | 6' | 8' | 88lb |
| Standard 6 Rail Panel 10 | CPS10/5.11-6 | 6 | 6' | 10' | 106lb |
| Standard 6 Rail Panel 12 | CPS12/5.11-6 | 6 | 6' | 12' | 124lb |



Cattle Panels 5 Rail

| | | Rails | Height | Length | Weight |
|--------------------------|--------------|-------|--------|--------|--------|
| Premium 5 Rail Panel 6.0 | CPP6/5.11-6 | 6 | 6' | 6' | 96lb |
| Premium 5 Rail Panel 8.0 | CPP8/5.11-6 | 6 | 6' | 8' | 122lb |
| Premium 5 Rail Panel 10 | CPP10/5.11-6 | 6 | 6' | 10' | 1148lb |
| Premium 5 Rail Panel 12 | CPP12/5.11-6 | 6 | 6' | 12' | 174lb |





Cattle Alley Bow

- Assists with maintaining a sturdy alley

| | | Length | Depth | Height | Weight |
|------------------|------|--------|-------|--------|--------|
| Cattle Alley Bow | CRBS | 2'9" | 2" | 6'10" | 40lb |



Double Alley Bow

- Assists with maintaining a sturdy alley
- Creates a safe work area

| | | Length | Depth | Height | Weight |
|------------------|------|--------|-------|--------|--------|
| Double Alley Bow | CRBD | 7' | 2" | 8'8" | 66lb |



Adjustable Cattle Bow

- Reduces turning in the alley depending on size of animal
- Assists with maintaining a sturdy alley

| | | Length | Depth | Height | Weight |
|-----------------------|------|--------|-------|--------|--------|
| Adjustable Cattle Bow | CRBA | 2'9" | 2" | 6'10" | 95lb |





5 Rail Driveway Gates

- End posts are square 2 inches x 2 inches and 14 gauge
- Made from our premium oval rails 4½ inches x 2 inches and 16 gauge, each rail almost has a 5 inch face on them
- Total 5 rails and with vertical strengthening straps to ensure this gate will never bend or break, they all come with 4 long bolt through L hinges to carry the weight



| | | Length | Height | Rails | Weight |
|-------------------|--------------------|--------|--------|-------|--------|
| Driveway Gate 8.0 | DGP8/4.2-5 | 8' | 4'2" | 5 | 109lb |
| Driveway Gate 10 | DGP10/4.2-5 | 10' | 4'2" | 5 | 131lb |
| Driveway Gate 12 | DGP12/4.2-5 | 12' | 4'2" | 5 | 160lb |
| Driveway Gate 14 | DGP14/4.2-5 | 14' | 4'2" | 5 | 182lb |
| Driveway Gate 16 | DGP16/4.2-5 | 16' | 4'2" | 5 | 204lb |

6 Rail Driveway Gates



| | | Length | Height | Rails | Weight |
|-------------------|--------------------|--------|--------|-------|--------|
| Driveway Gate 8.0 | DGP8/5.1-6 | 8' | 5'1" | 6 | 130lb |
| Driveway Gate 10 | DGP10/5.1-6 | 10' | 5'1" | 6 | 157lb |
| Driveway Gate 12 | DGP12/5.1-6 | 12' | 5'1" | 6 | 190lb |
| Driveway Gate 14 | DGP14/5.1-6 | 14' | 5'1" | 6 | 216lb |
| Driveway Gate 16 | DGP16/5.1-6 | 16' | 5'1" | 6 | 241lb |



Premium Heavy Duty 5 Rail Gate

- Frame made by 2.76" x 2" HDG tube at 14GA
- Inside post made by 2" x 2" HDG tube at 16GA
- 5 Rails made by 4.52" X 1.65" 16GA oval pregal tube
- Comes with slam lock and chain lock system
- Lugs provided for connect




ONLY THE 12' GATE COMES WITH DIAGONAL BRACE

| | | Length | Height | Weight |
|-------------------------|--------------------|--------|--------|--------|
| Premium 5 Rail Gate 6.0 | CGP6/10-5 | 6' | 10' | 173lb |
| Premium 5 Rail Gate 7.4 | CGP7.4/10-5 | 7'4" | 10' | 194lb |
| Premium 5 Rail Gate 12 | CGP12/10-5 | 12' | 10' | 289lb |

Standard 5 Rail Gate

- Only 12' has diagonal brace



| | | Length | Height | Weight |
|--------------------------|--------------------|--------|--------|--------|
| Standard 5 Rail Gate 6.0 | CGS6/10-5 | 6' | 10' | 154lb |
| Standard 5 Rail Gate 7.4 | CGS7.4/10-5 | 7'4" | 10' | 170lb |
| Standard 5 Rail Gate 12 | CGS12/10-5 | 12' | 10' | 247lb |



12' Combination Gate/Panel with Loop Feet

- 6' Panel and 6' Gate, Making 12' Wide
- Panel is 5'4" High, Gate is Adjustable 10ft Tall
- 2 Side Posts 1 3/4" Round Tubing
- 5 Rails Made by 2.4" x 1.2" Oval Tube




| | | Length | Panel Height | Gate Height | Weight |
|----------------------------------|----------|--------|--------------|-------------|--------|
| Combination Gate/Panel Loop Feet | CP/GLF12 | 12' | 5'4" | 10' | 139lb |

12' Combo Stand 6 Rail Gate & Panel


CP/GSA12/10-6 • 12' L x 9'10" H • 200lb

Frame made by 1 3/4 inch round tube with slot in top
12/5 inch round pipe
6 rails 2.76"x1.6" oval tube
Slam lock and Chain lock provided
Clete and pins are provided for connection



| | | Length | Panel Height | Gate Height | Weight |
|-------------------------------------|---------------|--------|--------------|-------------|--------|
| 12' Combo Stand 6 Rail Gate & Panel | CP/GSA12/10-6 | 12' | 5'4" | 9'10" | 200lb |

12' Combo Stand 5 Rail Gate & Panel



| | | Length | Panel Height | Gate Height | Weight |
|-------------------------------------|---------------|--------|--------------|-------------|--------|
| 12' Combo Stand 5 Rail Gate & Panel | CP/GSA12/10-5 | 12' | 10' | 9'10" | 181lb |



Man Panel Gate

- Designed for easy access between yards
- Fast exit from yards



| | | Rails | Length | Height | Weight |
|-------------------------|------------------|-------|--------|--------|--------|
| Premium Man Gate-5 Rail | CGMP2.1-5 | 5 | 7'4" | 5'11" | 118lb |
| Premium Man Gate-6 Rail | CGMP2.1 | 6 | 7'4" | 5'11" | 145lb |

Access Gate

- Ideal for use in workers alley, or access to yards
- Comes with both chain & slam latch
- Handy lugs for ground pinning




| | | Rails | Length | Height | Weight |
|-------------------------------|--------------------|-------|--------|--------|--------|
| Premium Access Gate - 4 rail | CGP1.25 - 4 | 4 | 4'1" | 7' | 99lb |
| Premium Access Gate - 5 rail | CGP1.25-5 | 5 | 4'6" | 7'2" | 118lb |
| Standard Access Gate - 6 rail | CGAS1.25-5 | 6 | 4'6" | 7'2" | 64lb |



Blind Sweep Yard

- The Sweep Yard allows the handler to push cattle into the alley system with minimal risk to the handler
- Innovative braking system stops the cattle from pushing the gate back therefore protecting the operator
- The curved layout works with the natural behavior of how cattle run and tend to circle back to where they came from



| | | Length | Depth | Height | Weight |
|------------------|------|--------|-------|--------|--------|
| Blind Sweep Yard | CFYB | 20'8" | 10'4" | 7'3" | 1386lb |



Sheep V 3 Way Draft

- Manufactured from Galvanized Steel
- Fully Sheeted
- The 'V' profile minimizes the chance of small stock turning around in the alley
- Alley has a fully sheeted outer arc (prevents legs and heads from getting out, and improves stock flow)
- Alley is made without overhead bracing
This eliminates the danger of an operator getting his arm caught between the yard and beast



| | | Length | Depth | Height | Weight |
|---------|--------------|--------|-------|--------|--------|
| Sheep V | SRAFP | 11'2" | 1'9" | 3'10" | 485lb |

Sheep Alley Bow


| | | Width | Height | Weight |
|-----------------|-------------|-------|--------|--------|
| Sheep Alley Bow | SRBB | 2'2" | 3'4" | 24lb |



Premium Sheep Panels

- Manufactured from Galvanized Steel
- Wide top rail for operator comfort when leaning over or accessing yard to yard
- Lamb proof rail spacing
- Panels can be used in permanent or portable applications

| | | Length | Height | Weight |
|-------------------------|---------------|--------|--------|--------|
| Premium Sheep Panel 2.0 | SPP2.0 | 6'6" | 3'3" | 59lb |
| Premium Sheep Panel 3.0 | SPP3.0 | 9'10" | 3'3" | 76lb |





Premium Sheep Gate

- Manufactured from Galvanized Steel



| | | Length | Height | Weight |
|------------------------|---------------|--------|--------|--------|
| Premium Sheep Gate 2.0 | SGP2.1 | 6'6" | 3'5" | 110lb |
| Premium Sheep Gate 3.0 | SGP3.0 | 9'10" | 3'5" | 130lb |

Sheep Slide Gate

- Manufactured from Galvanized Steel
- Sliding gates come supplied as conventional push in types, or as push out type




| | | Length | Height | Weight |
|------------------|------------|--------|--------|--------|
| Sheep Slide Gate | SGS | 2'6" | 3'9" | 68lb |



Budget Sheep Panel

- Frame OD 1.25" pipe, Inside 6 rails made by 1" Round pipes
- Mid-plate welded on
- C lugs provided for connection on two ends



| | | Length | Height | Weight |
|---------------------|--------------------|--------|--------|--------|
| Budget Sheep Panels | SPB10/3.3-7 | 9'9" | 3'3" | 54lb |

Budget Sheep Panel Gate

- Overall Size: 9'4'
- Frame Pipe is 2" x 2" HDG US Pipe
- Inner Gate Frame is 1.26" OD x 16 GA
- Rails for inner gate are 0.98" OD pipes.



| | | Length | Height | Weight |
|-------------------------|--------------------|--------|--------|--------|
| Budget Sheep Panel Gate | SGB10/3.3-7 | 9'4" | 3'3" | 190lb |

Blind Sheep Panels

- Manufactured from Galvanised Steel
- Panels can be used in Permanent or Portable applications
- Handy lugs for ground pinning
- Wide top rail for operator comfort when leaning over or accessing yard to yard
- Lamb proof rail spacing
- Height is 3'3"



| | | Length | Height | Weight |
|------------------------|----------------|--------|--------|--------|
| Blind Sheep Panels 1.0 | SPPB1.0 | 3'3" | 3'3" | 40lb |
| Blind Sheep Panels 2.0 | SPPB2.0 | 6'7" | 3'3" | 73lb |
| Blind Sheep Panels 3.0 | SPPB3.0 | 9'10" | 3'3" | 106lb |



Sheep Draft Gate



| | Length | Height | Weight |
|--------------------------------|--------|--------|--------|
| Sheep Draft Gate SGB1.0 | 3'3" | 3'10" | 44lb |

Sheep Alley Gate



| | Length | Height | Weight |
|-----------------------------|--------|--------|--------|
| Sheep Alley Gate SGR | 2'2" | 3'3" | 42lb |

Sheep Premium Alley



| | Length | Height | Weight |
|---------------------------------|--------|--------|--------|
| Sheep Premium Alley SGPR | 2'2" | 3'3" | 46lb |



2 Way Sheep Alley Gate



| | | Length | Width | Height | Weight |
|------------------------|-------------|--------|-------|--------|--------|
| 2 Way Sheep Alley Gate | SG2W | 4'4" | 4' | 3'5" | 244lb |

Standard Sheep Loading Ramp



Optional Walkway Kit Available

| | | Length | Width | Height | Weight |
|-----------------------------|--------------|---------|-------|---------|--------|
| Standard Sheep Loading Ramp | SLR | 10'6.7" | 4'2" | 10'2.5" | 577lb |
| Walkway Kit | SLRWK | 10'6.7" | 4'2" | 10'2.5" | 652lb |



Pig Panel

Panel: square tube: 1.57" x 1.57" wall thickness: 16GA
 Rail height: 27" oval tube: 2.4" x 1.18" wall thickness: 15GA



| | | Height | Length | Weight |
|-----------|---------|--------|--------|--------|
| Pig Panel | PP6.6-6 | 3'5" | 6'10" | 57lb |

Pig Gate

Gate: outside frame square tube: 2" x 2"
 Wall Thickness: 11GA
 Inner Body Square Tube: 2" x 2" Wall Thickness: 13GA
 Rail Height: 2'6" oval tube 2.4" x 1.18" Wall Thickness: 15GA



| | | Height | Length | Weight |
|----------|---------|--------|--------|--------|
| Pig Gate | PG6.6-6 | 3'7" | 6'10" | 109lb |



Horse Stall

- Suitable shelters for animals, stock feed and machinery
- Providing shelter along with air flow for all conditions
- Supplied in flat pack, with modular funtion
- Handy lugs on the front so you can attach a gate/s.



| | | Width | Depth | Height | Weight |
|-------------|-------|-------|-------|--------|--------|
| Horse Stall | HS12F | 12' | 12' | 10' | 1853lb |

Loafer Shelter

- Suitable shelters for animals, stock feed and machinery
- Providing shelter along with air flow for all conditions
- Lined with heavy duty marine ply to protect stock from injury
- Supplied in flat pack
- Anchor plates so you can bolt the shelter down
- Handy lugs on the front so you can attach a gate/s.



| | | Width | Depth | Height | Weight |
|-------------|-------|-------|-------|--------|--------|
| Loafer Shed | HS3/3 | 9'10" | 9'10" | 7'6" | 1302lb |



Premium 4 Rail Panels

- Panels can be used for horses and cattle



| | | Rails | Height | Length | Weight |
|--------------------------|-------------|-------|--------|--------|--------|
| Premium 5 Rail Panel 6.0 | CPP6/5.2-4 | 4 | 5'2" | 6' | 70lb |
| Premium 5 Rail Panel 8.0 | CPP8/5.2-4 | 4 | 5'2" | 8' | 88lb |
| Premium 5 Rail Panel 10 | CPP10/5.2-4 | 4 | 5'2" | 10' | 105lb |
| Premium 5 Rail Panel 12 | CPP12/5.2-4 | 4 | 5'2" | 12' | 123lb |

Premium Heavy Duty 4 Rail Gate



| | | Length | Height | Weight |
|-------------------------|-------------|--------|--------|--------|
| Premium 5 Rail Gate 6.0 | CGP6/10-4 | 6' | 10' | 162lb |
| Premium 5 Rail Gate 7.4 | CGP7.4/10-4 | 7'4" | 10' | 180lb |
| Premium 5 Rail Gate 12 | CGP12/10-4 | 12' | 10' | 267lb |

ONLY THE 12' GATE COMES WITH DIAGONAL BRACE



Standard Horse Panels

Round Yard Diameter Specifications (Approx.)

| | |
|------|----------------------------------|
| 33ft | 13 panels plus 1 gate = 14 Units |
| 39ft | 15 panels plus 1 gate = 16 Units |
| 43ft | 17 panels plus 1 gate = 18 Units |
| 46ft | 19 panels plus 1 gate = 20 Units |
| 51ft | 21 panels plus 1 gate = 22 Units |
| 55ft | 23 panels plus 1 gate = 24 Units |
| 59ft | 25 panels plus 1 gate = 26 Units |
| 66ft | 27 panels plus 1 gate = 28 Units |



| | Rails | Length | Height | Weight |
|---------------------------|-------|--------|--------|--------|
| Horse Panel HPS2.1 | 5 | 7'3" | 5'5" | 52lb |

Adjustable Top Horse Gate


- 5 rails made by 2.36"x1.18" pregal oval tube at 16GA
- 2 posts made by 1.57" x 1.57" pregal gal tube at 16GA
- Frame made by 2" x 2" hot dip gal tube at 14GA
- Cleat and pins provided for connecting , Chain lock provided



| | Length | Height | Weight |
|--------------------------------------|--------|--------|--------|
| Adjustable Top Horse Gate HGA | 7'3" | 9'9" | 141lb |

Horse Float Panels

- Powder coated
- Ideal for temporary holding yards
- Portable light weight panels
- 2x panel pieces make a 6'6" x 6'6" holding pen



| | Height | Width Folded | Width Flat | Weight |
|---------------------------------|--------|--------------|------------|--------|
| Horse Float Panel HFP2.0 | 4'1" | 6'7" | 13'2" | 31lb |



Round Bale Feeders

- Holds 6 ft round bales
- Feeds up to 18 animals simultaneously
- 3 Piece construction makes it easy to relocate
- Hot dipped galvanized after welding



| | | Diameter | Height | Weight |
|--------------------------------|---------------|----------|--------|--------|
| Round Bale Feeder-Straight Bar | FRS-US | 7' | 4'3" | 188lb |
| Round Bale Feeder-Angled Bar | FRA-US | 7' | 4'3" | 188lb |

Square Bale Feeders

- Modular type, can be bolted into single/double ones
- Can fit one large square bale
- Feeds up to 22 animals simultaneously
- 4 Piece construction makes it easy to relocate
- Hot dipped galvanized after welding



| | | Width | Length | Height | Weight |
|---------------------------------|------------|-------|--------|--------|--------|
| Square Bale Feeder-Straight Bar | FSV | 5' | 9' | 4'3" | 353lb |
| Square Bale Feeder-Angled Bar | FSA | 5' | 9' | 4'3" | 353lb |

Line Feeders

| | | Width | Length | Height | Weight |
|-----------------|--------------|-------|--------|--------|--------|
| Line Feeder 5.0 | FL-5 | 5' | 5' | 4'3" | 53lb |
| Line Feeder 9.0 | FL-9 | 5' | 9' | 4'3" | 91lb |
| Line Feeder 18 | FL-18 | 5' | 18' | 4'3" | 182lb |





Diagonal Feeder

- Holds large rectangle bales
- Keeps bales raised off the ground
- Manufactured from hot dipped galvanized pipe



| | | Width | Length | Height | Weight |
|-----------------|-------------|-------|--------|--------|--------|
| Diagonal Feeder | FD18 | 5' | 18' | 4'3" | 596lb |

Cradle Feeder



| | | Width | Length | Height | Weight |
|---------------|------------|-------|--------|--------|--------|
| Cradle Feeder | FSC | 4'11" | 9'6" | 3'6" | 282lb |

AU Round Hay Feeder



| | | Diameter | Height | Weight |
|---------------------|-----------|----------|--------|--------|
| AU Round Hay Feeder | FR | 6'9.1" | 3'5.3" | 222lb |



Sheep Cradle Feeder

- Supplied flat packed to be bolted together for ease of storage and delivery
- 1.2" x 1.2" SHS Horizontal rails



| | | Width | Length | Height | Weight |
|---------------------|-------------|-------|--------|--------|--------|
| Sheep Cradle Feeder | FSCS | 4'6" | 7'6" | 3'3" | 282lb |

Sheep UK Feeder

- Two corners bolted together and two corners connected with coupling bars
- Open bottom feeder with 38 (no) feed spaces
- 11.42" deep welded sheeted base to form skirting
- Supplied flat packed for ease of storage and delivery



| | | Width | Length | Height | Weight |
|-----------------|-------------|-------|--------|--------|--------|
| Sheep UK Feeder | SFUK | 5' | 9' | 3'3" | 209lb |



Lick feeder 5200L



| | | Length | Width | Height | Weight |
|-------------------|-------|--------|--------|--------|--------|
| Lick feeder 5200L | CLF52 | 9'7" | 7'3.5" | 5'2" | 1145lb |

Sheep Hanging Feeder



| | | Length | Width | Height | Weight |
|----------------------|-------|--------|-------|--------|--------|
| Sheep Hanging Feeder | SF008 | 1'10" | 1' | 1'6" | 9lb |

Sheep Trolley Feeder

- Ideal to keep the weather off stock-feed
- Reduces waste
- Supplied with 4x10" wheels x 1" bore with rubber tyre with 2'7½" wide lid c/w protex fastening and lid catch
- Double sided 3"x 3" hay-rack



| | | Width | Depth | Height | Weight |
|----------------------|-----|-------|-------|--------|--------|
| Sheep Trolley Feeder | FTS | 4'2" | 1'11" | 2'3" | 115lb |



Dog Cage Raised

- Available in single and double in both standard and raised.
- Raised flooring composite boards with drainage gaps
- Sturdy Construction and design
- Providing great protection for your pets

Materials

Frame 30x30x1.6mm galvanized tube
Mesh: 25x84mm with 3mm diameter hot dip gal



| | | Depth | Width | Height | Weight |
|------------------------|-------------|-------|-------|--------|--------|
| Dog Cage Single Raised | DCSR | 7.6' | 3.5' | 5.5' | 478lb |
| Dog Cage Double Raised | DCDR | 7.6' | 6.9' | 5.5' | 802lb |

Dog Cage Standard



| | | Depth | Width | Height | Weight |
|-----------------|------------|-------|-------|--------|--------|
| Dog Cage Single | DCS | 12' | 7.05' | 6' | 454lb |
| Dog Cage Double | DCD | 12' | 7.87' | 6' | 613lb |



BRAZZEN

L I V E S T O C K E Q U I P M E N T

Contact & Sales

HEAD OFFICE

Tel (435) 901-5404

1145 South 800 East
Suite 138
Orem, UT 84097

www.brazzen.com
cam@brazzen.com



DESIGNED & TESTED BY
RANCHERS WORLDWIDE