



2019



# BRAZZEN

LIVESTOCK EQUIPMENT

“Built tough to take the  
hard bumps of the  
serious rancher.”

[www.brazzen.com](http://www.brazzen.com)

# Contact & Sales

---

## HEAD OFFICE

**Tel (435) 901-5404**

470 West 220 South, Suite 103  
Pleasant Grove, UT 84062  
cam@brazen.com

**[www.brazen.com](http://www.brazen.com)**

## Product Index

### Cattle \_\_\_\_\_ 2-10

|                        |     |
|------------------------|-----|
| Head Bale _____        | 2   |
| Hobby Chute _____      | 2   |
| Sliding Gate _____     | 2   |
| Premium Chute _____    | 3   |
| Bud Box Yard _____     | 4   |
| Scales _____           | 4   |
| Panels _____           | 5   |
| Alley Bows _____       | 6   |
| Driveway Gates _____   | 7   |
| Cattle Gates _____     | 8-9 |
| Blind Sweep Yard _____ | 10  |

### Sheep \_\_\_\_\_ 11-12

|                     |    |
|---------------------|----|
| V 3 Way Draft _____ | 11 |
| Alley Bow _____     | 11 |
| Panels _____        | 11 |
| Gates _____         | 12 |

### Horses \_\_\_\_\_ 13-15

|                      |       |
|----------------------|-------|
| Shelters _____       | 13    |
| Panels & Gates _____ | 14-15 |

### Feeders \_\_\_\_\_ 16-17

|                            |    |
|----------------------------|----|
| Round Bale Feeders _____   | 16 |
| Square Bale Feeders _____  | 16 |
| Line Feeders _____         | 16 |
| Diagonal Feeder _____      | 17 |
| Cradle Feeder _____        | 17 |
| Sheep Trolley Feeder _____ | 17 |





## Head Bale

- Ideal for use with two cattle panels and a sliding gate to create a budget chute
- Main frame made by 2" x 2" square tubing
- Diamond shaped design stops the animals head from lifting up and down when caught on the head bale



|           |            | Length | Depth | Height | Weight |
|-----------|------------|--------|-------|--------|--------|
| Head Bale | <b>CHB</b> | 2'9"   | 9"    | 6'11"  | 238lb  |

## Hobby Chute

- Ideal for the hobby rancher
- Simple construction
- Portable
- Easy operating sliding gate
- Anti-Bruise oval rail panels

### Kit Includes:

- 1x Cattle Head Bale
- 2x Cattle Panels
- 1x Cattle Sliding Gate



|             |            | Length | Depth | Height | Weight |
|-------------|------------|--------|-------|--------|--------|
| Hobby Crush | <b>CCH</b> | 8'     | 2'9"  | 7'6"   | 573lb  |

## Sliding Cattle Gate

- Ideal for use with two cattle panels and a head bale to create a budget chute
- Easy operation with roller sliding



**Suggestion for use:**  
 1x Sliding Gate  
 1x Head Bale  
 2x Standard Panels




STANDARD SLIDING GATE

|                     |             | Length | Depth | Height | Weight |
|---------------------|-------------|--------|-------|--------|--------|
| Sliding Cattle Gate | <b>CGSS</b> | 2'9"   | 8"    | 6'6"   | 180lb  |



## Premium Cattle Squeeze Chute

- Walk through vet section
- Bulk gate
- Kick latch
- Rump squeeze
- New design allows safer access to rear of animal
- Triple top gates allowing full access along animal
- Double lower doors on each side for hoof access
- Sheeted sliding gate
- Long ratchet rump bar mechanism
- Auto lock rear sliding gate
- Supplied in Flat Pack




|               |        | Length | Depth | Height | Weight |
|---------------|--------|--------|-------|--------|--------|
| Premium Chute | CCPSFP | 11'    | 2'10" | 7'6"   | 1920lb |





## Bud Box Yard

- Designed to improve speed of stock flow




|         |               | Length | Width  | Height | Weight |
|---------|---------------|--------|--------|--------|--------|
| Bud Box | <b>CBBY-6</b> | 20'8"  | 15'11" | 7'2"   | 2030lb |

## Cattle Scales

- Weight Capacity: 6613.87lb
- With OIML and CE approved KELI load cells
- Mild-steel Structure, Ushape by modules, powder coated
- YAOHUA A12E indicator
- Junction box and 16' cable
- 0.5cm checker plate

|               |           | Length | Width | Weight |
|---------------|-----------|--------|-------|--------|
| Cattle Scales | <b>CS</b> | 6'3"   | 2'4"  | 199lb  |





## Cattle Panels

### Premium 5 Rail Panel

This strong heavy duty panel, is equipped with:

- 4.52" x 1.65"
- 2 SHS 2" x 2" posts
- 4 easy to connect lugs
- 2 holes for ground pins

All panels can be pre-ordered in Hot Dip Galvanized (HDG) after welding.

- Panels can be used for cattle and horses


Cattle Walk Way Gate Kit is designed to assist with maximum access to the cattle while they are in the alley, therefore giving you safe access above the cattle.



Cattle Walkway Gate Kit **CRWW**



PREMIUM OVAL 5 RAIL PANEL



12' PANEL WITH LOOP FEET STANDARD OVAL 5 RAILS, ROUND END POSTS

|   |              | Uprights             | Rails | Height | Length | Weight |
|---|--------------|----------------------|-------|--------|--------|--------|
| Premium 5 Rail Panel 5.0                  | CPP5/5.11-5  | 2"x2"                | 5     | 6'     | 5'     | 79lb   |
| Premium 5 Rail Panel 6.0                  | CPP6/5.11-5  | 2"x2"                | 5     | 6'     | 6'     | 97lb   |
| Premium 5 Rail Panel 8.0                  | CPP8/5.11-5  | 2"x2"                | 5     | 6'     | 8'     | 132lb  |
| Premium 5 Rail Panel 12                   | CPP12/5.11-5 | 2"x2"                | 5     | 6'     | 12'    | 152lb  |
| 12' Panel with Loop Feet Standard 5 Rails | CPLF12       | Round pipe<br>1 3/4" | 5     | 5'4"   | 12'    | 94lb   |



ONLY THE 12' LONG PANEL HAS STRAP

|                                     |             | Rails | Height | Length | Weight |
|-------------------------------------|-------------|-------|--------|--------|--------|
| Standard 5 Rail Panel 5.0           | CPS5/5.2-5  | 5     | 5'2"   | 5'     | 57lb   |
| Standard 5 Rail Panel 6.0           | CPS6/5.2-5  | 5     | 5'2"   | 6'     | 66lb   |
| Standard 5 Rail Panel 8.0           | CPS8/5.2-5  | 5     | 5'2"   | 8'     | 90lb   |
| Standard 5 Rail Panel with Strap 12 | CPS12/5.2-5 | 5     | 5'2"   | 12'    | 108lb  |

STANDARD OVAL 5 RAIL PANEL, SQUARE END POSTS



## Cattle Alley Bow

- Assists with maintaining a sturdy alley


|                  |     | Length | Depth | Height | Weight |
|------------------|-----|--------|-------|--------|--------|
| Cattle Alley Bow | CRB | 2'9"   | 2"    | 6'10"  | 40lb   |



## Double Alley Bow

- Assists with maintaining a sturdy alley
- Creates a safe work area

|                  |      | Length | Depth | Height | Weight |
|------------------|------|--------|-------|--------|--------|
| Double Alley Bow | CRBD | 7'     | 2"    | 8'8"   | 66lb   |



## Adjustable Cattle Bow

- Reduces turning in the alley depending on size of animal
- Assists with maintaining a sturdy alley

|                       |      | Length | Depth | Height | Weight |
|-----------------------|------|--------|-------|--------|--------|
| Adjustable Cattle Bow | CRBA | 2'9"   | 2"    | 6'10"  | 88lb   |








## 5 Rail Driveway Gates

- End posts are square 2 inches x 2 inches and 14 gauge
- Made from our premium oval rails 4½ inches x 2 inches and 16 gauge, each rail almost has a 5 inch face on them.
- Total 5 rails and with vertical strengthening straps to ensure this gate will never bend or break, they all come with 4 long bolts through L hinges to carry the weight



|                   |                    | Length | Height | Rails | Weight |
|-------------------|--------------------|--------|--------|-------|--------|
| Driveway Gate 8.0 | <b>DGP8/4.2-5</b>  | 8'     | 4'2"   | 5     | 109lb  |
| Driveway Gate 10  | <b>DGP10/4.2-5</b> | 10'    | 4'2"   | 5     | 131lb  |
| Driveway Gate 12  | <b>DGP12/4.2-5</b> | 12'    | 4'2"   | 5     | 160lb  |
| Driveway Gate 14  | <b>DGP14/4.2-5</b> | 14'    | 4'2"   | 5     | 182lb  |
| Driveway Gate 16  | <b>DGP16/4.2-5</b> | 16'    | 4'2"   | 5     | 204lb  |

## 6 Rail Driveway Gates



|                   |                    | Length | Height | Rails | Weight |
|-------------------|--------------------|--------|--------|-------|--------|
| Driveway Gate 8.0 | <b>DGP8/5.1-6</b>  | 8'     | 5'1"   | 6     | 130lb  |
| Driveway Gate 10  | <b>DGP10/5.1-6</b> | 10'    | 5'1"   | 6     | 157lb  |
| Driveway Gate 12  | <b>DGP12/5.1-6</b> | 12'    | 5'1"   | 6     | 190lb  |
| Driveway Gate 14  | <b>DGP14/5.1-6</b> | 14'    | 5'1"   | 6     | 216lb  |
| Driveway Gate 16  | <b>DGP16/5.1-6</b> | 16'    | 5'1"   | 6     | 241lb  |



## Premium Heavy Duty 5 Rail Gate

- Frame made by 2.76" x 2" HDG tube at 14GA
- Inside post made by 2" x 2" HDG tube at 16GA
- 5 Rails made by 4.52" X 1.65" 16GA oval pregal tube
- Comes with slam lock and chain lock system
- Lugs provided for connect



ONLY THE 12'5" GATE COMES WITH DIAGONAL BRACE

|                          |                     | Length | Height | Weight |
|--------------------------|---------------------|--------|--------|--------|
| Premium 5 Rail Gate 6.0  | <b>CGP6/10-5</b>    | 6'     | 10'    | 202lb  |
| Premium 5 Rail Gate 12.5 | <b>CGP12.5/10-5</b> | 12'5"  | 10'    | 289lb  |

## 12' Combination Gate/Panel with Loop Feet

- 6' Panel and 6' Gate, Making 12' Wide
- Panel is 5'4" High, Gate is Adjustable 10ft Tall
- 2 Side Posts 1 3/4" Round Tubing
- 5 Rails Made by 2.4" x 1.2" Oval Tube



|                                  |                 | Length | Panel Height | Gate Height | Weight |
|----------------------------------|-----------------|--------|--------------|-------------|--------|
| Combination Gate/Panel Loop Feet | <b>CP/GLF12</b> | 12'    | 5'4"         | 10'         | 139lb  |



## Man Panel Gate

- Designed for easy access between yards
- Fast exit from yards



|                         |                  | Rails | Length | Height | Weight |
|-------------------------|------------------|-------|--------|--------|--------|
| Premium Man Gate-4 Rail | <b>CGMP2.1-4</b> | 4     | 7'4"   | 5'11"  | 114lb  |
| Premium Man Gate-5 Rail | <b>CGMP2.1-5</b> | 5     | 7'4"   | 5'11"  | 118lb  |

## Access Gate

- Ideal for use in workers alley, or access to yards
- Comes with both chain & slam latch
- Handy lugs for ground pinning




|                              |                 | Rails | Length | Height | Weight |
|------------------------------|-----------------|-------|--------|--------|--------|
| Premium Access Gate - 4 rail | <b>CGAS - 4</b> | 4     | 4'6"   | 7'2"   | 111lb  |
| Premium Access Gate - 5 rail | <b>CGAS-5</b>   | 5     | 4'6"   | 7'2"   | 118lb  |



## Blind Sweep Yard

- The Sweep Yard allows the handler to push cattle into the alley system with minimal risk to the handler
- Innovative braking system stops the cattle from pushing the gate back thereby protecting the operator
- The curved layout works with the natural behavior of how cattle run and tend to circle back to where they came from



|                  |      | Length | Depth | Height | Weight |
|------------------|------|--------|-------|--------|--------|
| Blind Sweep Yard | CFYB | 20'8"  | 10'4" | 7'3"   | 1088lb |



## Sheep V 3 Way Draft

- Manufactured from Galvanized Steel
- Fully Sheeted
- The 'v' profile minimizes the chance of small stock turning around in the alley
- Alley has a fully sheeted outer arc (prevents legs and heads from getting out, and improves stock flow)
- Alley is made without overhead bracing, this eliminates the danger of an operator getting his arm caught between the yard and beast



|         |     | Length | Depth | Height | Weight |
|---------|-----|--------|-------|--------|--------|
| Sheep V | SRA | 11'2"  | 1'9"  | 3'10"  | 485lb  |

## Sheep Alley Bow

|                 |      | Width | Height | Weight |
|-----------------|------|-------|--------|--------|
| Sheep Alley Bow | SRBB | 1'10" | 3'3"   | 23lb   |



## Premium Sheep Panels

- Manufactured from Galvanized Steel
- Wide top rail for operator comfort when leaning over or accessing yard to yard
- Lamb proof rail spacing
- Panels can be used in permanent or portable applications




|                         |           | Length | Height | Weight |
|-------------------------|-----------|--------|--------|--------|
| Premium Sheep Panel 2.0 | SPP6.6-6  | 6'6"   | 3'3"   | 59lb   |
| Premium Sheep Panel 3.0 | SPP9.10-6 | 9'10"  | 3'3"   | 84lb   |





## Premium Sheep Gate



|                        |                  | Length | Height | Weight |
|------------------------|------------------|--------|--------|--------|
| Premium Sheep Gate 2.0 | <b>SGP6.6-6</b>  | 6'6"   | 3'5"   | 110lb  |
| Premium Sheep Gate 3.0 | <b>SGP9.10-6</b> | 9'10"  | 3'5"   | 141lb  |

## Sheep Slide Gate

- Manufactured from Galvaized Steel
- Sliding gates come supplied as conventional push in types, or as push out type



|                  |            | Length | Height | Weight |
|------------------|------------|--------|--------|--------|
| Sheep Slide Gate | <b>SGS</b> | 2'6"   | 3'9"   | 75lb   |





## Horse Stall

- Suitable shelters for animals, stock feed and machinery
- Providing shelter along with air flow for all conditions
- Lined with heavy duty marine ply to protect stock from injury
- Supplied in flat pack, with modular funtion
- Handy lugs on the front so you can attach a gate/s.



|             |                | Width | Depth | Height | Weight |
|-------------|----------------|-------|-------|--------|--------|
| Horse Stall | <b>HS12/12</b> | 12'   | 12'   | 10'    | 1853lb |

## Loafer Shelter

- Suitable shelters for animals, stock feed and machinery
- Providing shelter along with air flow for all conditions
- Lined with heavy duty marine ply to protect stock from injury
- Supplied in flat pack, with modular funtion
- Anchor plates so you can bolt the shelter down
- Handy lugs on the front so you can attach a gate/s.



|             |              | Width | Depth | Height | Weight |
|-------------|--------------|-------|-------|--------|--------|
| Loafer Shed | <b>HS3/3</b> | 9'10" | 9'10" | 7'6"   | 1302lb |



## Premium 4 Rail Panels

- Panels can be used for horses and cattle



|                          |                    | Uprights | Rails | Height | Length | Weight |
|--------------------------|--------------------|----------|-------|--------|--------|--------|
| Premium 4 Rail Panel 5.0 | <b>CPP5/5.2-4</b>  | 2"x2"    | 4     | 5'2"   | 5'     | 68lb   |
| Premium 4 Rail Panel 6.0 | <b>CPP6/5.2-4</b>  | 2"x2"    | 4     | 5'2"   | 6'     | 84lb   |
| Premium 4 Rail Panel 8.0 | <b>CPP8/5.2-4</b>  | 2"x2"    | 4     | 5'2"   | 8'     | 110lb  |
| Premium 4 Rail Panel 12  | <b>CPP12/5.2-4</b> | 2"x2"    | 4     | 5'2"   | 12'    | 126lb  |

## Premium Heavy Duty 4 Rail Gate



ONLY THE 12'5" GATE COMES WITH DIAGONAL BRACE

|                          |                     | Length | Height | Weight |
|--------------------------|---------------------|--------|--------|--------|
| Premium 4 Rail Gate 6.0  | <b>CGP6/10-4</b>    | 6'     | 10'    | 190lb  |
| Premium 4 Rail Gate 12.5 | <b>CGP12.5/10-4</b> | 12'5"  | 10'    | 267lb  |



## Budget Horse Panels

Round Yard Diameter Specifications (Approx.)

|      |                                  |
|------|----------------------------------|
| 33ft | 13 panels plus 1 gate = 14 Units |
| 39ft | 15 panels plus 1 gate = 16 Units |
| 43ft | 17 panels plus 1 gate = 18 Units |
| 46ft | 19 panels plus 1 gate = 20 Units |
| 51ft | 21 panels plus 1 gate = 22 Units |
| 55ft | 23 panels plus 1 gate = 24 Units |
| 59ft | 25 panels plus 1 gate = 26 Units |
| 66ft | 27 panels plus 1 gate = 28 Units |



|                          | Rails | Length | Height | Weight |
|--------------------------|-------|--------|--------|--------|
| Horse Panel <b>HP2.1</b> | 5     | 7'3"   | 5'5"   | 52lb   |

## Adjustable Top Horse Gate


- 5 rails made by 2.36"x1.18" pregal oval tube at 16GA
- 2 posts made by 1.57" x 1.57" pregal gal tube at 16GA
- Frame made by 2" x 2" hot dip gal tube at 14GA
- Cleat and pins provided for connecting , Chain lock provided



|                                      | Length | Height | Weight |
|--------------------------------------|--------|--------|--------|
| Adjustable Top Horse Gate <b>HGA</b> | 7'3"   | 9'9"   | 141lb  |

## Horse Float Panels

- Powder coated
- Ideal for temporary holding yards
- Portable light weight panels
- 2x panel pieces make a 6'6" x 6'6" holding pen



|                                 | Height | Width Folded | Width Flat | Weight |
|---------------------------------|--------|--------------|------------|--------|
| Horse Float Panel <b>HFP2.0</b> | 4'1"   | 6'7"         | 13'2"      | 31lb   |



## Round Bale Feeders

- Holds 6 ft round bales
- Feeds up to 18 animals simultaneously
- 3 Piece construction makes it easy to relocate
- Hot dipped galvanized after welding



|                                |               | Diameter | Height | Weight |
|--------------------------------|---------------|----------|--------|--------|
| Round Bale Feeder-Straight Bar | <b>FRS-US</b> | 7'       | 4'3"   | 188lb  |
| Round Bale Feeder-Angled Bar   | <b>FRA-US</b> | 7'       | 4'3"   | 188lb  |

## Square Bale Feeders

- Modular type, can be bolted into single/double ones
- Holds 2x6 ft round bales
- Feeds up to 22 animals simultaneously
- 4 Piece construction makes it easy to relocate
- Hot dipped galvanized after welding



|                                 |               | Width | Length | Height | Weight |
|---------------------------------|---------------|-------|--------|--------|--------|
| Square Bale Feeder-Straight Bar | <b>FSS-US</b> | 5'    | 9'     | 4'3"   | 353lb  |
| Square Bale Feeder-Angled Bar   | <b>FSA-US</b> | 5'    | 9'     | 4'3"   | 353lb  |

## Line Feeders



|                 |              | Width | Length | Height |
|-----------------|--------------|-------|--------|--------|
| Line Feeder 5.0 | <b>FL-5</b>  | 5'    | 5'     | 4'3"   |
| Line Feeder 9.0 | <b>FL-9</b>  | 5'    | 9'     | 4'3"   |
| Line Feeder 18  | <b>FL-18</b> | 5'    | 18'    | 4'3"   |



## Diagonal Feeder

- Holds large rectangle bales
- Keeps bales raised off the ground
- Manufactured from hot dipped galvanized pipe



|                 |             | Width | Length | Height | Weight |
|-----------------|-------------|-------|--------|--------|--------|
| Diagonal Feeder | <b>FD18</b> | 5'    | 18'    | 4'3"   | 596lb  |

## Cradle Feeder

|               |            | Width | Length | Height | Weight |
|---------------|------------|-------|--------|--------|--------|
| Cradle Feeder | <b>FSC</b> | 4'11" | 9'6"   | 3'6"   | 282lb  |



## Sheep Trolley Feeder

- Ideal to keep the weather off stock-feed
- Reduces waste
- Supplied with 4x10" wheels x 1" bore with rubber tyre with 2'7½" wide lid c/w protex fastening and lid catch
- Double sided 3"x 3" hay-rack



|                      |            | Width | Depth | Height | Weight |
|----------------------|------------|-------|-------|--------|--------|
| Sheep Trolley Feeder | <b>SFT</b> | 4'2"  | 1'11" | 2'3"   | 115lb  |



# BRAZZEN

LIVESTOCK EQUIPMENT

## Contact & Sales

### HEAD OFFICE

**Tel (435) 901-5404**

470 West 220 South, Suite 103  
Pleasant Grove, UT 84062

[www.brazzen.com](http://www.brazzen.com)  
[cam@brazzen.com](mailto:cam@brazzen.com)



DESIGNED & TESTED BY  
RANCHERS WORLDWIDE

