



BRAZZEN

LIVESTOCK EQUIPMENT

2024

www.brazzen.com



Contact & Sales

HEAD OFFICE

Tel (435) 901-5404

1145 South 800 East
Suite 138
Orem, UT 84097
cam@brazzen.com

www.brazzen.com

Product Index

The specifications are subject to change without prior notice.

Cattle 3-19

Head Catcher	3
Hobby Chute	3
Sliding Gate	3
Premium Full Squeeze Chute	4
Cattle Ramps	5-7
Cattle Grid	8
Alley Gate	8
Bud Box Yard	9
Panels	10-11
Walkway Kit	11
Alley Bows	13
Driveway Gates	14
Cattle Gates	15-16
Combo Gates/Panels	17
Blind Sweep Yard	18
Combo Panel & Gate	19

Sheep 20-25

V 3 Way Draft	20
Alley Bow	20
Panels	20
Gates	21
Budget Panels & Gates	23
Blind Panels	23
Alley Gates & Alley	24-25
Loading Ramp	25

Pig/Goat 26

Pig Panels & Gates	26
Goat Panels & Gates	26

Horses 27-29

Shelters	27
Panels & Gates	28-29

Feeders 30-33

Round Bale Feeders	30
Square Bale Feeders	30
Line Feeders	30
Diagonal Feeder	31
Cradle Feeder	31
AU Round Hay Feeder	31
Horse Hay Feeder	32
Cradle Feeder	32
UK Feeder	32
Lick Feeder	33
Hanging Feeder	33
Trolley Feeder	33

Dogs 34

Dog Cages	34
-----------------	----



We see different prices all over the USA for cattle panels.

Why is this?

What to look out for?



BRAZZEN
LIVESTOCK EQUIPMENT

BRAZZEN, OVER THE YEARS HAS BECOME A DOMINANT PLAYER IN THE LIVESTOCK EQUIPMENT INDUSTRY.

- 1 Many panel weights are very light due to the gauges, the steel rails and posts are very thin. 0.043in is now becoming the norm in cheap panels now. They dent like an Aluminium can. Brazen Panels are all oval rails 0.059in thick and the posts are 0.067mm. The standard panels are 79lb in total weight.
- 2 Some cattle panels will have 5 rails instead of 6 rails to save money. This is an old trick.
- 3 Some cattle panels have 2.36inx1.18in oval rails and 1.57inx1.57in posts.
- 4 Brazen Cattle panels have 2.76inx1.57in oval rails and 1.97inx1.97in Posts. Many panels go with the half pin cleat instead of the full C cleat. Brazen has the full C cleats on both sides and also has rubber in the cleat holes to stop the rattling noise of the pins.



**BE BRAZEN
BUY BRAZZEN**

- 5 Most panels have a very low galvanized coating (Pre-gal) as low as 20grams per square meter of Galvanising. (20gms m2)
- 6 Brazen Posts are Hot Dipped Gal not a coating which is over 200gms m2 and the rails are over 60gm
- 7 Brazen also salt tests the welds to make sure they can withstand many hours of salt washing and the welders use splatter rubbers to stop weld splatter on the rails and posts which are hidden from gal paint and can eventually rust.
- 8 All Brazen panels have the Brazen logo on the caps of all the posts.



If you have a farm and would like to make another income we are looking for dealers. Reach out if this is something you are interested in.

Next time you choose a Cattle Panel you need to ask yourself if a Cattle Panel is a Brazen Cattle Panel.



Head Catcher

- Ideal for use with two cattle panels and a sliding gate to create a budget chute
- Main frame made by 2" x 2" square tubing
- Diamond shaped design stops the animals head from lifting up and down when caught on the head catcher
- Goes with 16 GA Sheeting



		Length	Depth	Height	Weight
Head Catcher	CHB	2'9"	9"	6'11"	257lb


Hobby Chute

- Ideal for the hobby rancher
- Simple construction
- Portable
- Easy operating sliding gate
- Anti-Bruise oval rail panels

Kit Includes:

- 1x Cattle Head Catcher
- 2x Cattle Panels
- 1x Cattle Sliding Gate

		Length	Depth	Height	Weight
Hobby Chute	CCH	8'	2'9"	7'6"	573lb



Sliding Cattle Gate

- Ideal for use with two cattle panels and a head catcher to create a budget chute
- Easy operation with roller sliding

Suggestion for use:
1x Sliding Gate
1x Head Catcher
2x Standard Panels

		Length	Depth	Height	Weight
Sliding Cattle Gate	CGSS	2'9"	8"	6'6"	173lb




STANDARD SLIDING GATE



Premium Full Squeeze Chute

- Walk through vet section
- Bulk gate
- Kick latch
- Rump squeeze
- New design allows safer access to rear of animal
- Triple top gates allowing full access along animal
- Double lower doors on each side for hoof access
- Sheeted sliding gate
- Long ratchet rump bar mechanism
- Auto lock rear sliding gate
- Supplied in Flat Pack



		Length	Width	Height	Weight
Squeeze Chute	CCPSFP	11.91'	2.79'	7.87'	2359lb
Optional Roof	RCL	13.78'	14.04'		454lb

Ensure the Chute is bolted down if the roof is attached.




Adjustable Ramp

- Fully adjustable height for trailer to truck loading
- Designed to suit all cattle yards
- Ramps available with detachable walkways on request
- Minimum height - 680mm
Maximum height - 1270mm



STANDARD RAMP



PREMIUM RAMP



Optional Walkway
Kit Available



		Length	Depth	Height	Weight
Standard Ramp	CRFP	10'9"	2'9"	11'	732lb
Premium Ramp	CRPFP	10'9"	2'9"	11'	853lb
Walkway Kit	CRWK	11'3"	1'		86lb



Premium Mobile Ramp

- Robust construction
- 1x3.6m mobile cattle ramp
- Ideal for moving around property
- Holds 12x portable cattle panels (not included)
- The premium door is WPC board which is a durable and long lasting material used to replace timber



PANELS NOT INCLUDED WHEN ORDERING



		Length	Depth	Height	Weight
Premium Mobile	CRPM	17'6"	7'4"	8'9"	1534lb

Standard Mobile Ramp

- 1x3.6m mobile cattle ramp
- Ideal for moving around property
- Not road registerable



		Length	Depth	Height	Weight
Standard Mobile	CRSM	17'6"	7'4"	8'9"	877lb


Differences Between Standard & Premium Cattle Ramps

Standard Cattle Ramp:

Side Fence (left and right), Roof Frame, Front Support, Frame Structure is made of 50*50 square tubes (green color)

Premium Cattle Ramp:

Side Fence (left and right), Roof Frame, Front support, Frame Structure is made of 60*60 square tubes (green color)



Due to these reasons, these two different ramps have the same outline dimensions, yet they have different weights.

The rest are the same for these two ramps.

Based on these reasons:


1. Cattle Walkway Inner Dimensions:

Both standard and premium cattle ramps have the same inner dimensions: 2'5"

2. Cattle Walkway Outer Dimensions:

Standard cattle ramp's cattle walkway outer dimension is 2'9"


Premium cattle ramp's cattle walkway outer dimension is 2'10"





Cattle Grid/Cattle Grid Wings

- Animal Friendly
- Tested to 20 Ton per axle
- Designed with 5 bearers and 12 rails
- Removable wings - SOLD SEPARATELY



		Width	Length	Height	Weight
Cattle Grid	CG3	6'7"	11'6"	4'10"	904lb
Cattle Grid	CG4	6'7"	14'9"	4'10"	1129lb
Wings	CGW	2"	6'	4'	68lb

2 Way Cattle Alley Gate



		Length	Width	Height	Weight
2 Way Cattle Alley Gate	CGR2W	5'5"	5'5"	6'11"	381lb



Bud Box Yard

- Designed to improve speed of stock flow



		Length	Width	Height	Weight
Bud Box	CBBY-10	20'8"	15'11"	10'	2030lb



Cattle Panels 5 Rail


Premium 5 Rail Panel

This strong heavy duty panel, is equipped with:

- 4.52" x 1.65"
- 2 SHS 2" x 2" posts
- 4 easy to connect lugs
- 2 holes for ground pins

All panels can be pre-ordered in Hot Dip Galvanized (HDG) after welding.

- Panels can be used for cattle and horses



Panel comes standard without the center strap & does not come installed.
12' PANEL WITH LOOP FEET STANDARD OVAL 5 RAILS, ROUND END POSTS, OPTIONAL CENTER BAR



PREMIUM OVAL 5 RAIL PANEL

		Uprights	Rails	Length	Height	Weight
Premium 5 Rail Panel 6.0	CPP6/5.11-5	2"x2"	5	6'	6'	97lb
Premium 5 Rail Panel 8.0	CPP8/5.11-5	2"x2"	5	8'	6'	125lb
Premium 5 Rail Panel 10	CPP10/5.11-5	2"x2"	5	10'	6'	132lb
Premium 5 Rail Panel 12	CPP12/5.11-5	2"x2"	5	12'	6'	152lb
12' Panel with Loop Feet Standard 5 Rails	CPLF12	Round pipe 1 3/4"	5	12'	5'4"	94lb

		Rails	Length	Height	Weight
Standard 5 Rail Panel 6.0	CPS6/5.2-5	5	6'	5'2"	61lb
Standard 5 Rail Panel 8.0	CPS8/5.2-5	5	8'	5'2"	76lb
Standard 5 Rail Panel 10	CPS10/5.2-5	5	10'	5'2"	90lb
Standard 5 Rail Panel with Strap 12	CPS12/5.2-5	5	12'	5'2"	104lb



STANDARD OVAL 5 RAIL PANEL, SQUARE END POSTS



Cattle Walk Way Gate Kit

Cattle Walk Way Gate Kit is designed to assist with maximum access to the cattle while they are in the alley, therefore giving you safe access above the cattle.



		Length	Width	Height	Weight
Cattle Walkway Gate Kit 6.0	CRWW6FT	5'8.5"	1"	1'7.3"	61lb
Cattle Walkway Gate Kit 8.0	CRWW8FT	7'8.5"	1"	1'7.3"	76lb
Cattle Walkway Gate Kit 10	CRWW10FT	9'8.5"	1"	1'7.3"	90lb
Cattle Walkway Gate Kit 12	CRWW12FT	11'8.5"	1"	1'7.3"	104lb

Standard Cattle Panels 6 Rail

		Rails	Length	Height	Weight
Standard 6 Rail Panel 6.0	CPS6/5.11-6	6	6'	6'	71lb
Standard 6 Rail Panel 8.0	CPS8/5.11-6	6	8'	6'	88lb
Standard 6 Rail Panel 10	CPS10/5.11-6	6	10'	6'	106lb
Standard 6 Rail Panel 12	CPS12/5.11-6	6	12'	6'	124lb



Premium Cattle Panels 6 Rail

		Rails	Length	Height	Weight
Premium 6 Rail Panel 6.0	CPP6/5.11-6	6	6'	6'	96lb
Premium 6 Rail Panel 8.0	CPP8/5.11-6	6	8'	6'	122lb
Premium 6 Rail Panel 10	CPP10/5.11-6	6	10'	6'	1148lb
Premium 6 Rail Panel 12	CPP12/5.11-6	6	12'	6'	174lb





Sheeted Cattle Panel



		Length	Height	Weight
Sheeted Panel	CPPB8/5.11-5	8'	5'11"	155lb
Sheeted Panel	CPPB10/5.11-5	10'	5'11"	162lb
Sheeted Panel Full	CPPB12/5.11-5	12'	5'11"	190lb



Cattle Alley Bow

- Assists with maintaining a sturdy alley

		Length	Depth	Height	Weight
Cattle Alley Bow	CRBS	2'9"	2"	6'10"	40lb



Double Alley Bow

- Assists with maintaining a sturdy alley
- Creates a safe work area

		Length	Depth	Height	Weight
Double Alley Bow	CRBD	7'	2"	8'8"	66lb



Adjustable Cattle Bow

- Reduces turning in the alley depending on size of animal
- Assists with maintaining a sturdy alley

		Length	Depth	Height	Weight
Adjustable Cattle Bow	CRBA	2'9"	2"	6'10"	95lb





5 Rail Driveway Gates

- End posts are square 2 inches x 2 inches and 14 gauge
- Made from our premium oval rails 4½ inches x 2 inches and 16 gauge, each rail almost has a 5 inch face on them
- Total 5 rails and with vertical strengthening straps to ensure this gate will never bend or break, they all come with 4 long bolt through L hinges to carry the weight



		Length	Height	Rails	Weight
Driveway Gate 8.0	DGP8/4.2-5	8'	4'2"	5	119lb
Driveway Gate 10	DGP10/4.2-5	10'	4'2"	5	141lb
Driveway Gate 12	DGP12/4.2-5	12'	4'2"	5	167lb
Driveway Gate 14	DGP14/4.2-5	14'	4'2"	5	189lb
Driveway Gate 16	DGP16/4.2-5	16'	4'2"	5	210lb

6 Rail Driveway Gates



		Length	Height	Rails	Weight
Driveway Gate 8.0	DGP8/5.1-6	8'	5'1"	6	139lb
Driveway Gate 10	DGP10/5.1-6	10'	5'1"	6	165lb
Driveway Gate 12	DGP12/5.1-6	12'	5'1"	6	196lb
Driveway Gate 14	DGP14/5.1-6	14'	5'1"	6	220lb
Driveway Gate 16	DGP16/5.1-6	16'	5'1"	6	247lb



Premium Heavy Duty 5 Rail Gate

- Frame made by 2.76" x 2" HDG tube at 14GA
- Inside post made by 2" x 2" HDG tube at 16GA
- 5 Rails made by 4.52" X 1.65" 16GA oval pregal tube
- Comes with slam lock and chain lock system
- Lugs provided for connect




ONLY THE 12' GATE COMES WITH DIAGONAL BRACE

		Length	Height	Weight
Premium 5 Rail Gate 6.0	CGP6/10-5	6'	10'	173lb
Premium 5 Rail Gate 8.0	CGP8/10-5	8'	10'	194lb
Premium 5 Rail Gate 12	CGP12/10-5	12'	10'	289lb

Standard 5 Rail Gate

- Only 12' has diagonal brace



		Length	Height	Weight
Standard 5 Rail Gate 6.0	CGS6/10-5	6'	10'	154lb
Standard 5 Rail Gate 8.0	CGS8/10-5	8'	10'	170lb
Standard 5 Rail Gate 12	CGS12/10-5	12'	10'	247lb



Man Panel Gate

- Designed for easy access between yards
- Fast exit from yards



		Rails	Length	Height	Weight
Premium Man Gate-5 Rail	CGMP2.1-5	5	7'4"	5'11"	118lb
Premium Man Gate-6 Rail	CGMP2.1	6	7'4"	5'11"	145lb

Access Gate

- Ideal for use in workers alley, or access to yards
- Comes with both chain & slam latch
- Handy lugs for ground pinning



		Rails	Length	Height	Weight
Premium Access Gate - 4 rail	CGP1.25-4	4	4'1"	7'	99lb
Premium Access Gate - 5 rail	CGP1.25-5	5	4'6"	7'2"	118lb
Standard Access Gate - 6 rail	CGAS1.25-6	6	4'6"	7'2"	64lb



12' Combination Gate/Panel with Loop Feet


- 6' Panel and 6' Gate, Making 12' Wide
- Panel is 5'4" High, Gate is Adjustable 10ft Tall
- 2 Side Posts 1 3/4" Round Tubing
- 5 Rails Made by 2.4" x 1.2" Oval Tube



		Length	Panel Height	Gate Height	Weight
Combination Gate/Panel Loop Feet	CP/GLF12	12'	5'4"	10'	139lb


12' Combo Stand 6 Rail Gate & Panel

- Frame made by 1 3/4 inch round tube with slot in top 12/5 inch round pipe
- 6 rails 2.76"x1.6" oval tube
- Slam lock and Chain lock provided
- Clete and pins are provided for connection



		Length	Panel Height	Gate Height	Weight
12' Combo Stand 6 Rail Gate & Panel	CP/GSA12/10-6	12'	5'11"	10'	200lb

12' Combo Stand 5 Rail Gate & Panel



		Length	Panel Height	Gate Height	Weight
12' Combo Stand 5 Rail Gate & Panel	CP/GSA12/10-5	12'	5'2"	10'	181lb



Blind Sweep Yard

- The sweep yard allows the handler to push cattle into the race system with minimal risk to the handler
- Innovative braking system stops the cattle from pushing the gate back therefore protecting the operator
- The curved layout works with the natural behaviour of how cattle run and tend to circle back to where they came from
- Standard Slide Gate Available



OFFSIDE SWEEP AVAILABLE

- When using an offside sweep yard and a standard chute, the sweep yard requires the walkway to allow operation from the outside in line with chute operation




		Width	Depth	Height	Weight
Blind	CFYB	20'8"	10'4"	7'2"	1371lb
Blind-Offside	CFYBO	20'8"	10'4"	7'2"	1371lb
Walkway Kits	CFYBWK				246lb



Combo Panel & Gate

- These panels will pen in Cattle, Sheep and Goats
- 8 Rails 2.75"x1.57" Oval Rail
- 2 Post 1.97"x1.97" Posts



		Length	Height	Weight
Combo Panel	C/SPS12/6	12'	5'11"	154lb
Combo Gate	C/SGS8/10	8'	10'	216lb



Sheep V 3 Way Draft

- Manufactured from Galvanized Steel
- Fully Sheeted
- The 'v' profile minimizes the chance of small stock turning around in the alley
- Alley has a fully sheeted outer arc (prevents legs and heads from getting out, and improves stock flow)
- Alley is made without overhead bracing this eliminates the danger of an operator getting his arm caught between the yard and beast



		Length	Depth	Height	Weight
Sheep V	SRAFP	11'2"	1'9"	3'10"	485lb

Sheep Alley Bow


		Width	Height	Weight
Sheep Alley Bow	SRBB	2'2"	3'4"	24lb



Premium Sheep Panels

- Manufactured from Galvanized Steel
- Wide top rail for operator comfort when leaning over or accessing yard to yard
- Lamb proof rail spacing
- Panels can be used in permanent or portable applications


		Length	Height	Weight
Premium Sheep Panel 2.0	SPP2.0	6'6"	3'7"	59lb
Premium Sheep Panel 3.0	SPP3.0	9'10"	3'7"	76lb





Premium Sheep Gate

- Manufactured from Galvanized Steel



		Length	Height	Weight
Premium Sheep Gate 2.0	SGP2.0	6'6"	3'7"	110lb
Premium Sheep Gate 3.0	SGP3.0	9'10"	3'7"	130lb

Sheep Slide Gate

- Manufactured from Galvanized Steel
- Sliding gates come supplied as conventional push in types, or as push out type




		Length	Height	Weight
Sheep Slide Gate	SGS	2'6"	3'9"	68lb



Sheep Premium Drench Race Panel


- 6 rails 60/30 oval tubes
- 2 posts 40/40 square posts
- Top rail is demountable



		Length	Height
Sheep Premium Drench Race Panel 3.0m	SPPD3.0	9'10"	3'7"

Sheep Marking Panel

- HPost: 40 x 40 x 1.7mm square tube
- Rails: 60 x 30 x 1.5mm oval tube
- Top 2 rails would drop down



		Length	Height
Sheep Marking Panel	SPPM3.0	9'10"	3'7"



Budget Sheep Panel


- Frame OD 1.25 " pipe, Inside 6 rails made by 1" Round pipes
- Mid-plate welded on
- C lugs provided for connection on two ends



		Length	Height	Weight
Budget Sheep Panels	SPB10/3.3-7	9'9"	3'3"	54lb

Budget Sheep Gate

- Overall Size: 9'4'
- Frame Pipe is 2" x 2" HDG US Pipe
- Inner Gate Frame is 1.26" OD x 16 GA
- Rails for inner gate are 0.98" OD pipes



		Length	Height	Weight
Budget Sheep Gate	SGB10/3.3-7	9'4"	3'3"	190lb

Blind Sheep Panels

- Manufactured from Galvanised Steel
- Panels can be used in Permanent or Portable applications
- Handy lugs for ground pinning
- Wide top rail for operator comfort when leaning over or accessing yard to yard
- Lamb proof rail spacing
- Height is 3'7"



		Length	Height	Weight
Blind Sheep Panels 1.0	SPPB1.0	3'3"	3'7"	40lb
Blind Sheep Panels 2.0	SPPB2.0	6'7"	3'7"	73lb
Blind Sheep Panels 3.0	SPPB3.0	9'10"	3'7"	106lb



Sheep Draft Gate



	Length	Height	Weight
Sheep Draft Gate SGB1.0	3'3"	3'10"	44lb

Sheep Alley Gate



	Length	Height	Weight
Sheep Alley Gate SGR	2'2"	3'3"	42lb

Sheep Premium Alley



	Length	Height	Weight
Sheep Premium Alley SGPR	2'2"	3'3"	46lb



2 Way Sheep Alley Gate



		Length	Width	Height	Weight
2 Way Sheep Alley Gate	SG2W	4'4"	4'	3'5"	244lb

Standard Sheep Loading Ramp



Optional Walkway Kit Available



		Length	Width	Height	Weight
Standard Sheep Loading Ramp	SLR	10'6.7"	4'2"	10'2.5"	577lb
Walkway Kit	SLRWK	10'6.7"	4'2"	10'2.5"	652lb



Pig Panel

		Length	Height	Weight
Pig Panel	PP6.6-6	6'6"	3'5"	57lb



Pig Gate


		Length	Height	Weight
Pig Gate	PG6.6-6	6'6"	3'7"	109lb



Goat Panel

- Outer frame made by OD1.26x0.05in pipe
- Inside 7 rail made by OD1x0.05in
- C Clug provided
- Mid-plate welded on

		Length	Height	Weight
Goat Panel 6.6	GP2.0	6.6'	4.1'	39lb
Goat Panel 9.10	GP3.0	9.8'	4.1'	55lb



Goat Gate

- Frame's bottom rail made by 2x2x0.09in HDG tube
- Panel frame made by OD1.26x0.06in, 7 rail OD0.98x0.05in pipe
- Uprights 2x2x0.067in HDG tube
- C Clug provided
- Chain lock system provided

		Length	Height	Weight
Goat Gate 6.6	GG2.0	6.6'	4.4'	77lb
Goat Gate 9.10	GG3.0	9.8'	4.4'	99lb





Horse Stall

- Suitable shelters for animals, stock feed and machinery
- Providing shelter along with air flow for all conditions
- Supplied in flat pack, with modular function
- Handy lugs on the front so you can attach a gate/s.



		Width	Depth	Height	Weight
Horse Stall	HS12F	12'	12'	10'	1853lb

Loafer Shelter

- Suitable shelters for animals, stock feed and machinery
- Providing shelter along with air flow for all conditions
- Lined with heavy duty marine ply to protect stock from injury
- Supplied in flat pack
- Anchor plates so you can bolt the shelter down
- Handy lugs on the front so you can attach a gate/s.



		Width	Depth	Height	Weight
Loafer Shelter	HS3/3	9'10"	9'10"	7'6"	1302lb



Premium 4 Rail Panels


- Panels can be used for horses and cattle

		Rails	Length	Height	Weight
Premium 4 Rail Panel 6.0	CPP6/5.2-4	4	6'	5'2"	70lb
Premium 4 Rail Panel 8.0	CPP8/5.2-4	4	8'	5'2"	88lb
Premium 4 Rail Panel 10	CPP10/5.2-4	4	10'	5'2"	105lb
Premium 4 Rail Panel 12	CPP12/5.2-4	4	12'	5'2"	123lb



Premium Heavy Duty 4 Rail Gate

		Length	Height	Weight
Premium 4 Rail Gate 6.0	CGP6/10-4	6'	10'	162lb
Premium 4 Rail Gate 8	CGP8/10-4	8'	10'	180lb
Premium 4 Rail Gate 12	CGP12/10-4	12'	10'	267lb



ONLY THE 12' GATE COMES WITH DIAGONAL BRACE

Horse/Sheep Combo Panel and Gate



		Rails	Length	Height	Weight
Horse/Sheep Combo Panel	HPC2.1	8	7'3"	5'11"	80lb
Horse/Sheep Combo Gate	HGAC	8	7'3"	9'9"	146lb





Standard Horse Panels

Round Yard Diameter Specifications (Approx.)

33ft	13 panels plus 1 gate = 14 Units
39ft	15 panels plus 1 gate = 16 Units
43ft	17 panels plus 1 gate = 18 Units
46ft	19 panels plus 1 gate = 20 Units
51ft	21 panels plus 1 gate = 22 Units
55ft	23 panels plus 1 gate = 24 Units
59ft	25 panels plus 1 gate = 26 Units
66ft	27 panels plus 1 gate = 28 Units



	Rails	Length	Height	Weight
Horse Panel HPS2.1	5	7'3"	5'5"	52lb

Adjustable Top Horse Gate


- 5 rails made by 2.36"x1.18" pregal oval tube at 16GA
- 2 posts made by 1.57" x 1.57" pregal gal tube at 16GA
- Frame made by 2" x 2" hot dip gal tube at 14GA
- Cleat and pins provided for connecting , Chain lock provided



	Length	Height	Weight
Adjustable Top Horse Gate HGA	7'3"	9'9"	141lb

Horse Float Panels

- Powder coated
- Ideal for temporary holding yards
- Portable light weight panels
- 2x panel pieces make a 6'6" x 6'6" holding pen



	Height	Width Folded	Width Flat	Weight
Horse Float Panel HFP2.0	4'1"	6'7"	13'2"	31lb



Round Bale Feeders

- Holds 6 ft round bales
- Feeds up to 18 animals simultaneously
- 2 Piece construction makes it easy to relocate
- Hot dipped galvanized after welding



		Diameter	Height	Weight
Round Bale Feeder-Straight Bar	FRS-US	7'	4'3"	227lb
Round Bale Feeder-Angled Bar	FRA-US	7'	4'3"	205lb

Square Bale Feeders

- Modular type, can be bolted into single/double ones
- Can fit one large square bale
- Feeds up to 22 animals simultaneously
- 4 Piece construction makes it easy to relocate
- Hot dipped galvanized after welding



		Width	Length	Height	Weight
Square Bale Feeder-Straight Bar	FSS	5'	9'	4'3"	353lb
Square Bale Feeder-Angled Bar	FSA	5'	9'	4'3"	353lb

Line Feeders

		Width	Length	Height	Weight
Line Feeder 5.0	FL-5	5'	5'	4'3"	53lb
Line Feeder 9.0	FL-9	5'	9'	4'3"	91lb
Line Feeder 18	FL-18	5'	18'	4'3"	182lb





Diagonal Feeder

- Holds large rectangle bales
- Keeps bales raised off the ground
- Manufactured from hot dipped galvanized pipe



		Width	Length	Height	Weight
Diagonal Feeder	FD18	5'	18'	4'3"	596lb

Cradle Feeder



		Width	Depth	Height	Weight
Cradle Feeder	FSC	4'11"	9'6"	3'6"	282lb

AU Round Hay Feeder



		Diameter	Height	Weight
AU Round Hay Feeder	FR	6'9.1"	3'5.3"	222lb





Horse Hay Feeder



		Width	Length	Height	Weight
Horse Hay Feeder	FHH	5'5"	9'3"	4'5"	434lb

Sheep Cradle Feeder

- Supplied flat packed to be bolted together for ease of storage and delivery
- 1.2" x 1.2" SHS Horizontal rails



		Width	Length	Height	Weight
Sheep Cradle Feeder	FSCS	9'5"	7'3"	3'9"	282lb

Sheep UK Feeder

- Two corners bolted together and two corners connected with coupling bars
- Open bottom feeder with 38 (no) feed spaces
- 11.42" deep welded sheeted base to form skirting
- Supplied flat packed for ease of storage and delivery



		Width	Length	Height	Weight
Sheep UK Feeder	SFUK	5'	9'	3'3"	209lb



Lick Feeder 5200L



		Length	Width	Height	Weight
Lick Feeder 5200L	CLF52	9'7"	7'3.5"	5'2"	1145lb

Sheep Hanging Feeder



		Length	Width	Height	Weight
Sheep Hanging Feeder	SF008	1'10"	1'	1'6"	9lb

Sheep Trolley Feeder

- Ideal to keep the weather off stock-feed
- Reduces waste
- Supplied with 4x10" wheels x 1" bore with rubber tyre with 2'7½" wide lid c/w protex fastening and lid catch
- Double sided 3"x 3" hay-rack



		Width	Depth	Height	Weight
Sheep Trolley Feeder	FTS	4'2"	1'11"	2'3"	115lb



Dog Kennel Raised

- Available in single and double in both standard and raised.
- Raised flooring composite boards with drainage gaps
- Sturdy Construction and design
- Providing great protection for your pets



Materials

Frame 30x30x1.6mm galvanized tube

Mesh: 25x84mm with 3mm diameter hot dip gal

		Depth	Width	Height	Weight
Dog Kennel Single Raised	DCSR	7.6'	3.5'	5.5'	478lb
Dog Kennel Double Raised	DCDR	7.6'	6.9'	5.5'	802lb

Dog Kennel Standard



STANDARD SINGLE



STANDARD DOUBLE

		Depth	Width	Height	Weight
Dog Kennel Single	DCS	12'	7.05'	6'	454lb
Dog Kennel Double	DCD	12'	7.87'	6'	613lb



HOW TO RECOGNIZE YOU ARE BUYING BRAZEN GENUINE EQUIPMENT



BRAZEN, OVER THE YEARS HAS BECOME A DOMINANT PLAYER IN THE LIVESTOCK EQUIPMENT INDUSTRY.

- 1 We pride ourselves in having excellent galvanizing and even our upright posts are hot dipped galvanized on all our panels which is important as this is the part that touches the ground.
- 2 All the gauges/tube wall thickness of our rails and posts are exactly the thickness as stated in our specifications.
- 3 Our workers pride themselves in their welding and you will see the difference with our welding compared with our competitors.
- 4 All our equipment has the anti-rattle rubbers where the pins join the Equipment.
- 5 Our standard cattle panels are 36kg/79lbs in weight, the biggest deception with cheaper panels is the thin steel tube gauge which reflects in the weight of steel.
- 6 Some companies have cheap panels with only half a C clamp on one side to save on steel. When linked with other panels this is much weaker than the full C clamp. Beware of these inferior panels.

"If it is not Genuine Brazen there is no Brazen Warranty"



The factory manufacturing is controlled by Australians and so the quality control and the development are all looked after by Australians. Australia Livestock Equipment is known to be the most robust equipment throughout the world and a lot of Brazen equipment in used in the Northern Territory and the outback where buffalos and wild cattle and horses are penned and captured in Brazen Equipment.

We now have a lot of manufacturers starting to copy our equipment and trying to sell them as Brazen Equipment.

For you to recognize Genuine Brazen Equipment, you will see a logo on the cap on the top of the posts on our panels, you will see a Brazen sticker on the panels. A lot of our equipment will have the logo stamped in them.

If you have a ranch and would like to make another income we are looking for dealers. Reach out if this is something you are interested in.

Do please keep buying Brazen Equipment and make sure it is genuine.



BE BRAZEN BUY BRAZEN



BRAZZEN

L I V E S T O C K E Q U I P M E N T

Contact & Sales

HEAD OFFICE

Tel (435) 901-5404

1145 South 800 East
Suite 138
Orem, UT 84097

www.brazzen.com
cam@brazzen.com



DESIGNED & TESTED BY
RANCHERS WORLDWIDE