



# BRAZZEN

LIVESTOCK EQUIPMENT



# 2026

PRODUCT BOOKLET  
[www.brazzen.com](http://www.brazzen.com)



# Product Index

*The specifications are subject to change without prior notice.*

## Contact & Sales

### HEAD OFFICE

**(435) 901-5404**  
**cam@brazzen.com**

1145 South 800 East  
Suite 111  
Orem, UT 84097


<b>Cattle</b>	<b>3-30</b>
Head Catcher	3
Hobby Chutes	4-5
Premium Full Squeeze Chute	6
Premium/Standard Chutes	7-8
Cattle Ramps	9-12
Maternity Pen	13
Cattle Grid	14
Cattle Anit-Backing Bar	14
Permanent Post	14
Bud Box Yard/Cattle Scale Load Bar	15
Panels/Walkway Kit	16-18
Calf Tilting Cradle	19
Cattle Gates	19-25
Curved Alley Panels	25
Combo Gates/Panels	26
Alley Bows	27
Blind Sweep Yards	28-29
Combo Panel & Gate	30
<b>Sheep</b>	<b>31-39</b>
Sheep Handler	31
V 3 Way Draft	32
Alley Bow	32
Panels	32-34
Gates	34-36
Anti-Backing Wing	37
Loading Ramp	37
Rustler Ramp/Permanent Post	38
Combo Gate & Panel	39
<b>Pig</b>	<b>40</b>
Pig Panel & Gate	40
<b>Goat</b>	<b>41</b>
Goat Panel & Gate	41
<b>Horses</b>	<b>42-46</b>
Shelters	42-43
Panels & Gates	44-46
<b>Feeders</b>	<b>47-52</b>
Round/Square Bale Feeder	47
Line Feeder	47
Diagonal Feeder	48
Cradle Feeder	48
AU Round Hay Feeder	48
Round Bale Cradle Feeder	49
Dual Hay Feeder	49
Heavy Duty V Top Square Feeder	49
Sheep Feeders	50-52
Lick Feeder	52
<b>Dog Kennels</b>	<b>53-54</b>
<b>Mobile Chicken Coop</b>	<b>54</b>

# Why Do Cattle Panel Prices Vary Across the USA? What You Need to Know Before You Buy!



## BRAZZEN: A LEADING FORCE IN THE LIVESTOCK EQUIPMENT INDUSTRY

- 1 Thicker Rails & Posts:** Brazzen panels use 0.059in thick oval rails and 0.067in thick posts, ensuring durability.
- 2 Standard Weight:** Each panel weighs 137lb (62kg), providing solid, reliable support.
- 3 Superior Dimensions:** Brazzen panels have 2.76x1.57in oval rails and 1.97x1.97in posts, compared to smaller, thinner options on the market.
- 4 Full C Cleats:** Panels feature full C cleats on both sides with rubber inserts to prevent rattling, unlike half-pin cleats used by competitors.



**BE BRAZEN  
BUY BRAZZEN**

- 5 High-Quality Galvanization:** High-Quality Galvanization: Brazzen Posts are Hot Dipped Gal, not a coating, which is over 200gms/m<sup>2</sup> and the rails are over 80gms/m<sup>2</sup> for 2.36" x 1.18" (60mm x 30mm) & 2.75" x 1.57" (70mm x 40mm), and over 120gms/m<sup>2</sup> for 4.53" x 1.65" (115mm x 42mm), significantly more than standard 20mgs/m<sup>2</sup> coatings.
- 6 Salt-Tested Welds:** Select welds undergo salt testing to ensure long-lasting durability.
- 7 Anti-Rust Measures:** Welders use spatter rubbers to prevent hidden rust-causing spatter on rails and posts.
- 8 Brazzen Branding:** Every panel includes the Brazzen logo on the caps of all posts for authenticity.

*Own a Farm? Create Additional Income as a Brazzen Dealer.*

*Contact Us to Learn More!*

**P: (435) 901-5404 / E: [cam@brazzen.com](mailto:cam@brazzen.com)**




**NEXT TIME YOU CHOOSE A CATTLE PANEL, ASK YOURSELF: IS IT A BRAZZEN CATTLE PANEL?**



## HEAD CATCHER

- Ideal for use with two cattle panels and a sliding gate to create a budget chute
- Easy to operate ratchet system
- Head Catcher is 2.5 ft inside and 2.79 ft outside



HEAD CATCHER



HEAD CATCHER PREMIUM



HEAD CATCHER SELF-CATCHING

		Width	Depth	Height	Weight
Head Catcher	<b>CHB</b>	2'9"	10"	6'11"	265lb
Head Catcher Premium	<b>CHBP</b>	2'9"	10"	6'11"	400lb
Head Catcher Self-Catching	<b>CHBSC</b>	3'1"	14"	6'7"	310lb
Baulk Gate	<b>CGBAULK</b>		3'3"	3'3"	46lb



## HOBBY CHUTE


- Ideal for the Hobby Rancher
- Simple Construction
- Portable
- Easy Operating Sliding Gate
- Anti-Bruise Oval Rail Panels

You can DIY the Hobby Chute according to your needs:

- Sliding Gate Options: Standard, Premium, Blind
- Cattle Head CATCHER Options: CHB, CHBK (CHBK only works on chute with vet section)
- Side Option: Two sides panel, two sides panel gate, or one side panel with one side panel gate, with vet section or without

**Base Model Kit Includes:**

- 1x Cattle Head Catcher
- 2x Cattle Panels
- 1x Cattle Sliding Gate



Length   Depth   Height   Weight

Hobby Chute   CCH   8'   2'9"   7'6"   582lb

## HOBBY CHUTE WITH VET

**Kit includes:**

- Standard Cattle Slide Gate 1xCGSS
- Standard Cattle Head Catcher 1xCHB
- Chute Side Panel 10' 1xCPC3.0
- Chute Side Panel Gate 10' 1xCPGC3.0



Width   Depth   Height

Hobby Chute with Vet   CCHV   11'11"   2'9"   8'6"



BRAZZEN

CATTLE 4



## HOBBY CHUTE BLINDED WITH VET

### Kit includes:

- Standard Cattle Slide Gate 1xCGSS
- Cattle Head Catcher with Long Handle Kits 1xCHBK
- Chute Side Panel Blinded 10' 1xCPCB3.0
- Chute Side Panel Gate Blinded 10' 1xCPGCB3.0

\* CHBK Head Catch This Kit Only



Width   Depth   Height

Hobby Chute Blinded with Vet	CCHBV	11'11"	2'9"	8'6"
------------------------------	-------	--------	------	------

## HOBBY CHUTE WITH SPLIT GATE

### Kit includes:

- Standard Cattle Slide Gate 1xCGSS
- Standard Cattle Head Catcher 1xCHB
- Standard Cattle Gate Split 7' 1xCGSPL2.1
- Standard Cattle Panel 7' 1xCPS2.1





Width   Depth   Height

Hobby Chute with Split Gate		8'11"	2'9"	8'6"
-----------------------------	--	-------	------	------



## PREMIUM FULL SQUEEZE CHUTE

- Sheeted head catcher & bottom side gates for operator and animal safety
- Auto lock rear sliding gate
- Innovative silent operation
- Walk through vet section
- Parallel squeeze
- 2x large access doors
- Neck inspection doors
- Front & rear head catcher operation
- Supplied in flat pack



		Length	Width	Height	Weight
Squeeze Chute	CCPSFP	11'11"	2'9"	7'	2359lb
Optional Roof - Large	RCL	13'8"	13'11"		454lb
Optional Roof - Small	RCS	7'6"	12'4"		265lb

Roof      RCS


Ensure the Chute is bolted down if the roof is attached.

\* Optional Small and Large Roof



## PREMIUM CHUTE

- 3mm gauge steel frame
- Walk through vet section
- Kick latch
- Rump squeeze
- New design allows safer access to rear of animal
- Triple top gates allowing full access along animal
- Double lower doors on each side for hoof access
- Sheet metal sliding gate
- Long ratchet rump bar mechanism
- Auto lock rear sliding gate
- Supplied in flat pack



• Optional Small And Large Floor For STANDARD and PREMIUM Chute



CCFL + CCFS

		Length	Depth	Height	Weight
Premium Chute	CCPFP	11'	2'9"	7'6"	1512lb
Floor - Large	CCFL	6'8"	2'5"	2"	454lb
Floor - Small	CCFS	3'	2'5"	2"	265lb




## STANDARD CHUTE

- Sheeted bottom side gates for operator and animal safety
- Triple top gates allowing full access along animal
- Auto lock rear sliding gate
- Adjustable rear handle
- Walk through vet section
- Supplied in flat pack



- Optional Small And Large Floor For STANDARD and PREMIUM Chute



- Optional Chin Lift of STANDARD and PREMIUM Chute
- Offside Chin Lift Available





## ADJUSTABLE RAMP

- Fully adjustable height for trailer to truck loading
- Designed to suit all cattle pens
- Optional, detachable, personnel walkways available
- Minimum Ramp Height - 2'2" (26")
- Maximum Ramp Height - 4'2" (50")



STANDARD RAMP




Optional Walkway Kit With Safety Rail Available



STANDARD RAMP  
WITH MOBILE KIT



PREMIUM RAMP



		Length	Depth	Height	Weight
Standard Ramp	<b>CRFP</b>	10'9"	2'9"	11'	732lb
Premium Ramp	<b>CRPFP</b>	10'9"	2'9"	11'	853lb
Standard Ramp WPC	<b>CRTFFF</b>	10'9"	2'9"	11'	869lb
Premium Ramp WPC	<b>CRPTFFF</b>	10'9"	2'9"	11'	993lb
Walkway Kit With Safety Rail	<b>CRWK600F</b>	10'3"	2'2"	5'11"	216lb
Walkway Kit	<b>CRWK</b>	11'4"	1"		71lb
Cattle Ramp Mobile Kit	<b>CRKM</b>				150lb



## PREMIUM MOBILE RAMP

- Robust construction
- 1x3.6m mobile cattle ramp
- Easy setup and quick conversion for towing
- Holds 12x portable cattle panels (not included)
- The premium floor is WPC (Wood Plastic Composite) Board



PANELS NOT INCLUDED WHEN ORDERING



Length	Depth	Height	Weight
--------	-------	--------	--------

Premium Mobile CRPM	17'6"	7'4"	8'9"	1534lb
---------------------	-------	------	------	--------



BRAZZEN

CATTLE 10



## Differences Between Standard & Premium Cattle Ramps

### Standard Cattle Ramp:

Side Fence (left and right), Roof Frame, Front Support, Frame Structure is made of 50\*50 square tubes (green color)

### Premium Cattle Ramp:

Side Fence (left and right), Roof Frame, Front support, Frame Structure is made of 60\*60 square tubes (green color)



Standard and Premium ramps have the same outline dimensions, except as noted below, yet they have different weights.

The rest are the same for these two ramps.

1. Cattle Walkway Inner Dimensions:  
Both standard and premium cattle ramps have the same inner dimensions:  
2'5"

2. Cattle Walkway Outer Dimensions:  
Standard cattle ramp's cattle walkway outer dimension is 2'9"

Premium cattle ramp's cattle walkway outer dimension is 2'10"





## HEAVY DUTY CATTLE RAMP

- Heavy-duty steel construction ensures it can handle even the toughest outdoor conditions
- Overall size: 17 feet 7 inch L x 10 feet 9 inch H
- 11 feet ramp with a 6 feet 7 inch level extension for easy loading
- 3 feet 11 inches fixed loading height
- 2 feet 11 inches anti-slip walkway with a safety rail
- 2 access gates on the top to shut off the truck and/or ramp
- Detachable side walkway that can be placed on the left or right side
- Rubber contact points added to protect your ramp and truck



Length	Depth	Height	Weight
--------	-------	--------	--------

Heavy Duty Cattle Ramp **CRHWK**

17'7"    6'    10'9"    1984lb





## MATERNITY PEN

- Auto Head Catcher
- Split Gate Sweep Arm with Safety Latch
- Manual Slide Gate
- Rear Access Gate




Length	Width	Height	Weight
--------	-------	--------	--------

Maternity Pen <b>CPM</b>	13'7"	12'2"	7'7"	1350lb
--------------------------	-------	-------	------	--------



## CATTLE GRID/CATTLE GRID WINGS


- Animal Friendly
- Tested to 20 Ton per axle
- Designed with 5 bearers and 12 rails
- Removable wings - SOLD SEPARATELY



		Width	Depth	Height	Weight
Cattle Grid	<b>CG3</b>	9'10"	7'2"	1'	966lb
Cattle Grid	<b>CG4</b>	13'1"	7'2"	1'	1001lb
Wings	<b>CGW</b>	6'11"		4'1"	159lb

## CATTLE ANTI-BACKING BAR

- Mounts to alley panel rails
- Adjustable Height



		Length	Height	Weight
Cattle Anti-Backing Bar	<b>CBAB</b>	3'9"	3'	53lb

## CATTLE PERMANENT POST



		Length	Width	Height
Cattle Permanent Post	<b>CPP-8.3</b>	2.56"	2.56"	8'6"



## BUD BOX YARD



	Length	Width	Height	Weight
--	--------	-------	--------	--------

Bud Box <b>CBBY-10</b>	20'8"	15'11"	10'	2030lb
------------------------	-------	--------	-----	--------

## CATTLE SCALE LOAD BAR

- Works with all Brazzen Chutes
- 5,000 kg/11,000 lbs capacity for heavy-duty performance
- Hot-dip galvanized & IP67-rated for durability in harsh conditions
- Compatible with Brazzen and other leading indicators (no calibration needed)

Cattle Scale <b>CSB</b>
-------------------------





## CATTLE PANELS 5 RAIL


### Premium 5 Rail Panel

This strong heavy duty panel, is equipped with:

- 4.52" x 1.65"
- 2 SHS 2" x 2" posts
- 4 easy to connect lugs
- 2 holes for ground pins

All panels can be pre-ordered in Hot Dip Galvanized (HDG) after welding.

- Panels can be used for cattle and horses



Panel comes standard without the center strap & does not come installed.  
12' PANEL WITH LOOP FEET STANDARD OVAL 5 RAILS, ROUND END POSTS,  
OPTIONAL CENTER BAR

		Uprights	Rails	Length	Height	Weight
Premium 5 Rail Panel 6.0	<b>CPP6/5.11-5</b>	2"x2"	5	6'	5'11"	79lb
Premium 5 Rail Panel 8.0	<b>CPP8/5.11-5</b>	2"x2"	5	8'	5'11"	106lb
Premium 5 Rail Panel 10	<b>CPP10/5.11-5</b>	2"x2"	5	10'	5'11"	115lb
Premium 5 Rail Panel 12	<b>CPP12/5.11-5</b>	2"x2"	5	12'	5'11"	137lb
12' Panel with Loop Feet Standard 5 Rails	<b>CPLF12</b>	Round pipe 1 3/4"	5	12'	5'4"	84lb
12' Panel with Loop Feet Standard 5 Rails	<b>CPLF12B</b>	Round pipe 1 3/4"	5	12'	5'4"	84lb

\* CPLF12 mid-plate bolted on

\* CPLF12B mid-plate welded on



		Rails	Length	Height	Weight
Standard 5 Rail Panel 6.0	<b>CPS6/5.2-5</b>	5	6'	5'2"	57lb
Standard 5 Rail Panel 8.0	<b>CPS8/5.2-5</b>	5	8'	5'2"	71lb
Standard 5 Rail Panel 10	<b>CPS10/5.2-5</b>	5	10'	5'2"	86lb
Standard 5 Rail Panel with Strap 12	<b>CPS12/5.2-5</b>	5	12'	5'2"	97lb





## CATTLE WALK WAY KIT

- Cattle Walk Way Kit is designed to assist with maximum access to the cattle while they are in the alley, therefore giving you safe access above the cattle



		Length	Width	Height	Weight
Cattle Walkway Kit 6.0	<b>CRWW6FT</b>	5'8"	1"	1'7"	33lb
Cattle Walkway Kit 8.0	<b>CRWW8FT</b>	7'8"	1"	1'7"	43lb
Cattle Walkway Kit 10	<b>CRWW10FT</b>	9'8"	1"	1'7"	57lb
Cattle Walkway Kit 12	<b>CRWW12FT</b>	11'8"	1"	1'7"	69lb

## STANDARD CATTLE PANELS 6 RAIL



		Rails	Length	Height	Weight
Premium 6 Rail Panel 6.0	<b>CPS6/5.11-6</b>	6	6'	5'11"	66lb
Premium 6 Rail Panel 8.0	<b>CPS8/5.11-6</b>	6	8'	5'11"	84lb
Premium 6 Rail Panel 10	<b>CPS10/5.11-6</b>	6	10'	5'11"	99lb
Premium 6 Rail Panel 12	<b>CPS12/5.11-6</b>	6	12'	5'11"	119lb

## PREMIUM CATTLE PANELS 6 RAIL



		Rails	Length	Height	Weight
Premium 6 Rail Panel 6.0	<b>CPP6/5.11-6</b>	6	6'	5'11"	88lb
Premium 6 Rail Panel 8.0	<b>CPP8/5.11-6</b>	6	8'	5'11"	122lb
Premium 6 Rail Panel 10	<b>CPP10/5.11-6</b>	6	10'	5'11"	137lb
Premium 6 Rail Panel 12	<b>CPP12/5.11-6</b>	6	12'	5'11"	154lb




## SHEETED CATTLE PANEL



		Length	Height	Weight
Sheeted Panel	<b>CPPB8/5.11-5</b>	8'	5'11"	134lb
Sheeted Panel	<b>CPPB10/5.11-5</b>	10'	5'11"	161lb
Sheeted Panel	<b>CPPB12/5.11-5</b>	12'	5'11"	190lb

## CREEP FEEDER PANEL

- Designed with an adjustable horizontal bar for calf-only access
- Ideal for use between pastures and sheds for targeted calf feeding
- Suitable for both small and large herds
- Comes with pins on both ends to connect seamlessly with any Brazzen panel or gate
- Each panel includes 6 calf access openings
- Includes a D-pin for easier and quicker height adjustment



10FT CREEP FEEDER PANEL

		Length	Height	Weight
Creep Feeder Panel	<b>CPF10-5.2</b>	10'	62"	103lb
Creep Feeder Panel	<b>CPF12-5.2</b>	12'	62"	120lb





## CALF TILTING CRADLE

- Secure holding
- Three independent drop-down slam gates provide full access to the calf
- Reversible design accommodates both right and left side use
- Designed for safety and to make pen work easier for stock handlers



	Width	Depth	Height	Weight
--	-------	-------	--------	--------

Calf Tilting Cradle

**CCT**

5'5"    4'7.5"    5'    364lb

## 2 WAY CATTLE ALLEY GATE

- Easy operation
- Designed to assist with sorting and separating cattle with a minimal of stress on the animals
- Fully sheeted sides to help minimise cattle distraction
- Can be operated from either side



	Length	Width	Height	Weight
--	--------	-------	--------	--------

2 Way Cattle Alley Gate **CGR2W**

5'5"    5'5"    6'11"    370lb



## SLIDING CATTLE GATE

- Ideal for use in alleys and anywhere requiring a compact gate arrangement or precise control of animal travel
- Easy operation with roller sliding



STANDARD SLIDE GATE



PREMIUM SLIDE GATE



BLIND CATTLE SLIDE GATE

		Width	Depth	Height	Weight
Standard Slide Gate	<b>CGSS</b>	2'9"	8"	6'5"	181lb
Premium Slide Gate	<b>CGPS</b>	2'9"	8"	6'5"	190lb
Blind Cattle Slide Gate	<b>CGSSB</b>	2'9"	8"	6'5"	190lb

## STANDARD CATTLE GATE SPLIT 2.1M

- Top and bottom swing and latch independently



Length	Depth	Height	Weight
--------	-------	--------	--------

Split 2.1m	<b>CGSPL2.1</b>	6'11"	2"	7'3"	150lb
------------	-----------------	-------	----	------	-------





## 2 WAY SLIDING CATTLE GATE

- This sliding gate can be operated from both sides or locked off for single side operation



	Width	Depth	Height	Weight
2 Way Sliding Gate CG2WS	2'9"	1'3"	6'5"	212lb


## R360 CATTLE GATE

- INNOVATION design - 360 Degrees
- Gate will swing in both directions
- Comes with both chain & slam latch



STANDARD 2.1 GATE 360 DEGREES

## MESH DRIVEWAY GATES



		Length	Height	Rails	Weight
Mesh Driveway Gate 4.0	DGBM4/4.5-5	4'	4'6"	5	60lb
Mesh Driveway Gate 8.0	DGBM8/4.5-5	8'	4'6"	5	82lb
Mesh Driveway Gate 10	DGBM10/4.5-5	10'	4'6"	5	93lb
Mesh Driveway Gate 12	DGBM12/4.5-5	12'	4'6"	5	106lb
Mesh Driveway Gate 14	DGBM14/4.5-5	14'	4'6"	5	121lb
Mesh Driveway Gate 16	DGBM16/4.5-5	16'	4'6"	5	133lb



## 5 RAIL DRIVEWAY GATES

- End posts are square 2 inches x 2 inches and 14 gauge
- Made from our premium oval rails 4½ inches x 2 inches and 16 gauge, each rail almost has a 5 inch face on them
- Total 5 rails and with vertical strengthening post/tube to ensure this gate will never bend or break, they all come with 4 long bolt through L hinges to carry the weight



		Length	Height	Rails	Weight
Driveway Gate 8.0	DGP8/4.2-5	8'	4'2"	5	119lb
Driveway Gate 10	DGP10/4.2-5	10'	4'2"	5	141lb
Driveway Gate 12	DGP12/4.2-5	12'	4'2"	5	168lb
Driveway Gate 14	DGP14/4.2-5	14'	4'2"	5	190lb
Driveway Gate 16	DGP16/4.2-5	16'	4'2"	5	211lb

## 6 RAIL DRIVEWAY GATES

- 6 Rail Gates have same construction and features as 5 Rail Gates



		Length	Height	Rails	Weight
Driveway Gate 8.0	DGP8/5.1-6	8'	5'1"	6	130lb
Driveway Gate 10	DGP10/5.1-6	10'	5'1"	6	165lb
Driveway Gate 12	DGP12/5.1-6	12'	5'1"	6	185lb
Driveway Gate 14	DGP14/5.1-6	14'	5'1"	6	210lb
Driveway Gate 16	DGP16/5.1-6	16'	5'1"	6	236lb

This cowboy latch is made for all you cowboys out there. Mount it on the gate and you won't even have to get out of the saddle to open it.

Heavy-duty steel construction. It could be used on Brazzen standard, premium driveway gates and mesh driveway gates. 58 in. long handle





## PREMIUM HEAVY DUTY 5 RAIL GATE


- Frame made by 2.76" x 2" HDG tube at 14GA
- Inside post made by 2"x 2" HDG tube at 15GA
- 5 Rails made by 4.52" X 1.65" 16GA oval pregal tube
- Comes with slam lock and chain lock system
- Lugs provided for connecting to fence panels and Posts



		Length	Height	Weight
Premium 5 Rail Gate 6.0	<b>CGP6/10-5</b>	6'	10'	169lb
Premium 5 Rail Gate 8.0	<b>CGP8/10-5</b>	8'	10'	194lb
Premium 5 Rail Gate 10	<b>CGP10/10-5</b>	10'	10'	235lb
Premium 5 Rail Gate 12	<b>CGP12/10-5</b>	12'	10'	282lb

## STANDARD 5 RAIL GATE

- Frame made by 2.76" x 2" HDG tube at 14GA
- Inside post made by 2"x 2" HDG tube at 15GA
- 5 Rails made by 2.76" X 1.57" @ 16GA oval pregal tube
- Comes with slam lock and chain lock system
- Lugs provided for connecting to fence panels and posts



		Length	Height	Weight
Standard 5 Rail Gate 6.0	<b>CGS6/10-5</b>	6'	10'	156lb
Standard 5 Rail Gate 8.0	<b>CGS8/10-5</b>	8'	10'	179lb
Standard 5 Rail Gate 10	<b>CGS10/10-5</b>	10'	10'	226lb
Standard 5 Rail Gate 12	<b>CGS12/10-5</b>	12'	10'	227lb



## MAN PANEL GATE

- Designed for easy access between yards
- Fast exit from yards
- Also available in 6-Rail Standard



Rails	Length	Height	Weight
-------	--------	--------	--------

Premium Man Gate-5 Rail	<b>CGMP2.1-5</b>	5	7'4"	5'11"	118lb
Premium Man Gate-6 Rail	<b>CGMP2.1</b>	6	7'4"	5'11"	154lb

## ACCESS GATE

- Ideal for use in workers alley, or access to yards
- Comes with both chain & slam latch
- Handy lugs for ground pinning



PREMIUM ACCESS GATE 4 RAIL



PREMIUM ACCESS GATE 5 RAIL



STANDARD ACCESS GATE 6 RAIL

Rails	Length	Height	Weight
-------	--------	--------	--------

Premium Access Gate - 4 Rail	<b>CGP1.25-4</b>	4	4'1"	7'2"	99lb
Premium Access Gate - 5 Rail	<b>CGP1.25-5</b>	5	4'6"	7'2"	115lb
Standard Access Gate - 6 Rail	<b>CGAS1.25-6</b>	6	4'6"	7'2"	110lb






# CATTLE



## SPEAR TRAP GATE

- Designed for self mustering
- Ideal for decreasing handling & increasing mustering efficiency on large properties
- Reduces stress on both the animal and handler
- Arms are removable
- Effective and easy to install into an existing portable yard



Width	Depth	Height	Weight
-------	-------	--------	--------

Spear Trap Gate	CGST	3'9"	5"	6'7"	189lb
-----------------	------	------	----	------	-------

## CATTLE 3 WAY DRAFTING GATE

- Galvanised construction
- Robust construction
- Animal Friendly
- Handy lugs for ground pinning
- Designed to improve speed of stock flow easy operation



Width	Depth	Height
-------	-------	--------

Cattle 3 Way Drafting Gate	C3WD	7'9"	2'9"	6'11"
----------------------------	------	------	------	-------

## CURVED ALLEY PANELS

- Designed to improve speed of stock flow
- Minimal distractions



Curve Width	Radius	Depth	Height	Weight
-------------	--------	-------	--------	--------

Standard Outer	CPCO	10'7"	12'6"	1'4"	5'11"	190lb
Standard Inner	CPCI	9'9"	11'1"	1'4"	5'11"	205lb



## 12' COMBINATION GATE/PANEL WITH LOOP FEET

- 6' Panel and 6' Gate, Making 12' Wide
- Panel is 5'4" High, Gate is Adjustable 10ft Tall
- 2 Side Posts 1 3/4" Round Tubing
- 5 Rails Made by 2.4" x 1.2" Oval Tube



Length	Panel Height	Gate Height	Weight
--------	--------------	-------------	--------

Combination Gate/Panel Loop Feet	CP/GLF12
----------------------------------	----------

12'	5'4"	10'	128lb
-----	------	-----	-------

## 12' COMBO STANDARD 6 RAIL GATE & PANEL

- Frame made by 1 3/4 inch round tube with slot in top 12/5 inch round pipe
- 6 rails 2.76"x1.6" oval tube
- Slam lock and Chain lock provided
- Clete and pins are provided for connection




Length	Panel Height	Gate Height	Weight
--------	--------------	-------------	--------

12'Combo Stand 6 Rail Gate & Panel	CP/GSA12/10-6
------------------------------------	---------------

12'	5'11"	10'	200lb
-----	-------	-----	-------

## 12' COMBO STANDARD 5 RAIL GATE & PANEL



Length	Panel Height	Gate Height	Weight
--------	--------------	-------------	--------

12'Combo Stand 5 Rail Gate & Panel	CP/GSA12/10-5
------------------------------------	---------------

12'	5'2"	10'	181lb
-----	------	-----	-------



## CATTLE ALLEY BOW

- Assists with maintaining a sturdy alley



Length	Depth	Height	Weight
--------	-------	--------	--------

Cattle Alley Bow	<b>CRB</b>	2'9"	2"	6'10"	40lb
------------------	------------	------	----	-------	------

## DOUBLE ALLEY BOW

- Assists with maintaining a sturdy alley
- Creates a safe work area for personnel



Length	Depth	Height	Weight
--------	-------	--------	--------

Double Alley Bow	<b>CRBD</b>	7'	2"	8'8"	97lb
------------------	-------------	----	----	------	------

## ADJUSTABLE ALLEY BOW

- Reduces turning around in alley for smaller animals
- Assists with maintaining a sturdy alley
- Modifications required to attach Adjustable Alley Bows to Slide Gates and Chutes



Length	Depth	Height	Weight
--------	-------	--------	--------

Adjustable Cattle Bow	<b>CRBA</b>	2'9"	2"	6'10"	93lb
-----------------------	-------------	------	----	-------	------



## BLIND SWEEP YARD

- The sweep yard allows the handler to push cattle into the alley system with minimal risk to the handler
- Innovative braking system stops the cattle from pushing the gate back therefore protecting the operator
- The curved layout works with the natural behavior of how cattle run and tend to circle back to where they came from
- Standard Slide Gate Included

### CLOCKWISE SWEEP AVAILABLE

- When using a clockwise sweep yard and a standard chute, the sweep yard requires the walkway to allow operation from the outside in line with chute operation



		Width	Depth	Height	Weight
Blind - Counter Clockwise	<b>CFYB</b>	20'8"	10'8"	7'9"	1495lb
Blind - Clockwise	<b>CFYBO</b>	20'8"	10'8"	7'9"	1495lb
Walkway Kits	<b>CFYBWK</b>				246lb
90 - Counter Clockwise	<b>CFYB90</b>	10'8"	10'8"	7'9"	1111lb
90 - Clockwise	<b>CFYBO90</b>	10'8"	10'8"	7'9"	1111lb





## SWEET YARD WITH CURVED EXIT

- Reduced livestock stress: The curved exit obscures cattle's line of sight to equipment in front (like chutes and head catcher), which reduces their stress and resistance/backing up, lowering the risk of injury to both animals and farmers.
- Higher efficiency: The curved exit works with the natural movement behavior of cattle, guiding them to move forward smoothly without frequent manual herding. This cuts handling time significantly.
- Improved safety: Limits animals' turning space, reducing close-contact risks for handlers.
- Versatility: Adapts to various livestock sizes and integrates seamlessly with Brazzen pen systems.



Width	Depth	Height	Weight
-------	-------	--------	--------

Force Yard With Curved Exit	CFYBCE	21'	19'5"	7'9"	1788lb
-----------------------------	--------	-----	-------	------	--------



# COMBO PANEL & GATE




## COMBO PANEL & GATE

- These panels will pen in Cattle, Sheep and Goats
- 8 Rails 2.75"x1.57" Oval Rail
- 2 Posts 1.97"x1.97"
- Gate comes with slam latch and chain latch

Gate Spacing  
(Bottom Rails)



Panel Spacing  
(Bottom Rails)




		Length	Height	Weight
Combo Panel	C/SPS12/6	12'	5'11"	154lb
Combo Gate	C/SGS8/10	8'	10'	216lb





## SHEEP HANDLER

Extra alley panels and slide gates are sold separately and not included with the Sheep Handler.



- Designed to Improve the efficiency of managing your sheep or goats
- Comes with 4 adjustment positions, to accommodate all stock sizes
- Comes with slide gate front and back
- Easy to tip sheep/goat up at a safe working height and do handling work
- Supplied in Flat Pack



Length	Width	Height	Weight
--------	-------	--------	--------

Sheep Handler	<b>SGH</b>	5'9"	3'11"	3'11"	313lb
---------------	------------	------	-------	-------	-------



## SHEEP V 3 WAY DRAFT

- Manufactured from Galvanized Steel
- Fully Sheeted
- The 'v' profile minimizes the chance of small stock turning around in the alley
- Alley has full sheeted sides (prevents legs and heads from getting out, and improves stock flow)
- Alley is made without overhead bracing this eliminates the danger of an operator getting his arm caught between the yard and animal



	Length	Depth	Height	Weight
--	--------	-------	--------	--------

Sheep V	<b>SRAPP</b>	11'2"	1'9"	3'10"	485lb
---------	--------------	-------	------	-------	-------

## SHEEP ALLEY BOW



	Width	Height	Weight
--	-------	--------	--------

Sheep Alley Bow	<b>SRBB</b>	2'2"	3'7"	24lb
-----------------	-------------	------	------	------

## PREMIUM SHEEP PANEL

- Manufactured from Galvanized Steel
- Wide top rail for operator comfort when leaning over or accessing yard to yard
- Lamb proof rail spacing
- Panels can be used in permanent or portable applications



	Length	Height	Weight
--	--------	--------	--------


Premium Sheep Panel 1.0	<b>SPP1.0</b>	3'3"	3'7"	29lb
Premium Sheep Panel 2.0	<b>SPP2.0</b>	6'6"	3'7"	53lb
Premium Sheep Panel 3.0	<b>SPP3.0</b>	9'10"	3'7"	75lb






## SHEEP PREMIUM DRENCH RACE PANEL

- 6 rails 2.36x1.18 inch oval tubes
- 2 posts 1.57x1.57 inch square posts
- Top rail is removable




Length	Height
--------	--------

Sheep Premium Drench Race Panel 3.0m	SPPD3.0	9'10"	3'7"
--------------------------------------	---------	-------	------



## SHEEP MARKING PANEL

- HPost: 40 x 40 x 1.7mm square tube
- Rails: 60 x 30 x 1.5mm oval tube
- Top 2 rails drop down



Length	Height
--------	--------

Sheep Marking Panel	SPPM3.0	9'10"	3'7"
---------------------	---------	-------	------



## BLIND SHEEP PANEL


- Manufactured from Galvanized Steel
- Panels can be used in Permanent or Portable applications
- Handy lugs for ground pinning
- Wide top rail for operator comfort when leaning over or accessing yard to yard
- Height is 3'7"



		Length	Height	Weight
Blind Sheep Panel 1.0	<b>SPPB1.0</b>	3'3"	3'7"	37lb
Blind Sheep Panel 2.0	<b>SPPB2.0</b>	6'7"	3'7"	71lb
Blind Sheep Panel 3.0	<b>SPPB3.0</b>	9'10"	3'7"	97lb

## BUDGET SHEEP PANEL


- Frame OD 1.25" pipe, lower 6 rails made of 1" Round pipes
- Mid-plate welded on
- C lugs provided for connection on two ends



		Width	Height	Weight
Budget Sheep Panel	<b>SPB10/3.3-7</b>	9'9"	3'3"	44lb

## BUDGET SHEEP GATE

- Overall Size: 9'4"
- Frame Pipe is 2" x 2" HDG US Pipe
- Inner Gate Frame is 1.26" OD x 16 GA
- Rails for inner gate are 0.98" OD pipes



		Width	Height	Weight
Budget Sheep Gate	<b>SGB10/3.3-7</b>	9'4"	3'3"	95lb



## SHEEP DRAFT GATE



	Length	Height	Weight
Sheep Draft Gate <b>SGB1.0</b>	3'3"	3'10"	44lb

## SHEEP ALLEY GATE



	Length	Height	Weight
Sheep Alley Gate <b>SGR</b>	2'2"	3'3"	37lb

## SHEEP PREMIUM ALLEY




	Length	Height	Weight
Sheep Premium Alley <b>SGPR</b>	2'2"	3'10"	44lb



## PREMIUM SHEEP GATE

- Manufactured from Galvanized Steel

		Length	Height	Weight
Premium Sheep Gate 1.0	<b>SGP1.0</b>	3'3"	3'7"	68lb
Premium Sheep Gate 2.0	<b>SGP2.0</b>	6'6"	3'7"	110lb
Premium Sheep Gate 3.0	<b>SGP3.0</b>	9'10"	3'7"	134lb



## SHEEP SLIDE GATE

- Manufactured from Galvanized Steel
- Push/pull operation from either side

		Length	Height	Weight
Sheep Slide Gate	<b>SGS</b>	2'6"	3'9"	68lb



## 2 WAY SHEEP ALLEY GATE

- Easy operation
- Designed to facilitate the sorting and separating of sheep while minimizing stress on the animals
- Fully sheeted sides to help minimize sheep distraction
- Can be operated from both sides



		Length	Width	Height	Weight
2 Way Sheep Alley Gate	<b>SG2W</b>	4'4"	4'	3'5"	234lb





## ANTI-BACKING WING

- Sold in pairs
- Mount to sheep alley panels



## STANDARD SHEEP LOADING RAMP

- Walkway mounts to left side only
- Manufactured from galvanised steel
- Handy lugs for ground pinning
- Fully sheeted
- Fully adjustable height for trailer to truck loading



		Length	Width	Height	Weight
Standard Sheep Loading Ramp	<b>SLR</b>	10'7"	4'2"	10'2"	626lb
Walkway Kit	<b>SLRWK</b>	10'7"	1"		110lb



## RUSTLER RAMP

- 3 piece design easily flat packed for transport
- Ideal for use with a chute or trailer



		Length	Width	Height	Weight
Rustler Ramp	SFL	7'6"	2'	3'	207lb

## SHEEP PERMANENT POST



		Height	Weight
Sheep Permanent Post	SPP	6'2"	22lb



# COMBO GATE & PANEL



## COMBO GATES


### Standard

- 8 Rails 2.76" x 1.57" Oval Rail
- 2 Post 2" x 2" Posts

Fits all livestock types including cattle, horses, sheep, and goats.

### Budget

- 8 Rails 2.36" x 1.18" Oval Rail
- 2 Post 1.57" x 1.57" Posts



STANDARD GATE



BUDGET COMBO GATE

		Length	Height	Weight
Standard Combo Gate	<b>C/SGS2.1</b>	6'11"	7'3"	170lb
Budget Combo Gate	<b>C/SGBA</b>	6'11"	9'10"	152lb

## COMBO PANELS


### Standard

- 8 Rails 2.76" x 1.57" Oval Rail
- 2 Post 2" x 2" Posts


Fits all livestock types including cattle, horses, sheep, and goats.

### Budget

- 8 Rails 2.36" x 1.18" Oval Rail
- 2 Post 1.57" x 1.57" Posts



STANDARD PANEL



BUDGET PANEL

		Length	Height	Weight
Standard Combo Panel	<b>C/SPS2.1</b>	6'11"	5'11"	108lb
Budget Combo Panel	<b>C/SPB2.1</b>	6'11"	5'11"	86lb



## PIG PANEL


- Vertical slats to discourage climbing



	Length	Height	Weight
Pig Panel <b>PP6.6-6</b>	6'6"	3'5"	53lb

## PIG GATE

- Flip Latch and Chain Latch




	Length	Height	Weight
Pig Gate <b>PG6.6-6</b>	6'6"	3'7"	110lb



## GOAT PANEL

- Outer frame made by OD1.26x0.05in pipe
- Inside 7 rail made by OD1x0.05in
- C-lugs provided
- Middle strap welded to all rails on 9'-10" long panels



		Length	Height	Weight
Goat Panel 6.6	<b>GP2.0</b>	6'7"	4'1"	39lb
Goat Panel 9.10	<b>GP3.0</b>	9'10"	4'1"	55lb

## GOAT GATE

- Frame's bottom rail made by 2x2x0.09in HDG tube
- Panel frame made by OD1.26x0.06in, 7 rail OD0.98x0.05in pipe
- Uprights 2x2x0.067in HDG tube
- C-lugs provided
- Chain lock system provided



		Length	Height	Weight
Goat Gate 6.6	<b>GG2.0</b>	6'7"	4'5"	77lb
Goat Gate 9.10	<b>GG3.0</b>	9'10"	4'5"	99lb



## DOUBLE HORSE SHELTER

- Suitable shelter for animals, stock feed and machinery
- Providing shelter along with air flow for all conditions
- Lined with heavy duty marine ply to protect stock from injury
- Supplied in flat pack
- Anchor plates so you can bolt the shelter down
- Handy lugs on the front so you can attach panels or gates



## SINGLE HORSE SHELTER

### CONFIGURATION OPTIONS:

1. Basic Design
2. With Mesh
3. With Mesh With Sheet
4. With Mesh With Steel Gate/Panel
5. With Sheet With Steel Gate/Panel
6. With Mesh With Sheet With Steel Gate/Panel
7. With Mesh With Plywood Panel & Gate
8. With Sheet With Plywood Panel & Gate
9. With Mesh With Sheet With Plywood Panel & Gate
10. Foot Pegs Are Optional



		Width	Depth	Height	Weight
3m Horse Shelter - Single	<b>HS3/3</b>	9'10"	9'10"	8'9"	1025lb
4m Horse Shelter - Single	<b>HS4/4</b>	13'1"	13'1"	8'9"	1484lb

### Foot Pegs FPR457

\* Pegs are optional for all horse shelters

Please check with us for other configuration item codes.





## HORSE STALL

- Suitable shelters for animals, stock feed and machinery
- Providing shelter along with air flow for all conditions
- Supplied in flat pack, with modular function for side-by-side Stalls with common walls
- Handy lugs on the front so you can attach panels or gates.



Width	Depth	Height	Weight
-------	-------	--------	--------

Horse Stall	<b>HS12F</b>	12'	12'	10'	1631lb
-------------	--------------	-----	-----	-----	--------




## PREMIUM 4 RAIL PANEL

- Panels can be used for horses and cattle



		Rails	Length	Height	Weight
Premium 4 Rail Panel 6.0	<b>CPP6/5.2-4</b>	4	6'	5'2"	66lb
Premium 4 Rail Panel 8.0	<b>CPP8/5.2-4</b>	4	8'	5'2"	84lb
Premium 4 Rail Panel 10	<b>CPP10/5.2-4</b>	4	10'	5'2"	106lb
Premium 4 Rail Panel 12	<b>CPP12/5.2-4</b>	4	12'	5'2"	110lb

## PREMIUM HEAVY DUTY 4 RAIL GATE



		Length	Height	Weight
Premium 4 Rail Gate 6.0	<b>CGP6/10-4</b>	6'	10'	159lb
Premium 4 Rail Gate 8	<b>CGP8/10-4</b>	8'	10'	180lb
Premium 4 Rail Gate 12	<b>CGP12/10-4</b>	12'	10'	251lb





## HORSE PANEL

Round Yard Diameter Specifications (Approx.)

33ft	13 panels plus 1 gate = 14 Units
39ft	15 panels plus 1 gate = 16 Units
43ft	17 panels plus 1 gate = 18 Units
46ft	19 panels plus 1 gate = 20 Units
51ft	21 panels plus 1 gate = 22 Units
55ft	23 panels plus 1 gate = 24 Units
59ft	25 panels plus 1 gate = 26 Units
66ft	27 panels plus 1 gate = 28 Units



	Rails	Length	Height	Weight
Horse Panel <b>HP2.1</b>	5	7'3"	5'5"	57lb

## ADJUSTABLE TOP HORSE GATE

- 5 rails made by 2.36"x1.18" pregal oval tube at 16GA
- 2 posts made by 1.57" x 1.57" pregal gal tube at 16GA
- Frame made by 2" x 2" hot dip gal tube at 14GA
- C-Lugs and pins provided for connecting , chain lock provided




	Length	Height	Weight
Adjustable Top Horse Gate <b>HGA</b>	7'3"	9'9"	119lb



## HORSE FLOAT PANELS

- Powder coated
- Ideal for temporary holding yards
- Portable light weight panels
- 2x panel pieces make a 6'6" x 6'6" holding pen




Horse Float Panel **HFP2.0**

	Height	Width Folded	Width Flat	Weight
--	--------	--------------	------------	--------

4'1" 6'6" 13'1" 40lb

## HORSE/SHEEP COMBO PANEL AND GATE



	Rails	Length	Height	Weight
Horse/Sheep Combo Panel <b>CSPB2.1</b>	8	7'3"	5'11"	80lb
Horse/Sheep Combo Gate <b>CSGBA</b>	8	7'3"	9'9"	146lb



# FEEDERS



## ROUND FEEDERS

- Holds 6 ft round bales
- Feeds up to 18 animals simultaneously
- 2 Piece construction makes it easy to relocate
- Hot dipped galvanized after welding



		Diameter	Height	Weight
Round Bale Feeder-Straight Bar	<b>FRS-US</b>	7'	4'3"	227lb
Round Bale Feeder-Angled Bar	<b>FRA-US</b>	7'	4'3"	205lb

## SQUARE FEEDERS

- Can fit one large square bale
- Feeds up to 22 animals simultaneously
- 4 Piece construction makes it easy to relocate
- Hot dipped galvanized after welding



		Width	Length	Height	Weight
Square Bale Feeder-Straight Bar	<b>FSS</b>	5'	9'	4'3"	313lb
Square Bale Feeder-Angled Bar	<b>FSA</b>	5'	9'	4'3"	309lb

## LINE FEEDER



		Length	Height	Weight
Line Feeder 5.0	<b>FL-5</b>	5'	4'3"	53lb
Line Feeder 9.0	<b>FL-9</b>	9'	4'3"	91lb
Line Feeder 18	<b>FL-18</b>	18'	4'3"	182lb



## DIAGONAL FEEDER

- Holds large rectangle bales
- Manufactured from hot dipped galvanized pipe



	Width	Length	Height	Weight
Diagonal Feeder <b>FD18</b>	5'	18'	4'3"	542lb

## CRADLE FEEDER

- Holds large rectangle bales
- Keeps bales raised off the ground
- Manufactured from hot dipped galvanized pipe



	Width	Depth	Height	Weight
Cradle Feeder <b>FSC</b>	9'6"	4'11"	3'6"	313lb
Cradle Feeder with Rubber Sheet <b>FSC/R</b>	9'6"	4'11"	3'6"	379lb

**FSC/R Optional Rubber Sheet**

## AU ROUND HAY FEEDER

- Holds 6ft round bales
- Feeds up to 14 animals simultaneously



	Diameter	Height	Weight
AU Round Hay Feeder <b>FR</b>	6'9"	3'5"	219lb





## ROUND BALE CRADLE FEEDER

- Full 1-1/4" OD pipe
- Holds 1x round bale



	Width	Depth	Height	Weight
--	-------	-------	--------	--------

Round Bale Cradle Feeder	<b>FRC</b>	5'5"	5'	4'	313lb
--------------------------	------------	------	----	----	-------

## DUAL HAY FEEDER

- Holds 2x round bales or 1x large



	Width	Depth	Height	Weight
--	-------	-------	--------	--------

Dual Hay Feeder	<b>FSCS</b>	9'5"	7'3"	3'9"	282lb
-----------------	-------------	------	------	------	-------

## HEAVY DUTY V TOP SQUARE FEEDER



	Width	Length	Height	Weight
--	-------	--------	--------	--------

Heavy Duty V Top Square Feeder	<b>FSVHDH</b>	5'5"	9'3"	4'5"	434lb
--------------------------------	---------------	------	------	------	-------



## LARGE SHEEP FEEDER

- Overall size: 5'4" x 4'9" x 2'7" H
- Main frame made by 1.18" and square tube at 2 GA
- Supplied flat packed to be bolted together for ease of storage and delivery.
- Fully Galvanized



	Width	Depth	Height	Weight
Large Sheep Feeder <b>LSF</b>	5'4"	4'9"	2'7"	171lb

## SHEEP UK FEEDER

- Two corners bolted together and two corners connected with coupling bars
- Open bottom feeder
- 11.42" deep welded sheeted base to form skirting
- Supplied flat packed for ease of storage and delivery



	Width	Length	Height	Weight
Sheep UK Feeder <b>SFUK</b>	5'	9'	3'3"	209lb





## SHEEP HANGING FEEDER




	Length	Width	Height	Weight
Sheep Hanging Feeder <b>SF008</b>	1'10"	1'	1'6"	9lb

## SHEEP FEEDER WITH SKID

- Overall size: 2401L x 800D x 1200H
- 1200mm Height designed to assist any tractor job to lead hay easily
- Lip rolled to the outside means no feed build up, fresher feed and no mold.
- Formed so bunks can be set end-to-end or stacked for storage
- HDG rounded skid legs allow for easy movement in muddy conditions while providing lasting strength and reliability
- A distinctive design that helps to reduce hay wastage



	Length	Depth	Height	Weight
Sheep Feeder with Skid <b>FSVT</b>	7'9"	2'8"	3'11"	249lb



## SHEEP TROLLEY FEEDER

- Ideal to keep the weather off stock-feed
- Reduces waste
- Supplied with 4x 10" wheels x 0.78" bore with rubber tire with 2'7½" wide lid c/w protex fastening and lid catch
- Double sided 3"x 3" hay-rack



	Width	Depth	Height	Weight
Sheep Trolley Feeder <b>FTS</b>	4'7"	1'11"	2'3"	123lb


## LICK FEEDER 5200L

- Unique barrel design increases strength and does away with the need for internal supports
- Sizes available
  - 5200 L (3.9 tonnes)
  - 4200 L (3.1 tonnes)
  - 3200 L (2.4 tonnes)
  - 2400 L (1.8 tonnes)
  - 800 L (0.6 tonnes)
- Fully adjustable
- Full top hinge opening lid
- 3 viewing feed level indicators
- Robust galvanized construction with fork slots for easy moving



*Sizes are a general guide. Actual weight may vary slightly depending on the type and density of the grain, whether it's wheat, barley, sorghum, pellets, or other grains.*

	Length	Width	Height	Weight
Lick Feeder 5200L <b>CLF52</b>	9'7"	7'4"	5'2"	1145lb



## RAISED DOG KENNELS

### Standard Dog Kennels

- Available in single and double in both standard and raised
- Raised flooring composite boards with drainage gaps
- Sturdy construction and design
- Providing great protection for your pets

#### Materials:

Frame 30 x 30 x 1.6mm galvanised tube

Mesh: 25 x 84mm with 3mm diameter

Hot dip galvanised



DCSR



DCSR+DCRE



DCBSR



DCBSR+DCBRE

*All Brazzen raised dog kennels feature an innovative modular design that easily expands from a single unit into double, triple, quadruple, or larger enclosures.*

		Depth	Width	Height	Weight
Single Raised Dog Kennel	DCSR	7'6"	3'7"	5'6"	370lb
Dog Kennel Raised Extension	DCRE	7'6"	3'7"	5'6"	
Single Raised Dog Kennel Budget	DCBSR	7'6"	3'6"	5'4"	
Dog Kennel Budget Raised Extension	DCBRE	7'6"	3'6"	5'4"	



## ON-GROUND DOG KENNELS



SINGLE



DOUBLE

		Depth	Length	Height	Weight
Dog Kennel Single	<b>DCS</b>	12'	7'	6'	392lb
Dog Kennel Double	<b>DCD</b>	12'	7'10"	6'	613lb

## MOBILE CHICKEN COOP

- Anodized aluminum frame with stainless fixtures
- Galvanized predator-proof mesh with excellent airflow
- Insulated panels — fire, moisture & UV resistant for year-round comfort
- Double-locking front/rear gates; raised mesh floor keeps interiors dry
- Modular design — start 2-panel, expand to 3 or 4 as your flock grows
- One-person assembly; tools and parts included
- Smooth-rolling wheels for easy daily moves
- 3-panel setup suits up to 8 chickens (with daytime free-ranging)



CCM2 + CCME



CCM2 + CCME



CCM2

		Length	Width	Height	Weight
Chicken Coop 2 Panel	<b>CCM2</b>	5'8"	2'9"	2'11"	68lb
Chicken Coop Extension	<b>CCME</b>	8'5"	2'9"	2'11"	32lb



# How To Recognize GENUINE BRAZZEN EQUIPMENT

BRAZZEN, OVER THE YEARS HAS BECOME A DOMINANT PLAYER IN THE LIVESTOCK EQUIPMENT INDUSTRY.

- 1 We pride ourselves in having excellent galvanizing and even our upright posts are hot dipped galvanized on all our panels which is important as this is the part that touches the ground.
- 2 All the gauges/tube wall thickness of our rails and posts are exactly the thickness as stated in our specifications.
- 3 Our workers pride themselves in their welding and you will see the difference with our welding compared with our competitors.
- 4 All our equipment has the anti-rattle rubbers where the pins join the Equipment.
- 5 Our 2.1m 6-rail Standard Panels are 36kg/79lbs in weight, the biggest deception with cheaper panels is the thin steel tube gauge which reflects in the weight of steel.
- 6 Some companies have cheap panels with only half a C-Lugs on one side to save on steel. When linked with other panels this is much weaker than the full C-Lugs. Beware of these inferior panels.

**"If it is not Genuine Brazzen  
there is no Brazzen Warranty"**



The factory manufacturing is controlled by Australians and so the quality control and the development are all looked after by Australians. Australia Livestock Equipment is known to be the most robust equipment throughout the world and a lot of Brazzen equipment is used in the Northern Territory and the outback where buffalos and wild cattle and horses are penned and captured in Brazzen Equipment.

We now have a lot of manufacturers starting to copy our equipment and trying to sell them as Brazzen Equipment.

For you to recognize Genuine Brazzen Equipment, you will see a logo on the cap on the top of the posts on our panels, you will see a Brazzen sticker on the panels. A lot of our equipment will have the logo stamped in them.

***If you have a ranch and would like to make another income we are looking for dealers. Reach out if this is something you are interested in.***



Do please keep buying Brazzen Equipment and make sure it is genuine.

**BE BRAZEN BUY BRAZZEN**



## Contact & Sales

---

### HEAD OFFICE

**Tel (435) 901-5404**

1145 South 800 East  
Suite 111  
Orem, UT 84097

[www.brazzen.com](http://www.brazzen.com)  
[cam@brazzen.com](mailto:cam@brazzen.com)



DESIGNED & TESTED BY  
RANCHERS WORLDWIDE