BRAZZEN
LIVESTOCK EQUIPMENT

# 2027 PRODUCT BOOKLET









**EQUIPMENT FOR CATTLE, HORSES, SHEEP, GOATS, PIGS, CHICKENS & DOGS**

**www.brazzen.com**

BRAZZEN
LIVESTOCK EQUIPMENT

# Product Index

*The specifications are subject to change without prior notice.*


**CATTLE** 3-31
- Head Catcher 3
- Hobby Chutes 4-5
- Premium Full Squeeze Chute 6
- Premium/Standard Chutes 7-8
- Cattle Ramps 9-12
- Maternity Pen 13
- Cattle Anti-Backing Bar 13
- Cattle Grid 14
- Permanent Post 14
- Bud Box Yard/Cattle Scale Load Bar 15
- Panels/Walkway Kit 16-18
- Calf Tilting Cradle 19
- Cattle Gates 19-26
- Cattle Headlock Panels 27
- Curved Alley Panels 27
- Fixed Gates/Panels 28
- Alley Bows 29
- Blind Sweep Yards 30-31

**CATTLE/SHEEP/GOAT COMBO PANEL & GATE** 32

**SHEEP** 33-40
- Sheep Handler 33
- V 3 Way Draft 34
- Alley Bow 34
- Panels 34-36
- Gates 36-39
- Loading Ramp 39
- Rustler Ramp 40
- Anti-Backing Wing/Permanent Post 40

**STANDARD & BUDGET COMBO PANEL & GATE** 41

**PIG** 42
- Pig Panel & Gate 42

**GOAT** 43
- Goat Panels & Gates 43

**HORSES** 44-48
- Shelters 44-45
- Panels & Gates 46-48

**HORSE/SHEEP/ COMBO PANEL & GATE** 49

**FEEDERS** 50-57
- Round/Square Bale Feeder 50-51
- Line Feeder 52
- Diagonal Feeder 52
- Cradle Feeder 53
- AU Round Hay Feeder 53
- Round Bale Cradle Feeder 54
- Dual Hay Feeder 54
- Heavy Duty V Top Square Feeder 54
- Sheep Feeders 55-56
- Lick Feeder 57

**DOG KENNELS** 58-60

**MOBILE CHICKEN COOP** 61


## Contact & Sales


HEAD OFFICE

**(435) 901-5404**
**cam@brazzen.com**

1145 South 800 East
Suite 111
Orem, UT 84097

# Why Do Cattle Panel Prices Vary Across the USA?

# What You Need to Know Before You Buy!

BRAZZEN
LIVESTOCK EQUIPMENT

## BRAZZEN: A LEADING FORCE IN THE LIVESTOCK EQUIPMENT INDUSTRY




1. **Thicker Rails & Posts:** Brazzen panels use 0.059in thick oval rails and 0.067in thick posts, ensuring durability.
2. **Standard Weight:** Each standard Brazzen 5 rail 12' long 5' high panel (CPS12/5.2-5) weighs 97lbs of steel, providing solid, reliable support.
3. **Superior Dimensions:** Brazzen panels have 2.76x1.57in oval rails and 1.97x1.97in posts, compared to smaller, thinner options on the market.
4. **Full C Cleats:** Panels feature full C cleats on both sides with rubber inserts to prevent rattling, unlike half-pin cleats used by competitors.



**BE BRAZEN**
**BUY BRAZZEN**

5. **High-Quality Galvanization:** High-Quality Galvanization: Brazzen Posts are Hot Dipped Gal, with a coating, which is over 200gms/m2 and the rails are over 80gms/m2 for 2.36"×1.18" (60mm x 30mm) & 2.75"×1.57" (70mm x 40mm), and over 120gms/m2 for 4.53"×1.65" (115mm x 42mm), significantly more than standard 20mgs/m2 coatings.
6. **Salt-Tested Welds:** Select welds undergo salt testing to ensure long-lasting durability.
7. **Anti-Rust Measures:** Welders use spatter rubbers to prevent hidden rust-causing spatter on rails and posts.
8. **Brazzen Branding:** Every panel includes the Brazzen logo on the caps of all posts for authenticity.

***Own a Farm? Create Additional Income as a Brazzen Dealer.***

***Contact Us to Learn More!***

***P: (435) 901-5404 / E: cam@brazzen.com***



**NEXT TIME YOU CHOOSE A CATTLE PANEL, ASK YOURSELF: IS IT A BRAZZEN CATTLE PANEL?**



# CATTLE EQUIPMENT

## HEAD CATCHER

- Ideal for use with two cattle panels and a sliding gate to create a budget chute
- Easy to operate ratchet system
- Head Catcher is 2.5 ft inside and 2.79 ft outside





HEAD CATCHER PREMIUM



HEAD CATCHER



HEAD CATCHER SELF-CATCHING

| PRODUCT NAME | SKU | WIDTH | DEPTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **Head Catcher** | CHB | 2′9″ | 10″ | 6′11″ | 265lb |
| **Head Catcher Premium** | CHBP | 2′9″ | 10″ | 6′11″ | 400lb |
| **Head Catcher Self-Catching** | CHBSC | 3′1″ | 14″ | 6′7″ | 310lb |
| **Baulk Gate** | CGBAULK | | 3′3″ | 3′3″ | 46lb |



# CATTLE EQUIPMENT

## HOBBY CHUTE

- Ideal for the Hobby Rancher
- Simple Construction
- Portable
- Easy Operating Sliding Gate
- Anti-Bruise Oval Rail Panels

**Base Model Kit Includes:**
- 1x Cattle Head Catcher
- 2x Cattle Panels
- 1x Cattle Sliding Gate

**You can DIY the Hobby Chute according to your needs:**
- Sliding Gate Options: Standard, Premium, Blind
- Cattle Head CATCHER Options: CHB, CHBP, CHBK, CHBPK (CHBK & CHBPK only works on crush with vet section)
- Side Option: Two sides panel, two sides panel gate, or one side panel with one side panel gate, with vet section or without



| PRODUCT NAME | SKU | LENGTH | DEPTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **Hobby Chute** | CCH | 8′ | 2′9″ | 7′6″ | 582lb |

## HOBBY CHUTE WITH VET

**Kit includes:**
- Standard Cattle Slide Gate 1xCGSS
- Standard/Premium Cattle Head Catcher 1xCHB/CHBP
- Chute Side Panel 10′ 1xCPC3.0
- Chute Side Panel Gate 10′ 1xCPGC3.0





HOBBY CHUTE FLOOR KIT

| PRODUCT NAME | SKU | LENGTH | DEPTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **Hobby Chute with Vet** | CCHV | 11′11″ | 2′9″ | 8′6″ | 845lb |
| **Hobby Chute Floor Kit** | CCHFK | 9′4″ | 2′10″ | 2″ | 224lb |



# CATTLE EQUIPMENT

## HOBBY CHUTE BLINDED WITH VET

**Kit includes:**

- Standard Cattle Slide Gate 1xCGSS
- Cattle Head Catcher with Long Handle Kits 1xCHBK/CHBPK
- Chute Side Panel Blinded 10' 1xCPCB3.0
- Chute Side Panel Gate Blinded 10' 1xCPGCB3.0



CCHBPV



CCHBV

| PRODUCT NAME | SKU | WIDTH | DEPTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **Hobby Chute Blinded with Vet Chute** | CCHBV | 11'11" | 2'9" | 8'6" | 981lb |
| **Hobby Chute Blinded with Vet with Premium Head Bale Kits** | CCHBPV | 11'11" | 2'9" | 7'11" | 1124 lb |

## HOBBY CHUTE WITH SPLIT GATE

**Kit includes:**

- Standard Cattle Slide Gate 1xCGSS
- Standard/Premium Cattle Head Catcher 1xCHB/CHBP
- Standard Cattle Gate Split 7' 1xCGSPL2.1
- Standard Cattle Panel 7' 1xCPS2.1



| PRODUCT NAME | SKU | WIDTH | DEPTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **Hobby Chute with Split Gate** | CCHSG | 8'11" | 2'9" | 8'6" | 675lb |



# CATTLE EQUIPMENT

## PREMIUM FULL SQUEEZE CHUTE

- Sheeted head catcher & bottom side gates for operator and animal safety
- Auto lock rear sliding gate
- Innovative silent operation
- Walk through vet section
- Parallel squeeze
- 2x large access doors
- Neck inspection doors
- Front & rear head catcher operation
- With chin lift
- Supplied in flat pack








**Ensure the Chute is bolted down if the roof is attached.**

*** Optional Small and Large Roof**

Roof **RCS**

| PRODUCT NAME | SKU | LENGTH | WIDTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **Squeeze Chute** | CCPSFP | 11′11″ | 2′9″ | 7′ | 2359lb |
| **Optional Roof - Large** | RCL | 13′8″ | 13′11″ | | 454lb |
| **Optional Roof - Small** | RCS | 7′6″ | 12′4″ | | 265lb |

# CATTLE EQUIPMENT

## PREMIUM CHUTE

- 3mm gauge steel frame
- Walk through vet section
- Kick latch
- Rump squeeze
- New design allows safer access to rear of animal
- Triple top gates allowing full access along animal
- Double lower doors on each side for hoof access
- Sheeted sliding gate
- Long ratchet rump bar mechanism
- Auto lock rear sliding gate
- Supplied in flat pack
- Front and rear head catcher operation








CCFL



CCFS

• Optional Small And Large Floor For STANDARD and PREMIUM Chute



• Optional Chin Lift of STANDARD and PREMIUM Chute
• Offside Chin Lift Available

| PRODUCT NAME | SKU | LENGTH | DEPTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **Premium Crush** | CCPFP | 11'11" | 2'9" | 6'7" | 1567lb |
| **Floor - Large** | CCFL | 7' | 2'8" | 2" | 156lb |
| **Floor - Small** | CCFS | 2'10" | 2'8" | 2" | 70lb |



# CATTLE EQUIPMENT

## STANDARD CHUTE

- Sheeted bottom side gates for operator and animal safety
- Triple top gates allowing full access along animal
- Auto lock rear sliding gate
- Adjustable rear handle
- Walk through vet section
- Supplied in flat pack







CCFL



CCFS

**Optional Small And Large Floor For STANDARD and PREMIUM Chute**



- **Optional Chin Lift of STANDARD and PREMIUM Chute**
- **Offside Chin Lift Available**

| PRODUCT NAME | SKU | LENGTH | DEPTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **Standard Chute** | CCSFP | 11'11" | 2'9" | 7'6" | 1438lb |
| **Chin Lift** | CCLU | | | | 101lb |



# CATTLE EQUIPMENT

## ADJUSTABLE RAMP

- Fully adjustable height for trailer to truck loading
- Designed to suit all cattle pens
- Optional, detachable, personnel walkways available
- Minimum Ramp Height - 2′2″ (26″)
- Maximum Ramp Height - 4′2″ (50″)



CRKM MOBILE KIT



Optional Walkway Kit Available
CRWK



STANDARD RAMP



Optional Walkway Kit With Safety Rail Available
CRWK600F



PREMIUM RAMP



STANDARD RAMP WITH MOBILE KIT

| PRODUCT NAME | SKU | LENGTH | DEPTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **Standard Ramp** | CRFP | 10′9″ | 2′9″ | 11′ | 732lb |
| **Premium Ramp** | CRPFP | 10′9″ | 2′9″ | 11′ | 853lb |
| **Standard Ramp WPC** | CRTFFP | 10′9″ | 2′9″ | 11′ | 869lb |
| **Premium Ramp WPC** | CRPTFFP | 10′9″ | 2′9″ | 11′ | 993lb |
| **Walkway Kit With Safety Rail** | CRWK600F | 10′3″ | 2′2″ | 11′ | 216lb |
| **Walkway Kit** | CRWK | 11′4″ | 1′ | 5′11″ | 86lb |
| **Cattle Ramp Mobile Kit** | CRKM | | | | 150lb |



# CATTLE EQUIPMENT

## PREMIUM MOBILE RAMP

- Robust construction
- 1x3.6m mobile cattle ramp
- Easy setup and quick conversion for towing
- Holds 12x portable cattle panels (not included)
- The premium floor is WPC (Wood Plastic Composite) Board



**PANELS NOT INCLUDED WHEN ORDERING**



| PRODUCT NAME | SKU | LENGTH | DEPTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **Premium Mobile** | CRPM | 17'6" | 7'4" | 8'9" | 1534lb |



# CATTLE EQUIPMENT

## HEAVY DUTY CATTLE RAMP

- Heavy-duty steel construction ensures it can handle even the toughest outdoor conditions
- Overall size: 17 feet 7 inch L x 10 feet 9 inch H
- 11 feet ramp with a 6 feet 7 inch level extension for easy loading
- 3 feet 11 inches fixed loading height
- 2 feet 11 inches anti-slip walkway with a safety rail
- 2 access gates on the top to shut off the truck and/or ramp
- Detachable side walkway that can be placed on the left or right side
- Rubber contact points added to protect your ramp and truck







| PRODUCT NAME | SKU | LENGTH | DEPTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **Heavy Duty Cattle Ramp** | CRHWK | 17'7" | 6' | 10'9" | 2469lb |

# Differences Between Standard & Premium Cattle Ramps




**Standard Cattle Ramp:**

Side Fence (left and right), Roof Frame, Front Support, Frame Structure is made of 50*50 square tubes (green color)

**Premium Cattle Ramp:**

Side Fence (left and right), Roof Frame, Front support, Frame Structure is made of 60*60 square tubes (green color)

---

Standard and Premium ramps have the same outline dimensions, except as noted below, yet they have different weights.

The rest are the same for these two ramps.

1. Cattle Walkway Inner Dimensions: Both standard and premium cattle ramps have the same inner dimensions: 2'5"

2. Cattle Walkway Outer Dimensions: Standard cattle ramp's cattle walkway outer dimension is 2'9"

Premium cattle ramp's cattle walkway outer dimension is 2'10"




BRAZZEN LIVESTOCK EQUIPMENT



# CATTLE EQUIPMENT

## MATERNITY PEN

- Split gates fitted on both sides enable calves to nurse from either side.
- A dedicated access gate is retained, allowing operators to reach the rear of the cow should calf extraction assistance be required during calving.
- A 6'7" (2000 mm) floor panel and chest bar are available as optional extras.
- The floor panel can be installed quickly using just two stoppers and U-shaped clamps.





| PRODUCT NAME | SKU | LENGTH | WIDTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **Maternity Pen** | CPM | 13'7" | 12'2" | 7'7" | 1350lb |
| **Maternity Pen Floor** | CPMF | 6'8" | 2'9" | 2.56" | |
| **Maternity Pen Chest Bar** | CPMCB | 3'9" | | 1'5" | |



# CATTLE EQUIPMENT

## CATTLE GRID/CATTLE GRID WINGS

- Animal Friendly
- Tested to 20 Ton per axle
- Designed with 5 bearers and 12 rails
- Removable wings - SOLD SEPARATELY
- NOT FOR HEAVY TRUCKS




| PRODUCT NAME | SKU | WIDTH | DEPTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **Cattle Grid** | CG3 | 9′10″ | 7′2″ | 1′ | 772lb |
| **Cattle Grid** | CG4 | 13′1″ | 7′2″ | 1′ | 979lb |
| **Wings** | CGW | 6′11″ | | 4′1″ | 159lb |

## CATTLE ANTI-BACKING BAR

- Mounts to alley panel rails
- Adjustable Height



| PRODUCT NAME | SKU | LENGTH | DEPTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **Cattle Anti-Backing Bar** | CBAB | 3′9″ | | 3′ | 53lb |

## CATTLE PERMANENT POST



| PRODUCT NAME | SKU | LENGTH | WIDTH | HEIGHT |
|---|---|---|---|---|
| **Cattle Permanent Post** | CPPH | 2.56″ | 2.56″ | 8′6″ |



# CATTLE EQUIPMENT

## BUD BOX YARD





| PRODUCT NAME | SKU | LENGTH | WIDTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **Bud Box** | CBBY-10 | 20'8" | 15'11" | 10' | 2030lb |

## CATTLE SCALE LOAD BAR

- Works with all Brazzen Chutes
- 5,000 kg/11,000 lbs capacity for heavy-duty performance
- Hot-dip galvanized & IP67-rated for durability in harsh conditions
- Compatible with Brazzen and other leading indicators (no calibration needed)



Cattle Scale **CSB**



**INSTALLATION BRACKET FOR WEIGHING INDICATOR**



# CATTLE EQUIPMENT

## CATTLE PANELS 5 RAIL

Premium 5 Rail Panel

This strong heavy duty panel, is equipped with:

- 4.52″ x 1.65″
- 2 SHS 2″ x 2″ posts
- 4 easy to connect lugs
- 2 holes for ground pins

All panels can be pre-ordered in Hot Dip Galvanized (HDG) after welding.

- Panels can be used for cattle and horses



PREMIUM OVAL 5 RAIL PANEL



Panel comes standard without the center strap & does not come installed.

12′ PANEL WITH LOOP FEET STANDARD OVAL 5 RAILS, ROUND END POSTS, OPTIONAL CENTER BAR

| PRODUCT NAME | SKU | UPRIGHTS | RAILS | LENGTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|---|
| **Premium 5 Rail Panel 6.0** | CPP6/5.11-5 | 2″x2″ | 5 | 6′ | 5′11″ | 79LB |
| **Premium 5 Rail Panel 8.0** | CPP8/5.11-5 | 2″x2″ | 5 | 8′ | 5′11″ | 106lb |
| **Premium 5 Rail Panel 10** | CPP10/5.11-5 | 2″x2″ | 5 | 10′ | 5′11″ | 115lb |
| **Premium 5 Rail Panel 12** | CPP12/5.11-5 | 2″x2″ | 5 | 12′ | 5′11″ | 137lb |
| **12′ Panel with Loop Feet Standard 5 Rails** | CPLF12 | ROUND PIPE 1 3/4″ | 5 | 12′ | 5′4″ | 84lb |
| **12′ Panel with Loop Feet Standard 5 Rails** | CPLF12B | ROUND PIPE 1 3/4″ | 5 | 12′ | 5′4″ | 84lb |

*** CPLF12 mid-plate bolted on**
*** CPLF12B mid-plate welded on**



STANDARD OVAL 5 RAIL PANEL, SQUARE END POSTS

| PRODUCT NAME | SKU | RAILS | LENGTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **Standard 5 Rail Panel 6.0** | CPS6/5.2-5 | 5 | 6′ | 5′2″ | 57lb |
| **Standard 5 Rail Panel 8.0** | CPS8/5.2-5 | 5 | 8′ | 5′2″ | 71lb |
| **Standard 5 Rail Panel 10** | CPS10/5.2-5 | 5 | 10′ | 5′2″ | 86lb |
| **Standard 5 Rail Panel** | CPS12/5.2-5 | 5 | 12′ | 5′2″ | 97lb |



# CATTLE EQUIPMENT

## CATTLE WALK WAY KIT

- Cattle Walk Way Kit is designed to assist with maximum access to the cattle while they are in the alley, therefore giving you safe access above the cattle



| PRODUCT NAME | SKU | LENGTH | WIDTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **Cattle Walkway Kit 6.0** | CRWW6FT | 5'8" | 1" | 1'7" | 33lb |
| **Cattle Walkway Kit 8.0** | CRWW8FT | 7'8" | 1" | 1'7" | 43lb |
| **Cattle Walkway Kit 10** | CRWW10FT | 9'8" | 1" | 1'7" | 57lb |
| **Cattle Walkway Kit 12** | CRWW12FT | 11'8" | 1" | 1'7" | 69lb |

## STANDARD CATTLE PANELS 6 RAIL



| PRODUCT NAME | SKU | RAILS | LENGTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **Standard 6 Rail Panel 6.0** | CPS6/5.11-6 | 6 | 6' | 5'11" | 66lb |
| **Standard 6 Rail Panel 8.0** | CPS8/5.11-6 | 6 | 8' | 5'11" | 84lb |
| **Standard 6 Rail Panel 10** | CPS10/5.11-6 | 6 | 10' | 5'11" | 99lb |
| **Standard 6 Rail Panel 12** | CPS12/5.11-6 | 6 | 12' | 5'11" | 119lb |

## PREMIUM CATTLE PANELS 6 RAIL



| PRODUCT NAME | SKU | RAILS | LENGTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **Premium 6 Rail Panel 6.0** | CPP6/5.11-6 | 6 | 6' | 5'11" | 88lb |
| **Premium 6 Rail Panel 8.0** | CPP8/5.11-6 | 6 | 8' | 5'11" | 122lb |
| **Premium 6 Rail Panel 10** | CPP10/5.11-6 | 6 | 10' | 5'11" | 137lb |
| **Premium 6 Rail Panel 12** | CPP12/5.11-6 | 6 | 12' | 5'11" | 154lb |



# CATTLE EQUIPMENT

## SHEETED CATTLE PANEL





| PRODUCT NAME | SKU | LENGTH | HEIGHT | WEIGHT |
|---|---|---|---|---|
| **Sheeted Panel** | CPPB8/5.11-5 | 8′ | 5′11″ | 134lb |
| **Sheeted Panel** | CPPB10/5.11-5 | 10′ | 5′11″ | 161lb |
| **Sheeted Panel** | CPPB12/5.11-5 | 12′ | 5′11″ | 190lb |

## CREEP FEEDER PANEL

- Designed with an adjustable horizontal bar for calf-only access
- Ideal for use between pastures and sheds for targeted calf feeding
- Suitable for both small and large herds
- Comes with pins on both ends to connect seamlessly with any Brazzen panel or gate
- Each panel includes 6/7 calf access openings
- Includes a D-pin for easier and quicker height adjustment



**10FT CREEP FEEDER PANEL**

| PRODUCT NAME | SKU | LENGTH | HEIGHT | WEIGHT |
|---|---|---|---|---|
| **Creep Feeder Panel** | CPF10-5.2 | 10′ | 62″ | 99lb |
| **Creep Feeder Panel** | CPF12-5.2 | 12′ | 62″ | 120lb |



# CATTLE EQUIPMENT

## CALF TILTING CRADLE

- Secure holding
- Three independent drop-down slam gates provide full access to the calf
- Reversible design accommodates both right and left side use
- Designed for safety and to make pen work easier for stock handlers





| PRODUCT NAME | SKU | WIDTH | DEPTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **Calf Tilting Cradle** | CCCT | 5'5" | 4'7.5" | 5' | 364lb |

## 2 WAY CATTLE ALLEY GATE

- Easy operation
- Designed to assist with sorting and separating cattle with a minimal of stress on the animals
- Fully sheeted sides to help minimise cattle distraction
- Can be operated from either side



| PRODUCT NAME | SKU | LENGTH | WIDTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **2 Way Cattle Alley Gate** | CGR2W | 5'5" | 5'5" | 6'11" | 370lb |



# CATTLE EQUIPMENT

## SLIDING CATTLE GATE

- Ideal for use in alleys and anywhere requiring a compact gate arrangement or precise control of animal travel
- Easy operation with roller sliding



STANDARD SLIDE GATE



BLIND CATTLE SLIDE GATE



PREMIUM SLIDE GATE

| PRODUCT NAME | SKU | WIDTH | DEPTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **Standard Slide Gate** | CGSS | 2′9″ | 8″ | 6′5″ | 181lb |
| **Premium Slide Gate** | CGPS | 2′9″ | 8″ | 6′5″ | 190lb |
| **Blind Cattle Slide Gate** | CGSSB | 2′9″ | 8″ | 6′5″ | 190lb |



# CATTLE EQUIPMENT

## STANDARD CATTLE GATE SPLIT 2.1M

- Top and bottom swing and latch independently



| PRODUCT NAME | SKU | LENGTH | DEPTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **Split 2.1m** | CGSPL2.1 | 6'11" | 2" | 7'3" | 150lb |

## 2 WAY SLIDING CATTLE GATE

- This sliding gate can be operated from both sides or locked off for single side operation





| PRODUCT NAME | SKU | WIDTH | DEPTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **2 Way Sliding Gate** | CG2WS | 2'9" | 1'3" | 6'5" | 212lb |



# CATTLE EQUIPMENT

## R360 CATTLE GATE

- INNOVATION design - 360 Degrees
- Gate will swing in both directions
- Comes with both chain & slam latch



STANDARD 2.1 GATE 360 DEGREES

| PRODUCT NAME | SKU | LENGTH | DEPTH | HEIGHT |
|---|---|---|---|---|
| **2.1 Standard 360 Degrees** | CGS2.1-R360 | 6'11" | 2" | 7'3" |
| **2.1 Premium 360 Degrees** | CGP2.1-R360 | 6'11" | 2" | 7'3" |
| **3.0 Standard Single 360 Degrees** | CGSS3.0-R360 | 9'10" | 2" | 7'3" |
| **3.0 Premium Single 360 Degrees** | CGPS3.0-R360 | 9'10" | 2" | 7'3" |

## MESH DRIVEWAY GATES



| PRODUCT NAME | SKU | LENGTH | HEIGHT | RAILS | WEIGHT |
|---|---|---|---|---|---|
| **Mesh Driveway Gate 4.0** | DGBM4/4.5-5 | 4' | 4'6" | 5 | 60lb |
| **Mesh Driveway Gate 8.0** | DGBM8/4.5-5 | 8' | 4'6" | 5 | 82lb |
| **Mesh Driveway Gate 10** | DGBM10/4.5-5 | 10' | 4'6" | 5 | 93lb |
| **Mesh Driveway Gate 12** | DGBM12/4.5-5 | 12' | 4'6" | 5 | 106lb |
| **Mesh Driveway Gate 14** | DGBM14/4.5-5 | 14' | 4'6" | 5 | 121lb |
| **Mesh Driveway Gate 16** | DGBM16/4.5-5 | 16' | 4'6" | 5 | 133lb |



# CATTLE EQUIPMENT

## 5 RAIL DRIVEWAY GATES

- End posts are square 2 inches x 2 inches
- Made from our premium oval rails 4½ inches x 2 inches
- Total 5 rails and with vertical strengthening post/tube to ensure this gate will never bend or break, they all come with 4 long bolt through L hinges to carry the weight



| PRODUCT NAME | SKU | LENGTH | HEIGHT | RAILS | WEIGHT |
|---|---|---|---|---|---|
| **Driveway Gate 8.0** | DGP8/4.2-5 | 8′ | 4′2″ | 5 | 119LB |
| **Driveway Gate 10** | DGP10/4.2-5 | 10′ | 4′2″ | 5 | 141LB |
| **Driveway Gate 12** | DGP12/4.2-5 | 12′ | 4′2″ | 5 | 168LB |
| **Driveway Gate 14** | DGP14/4.2-5 | 14′ | 4′2″ | 5 | 190LB |
| **Driveway Gate 16** | DGP16/4.2-5 | 16′ | 4′2″ | 5 | 211LB |

## 6 RAIL DRIVEWAY GATES

- 6 Rail Gates have same construction and features as 5 Rail Gates



This cowboy latch is made for all you cowboys out there. Mount it on the gate and you won't even have to get out of the saddle to open it.

Heavy-duty steel construction. It could be used on Brazzen standard, premium driveway gates and mesh driveway gates. 58 in. long handle



| PRODUCT NAME | SKU | LENGTH | HEIGHT | RAILS | WEIGHT |
|---|---|---|---|---|---|
| **Driveway Gate 8.0** | DGP8/5.1-6 | 8′ | 5′1″ | 6 | 130lb |
| **Driveway Gate 10** | DGP10/5.1-6 | 10′ | 5′1″ | 6 | 165lb |
| **Driveway Gate 12** | DGP12/5.1-6 | 12′ | 5′1″ | 6 | 185lb |
| **Driveway Gate 14** | DGP14/5.1-6 | 14′ | 5′1″ | 6 | 210lb |
| **Driveway Gate 16** | DGP16/5.1-6 | 16′ | 5′1″ | 6 | 236lb |

Cowboy Latch Kit **LK**



# CATTLE EQUIPMENT

## PREMIUM HEAVY DUTY 5 RAIL GATE

- Frame made by 2.76" x 2" HDG tube at 14GA
- Inside post made by 2" x 2" HDG tube at 15GA
- 5 Rails made by 4.52" X 1.65" 16GA oval pregal tube
- Comes with slam lock and chain lock system
- Lugs provided for connecting to fence panels and Posts



| PRODUCT NAME | SKU | LENGTH | HEIGHT | WEIGHT |
|---|---|---|---|---|
| **Premium 5 Rail Gate 6.0** | CGP6/10-5 | 6' | 10' | 169lb |
| **Premium 5 Rail Gate 8.0** | CGP8/10-5 | 8' | 10' | 194lb |
| **Premium 5 Rail Gate 10** | CGP10/10-5 | 10' | 10' | 235lb |
| **Premium 5 Rail Gate 12** | CGP12/10-5 | 12' | 10' | 282lb |

## STANDARD 5 RAIL GATE

- Frame made by 2.76" x 2" HDG tube at 14GA
- Inside post made by 2" x 2" HDG tube at 15GA
- 5 Rails made by 2.76" X 1.57" @ 16GA oval pregal tube
- Comes with slam lock and chain lock system
- Lugs provided for connecting to fence panels and posts



| PRODUCT NAME | SKU | LENGTH | HEIGHT | WEIGHT |
|---|---|---|---|---|
| **Standard 5 Rail Gate 6.0** | CGS6/10-5 | 6' | 10' | 156lb |
| **Standard 5 Rail Gate 8.0** | CGS8/10-5 | 8' | 10' | 179lb |
| **Standard 5 Rail Gate 10** | CGS10/10-5 | 10' | 10' | 226lb |
| **Standard 5 Rail Gate 12** | CGS12/10-5 | 12' | 10' | 227lb |



# CATTLE EQUIPMENT

## ACCESS GATE

- Ideal for use in workers alley, or access to yards
- Comes with both chain & slam latch
- Handy lugs for ground pinning



PREMIUM ACCESS GATE 4 RAIL



PREMIUM ACCESS GATE 5 RAIL



STANDARD ACCESS GATE 6 RAIL



STANDARD COMBO BENT TOP ACCESS GATE 1.25M

| PRODUCT NAME | SKU | RAILS | LENGTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **Premium Access Gate - 4 Rail** | CGP1.25-4 | 4 | 4'1" | 7'2" | 99lb |
| **Premium Access Gate - 5 Rail** | CGP1.25-5 | 5 | 4'6" | 7'2" | 115lb |
| **Standard Access Gate - 6 Rail** | CGAS1.25-6 | 6 | 4'6" | 7'2" | 110lb |
| **Standard Combo Bent Top Access Gate 1.25m** | C/SGAS | 6 | 4'1" | 7'2" | 121lb |

## MAN PANEL GATE

- Designed for easy access between yards
- Fast exit from yards
- Also available in 6-Rail Standard





| PRODUCT NAME | SKU | RAILS | LENGTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **Premium Man Gate-5 Rail** | CGMP2.1-5 | 5 | 6'11" | 7'3" | 140lb |
| **Premium Man Gate-6 Rail** | CGMP2.1 | 6 | 6'11" | 7'3" | 154lb |



# CATTLE EQUIPMENT

## CATTLE 3 WAY DRAFTING GATE

- Galvanized construction
- Robust construction
- Animal Friendly
- Handy lugs for ground pinning
- Designed to improve speed of stock flow easy operation



| PRODUCT NAME | SKU | WIDTH | DEPTH | HEIGHT |
|---|---|---|---|---|
| **Cattle 3 Way Drafting Gate** | C3WD | 7'9" | 2'9" | 6'11" |

## SPEAR TRAP GATE

- Designed for self mustering
- Ideal for decreasing handling & increasing mustering efficiency on large properties
- Reduces stress on both the animal and handler
- Arms are removable
- Efffective and easy to install into an existing portable yard



| PRODUCT NAME | SKU | WIDTH | DEPTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **Spear Trap Gate** | CGST | 3'9" | 5" | 6'7" | 189lb |



# CATTLE EQUIPMENT

## CURVED ALLEY PANELS

- Designed to improve speed of stock flow
- Minimal distractions



| PRODUCT NAME | SKU | CURVE WIDTH | RADIUS | DEPTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|---|
| **Standard Outer** | CPCO | 10'7" | 12'6" | 1'4" | 5'11" | 190lb |
| **Standard Inner** | CPCI | 9'9" | 11'1" | 1'4" | 5'11" | 205lb |
| **Inner Panel Walkway Kits** | CPCIWK | | | | | |

## 12' FIXED GATE/PANEL WITH LOOP FEET

- 6' Panel and 6' Gate, Making 12' Wide
- Panel is 5'4" High, Gate is Adjustable 10ft Tall
- 2 Side Posts 1 3/4" Round Tubing
- 5 Rails Made by 2.4" x 1.2" Oval Tube



| PRODUCT NAME | SKU | LENGTH | PANEL HEIGHT | GATE HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **12' Fixed Gate/Panel Loop Feet** | CP/GLF12 | 12' | 5'4" | 10' | 128LB |



# CATTLE EQUIPMENT

## 12' FIXED STANDARD 6 RAIL GATE & PANEL

- Frame made by 1 3/4 inch round tube with slot in top 12/5 inch round pipe
- 6 rails 2.76"x1.6" oval tube
- Slam lock and Chain lock provided
- Clete and pins are provided for connection



| PRODUCT NAME | SKU | LENGTH | PANEL HEIGHT | GATE HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **12' Fixed Standard 6 Rail Gate & Panel** | CP/GSA12/10-6 | 12' | 5'11" | 10' | 200LB |

## 12' FIXED STANDARD 5 RAIL GATE & PANEL



| PRODUCT NAME | SKU | LENGTH | PANEL HEIGHT | GATE HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **12' Fixed Standard 5 Rail Gate & Panel** | CP/GSA12/10-5 | 12' | 5'2" | 10' | 181lb |



# CATTLE EQUIPMENT

## CATTLE ALLEY BOW

- Assists with maintaining a sturdy alley



| PRODUCT NAME | SKU | LENGTH | HEIGHT | WEIGHT |
|---|---|---|---|---|
| **Cattle Alley Bow** | CRB | 2'9" | 6'10" | 40lb |

## DOUBLE ALLEY BOW

- Assists with maintaining a sturdy alley
- Creates a safe work area for personnel



| PRODUCT NAME | SKU | LENGTH | HEIGHT | WEIGHT |
|---|---|---|---|---|
| **Double Alley Bow** | CRBD | 7' | 8'6" | 97lb |

## ADJUSTABLE ALLEY BOW

- Reduces turning around in alley for smaller animals
- Assists with maintaining a sturdy alley
- Modifications required to attach Adjustable Alley Bows to Slide Gates and Chutes



| PRODUCT NAME | SKU | LENGTH | HEIGHT | WEIGHT |
|---|---|---|---|---|
| **Adjustable Cattle Bow** | CRBA | 3' | 7'1" | 99lb |
| **Adjustable Double Alley Gate** | CRBDA | 7' | 8'6" | 187lb |



# CATTLE EQUIPMENT

## BLIND SWEEP YARD

- The sweep yard allows the handler to push cattle into the alley system with minimal risk to the handler
- Innovative braking system stops the cattle from pushing the gate back therefore protecting the operator
- The curved layout works with the natural behavior of how cattle run and tend to circle back to where they came from
- Standard Slide Gate Included



**CLOCKWISE SWEEP AVAILABLE**

- When using a clockwise sweep yard and a standard chute, the sweep yard requires the walkway to allow operation from the outside in line with chute operation







| PRODUCT NAME | SKU | WIDTH | DEPTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **Blind - Counter Clockwise** | CFYB | 20'8" | 10'8" | 7'9" | 1495lb |
| **Blind - Clockwise** | CFYBO | 20'8" | 10'8" | 7'9" | 1495lb |
| **Walkway Kits** | CFYBWK | | | 7'9" | 246lb |
| **90 - Counter Clockwise** | CFYB90 | 10'8" | 10'8" | 7'9" | 1111lb |
| **90 - Clockwise** | CFYBO90 | 10'8" | 10'8" | 7'9" | 1111lb |



# CATTLE EQUIPMENT

## SWEEP YARD WITH CURVED EXIT

- Reduced livestock stress: The curved exit obscures cattle's line of sight to equipment in front (like chutes and head catcher), which reduces their stress and resistance/backing up, lowering the risk of injury to both animals and farmers.
- Higher efficiency: The curved exit works with the natural movement behavior of cattle, guiding them to move forward smoothly without frequent manual herding. This cuts handling time significantly.
- Improved safety: Limits animals' turning space, reducing close-contact risks for handlers.
- Versatility: Adapts to various livestock sizes and integrates seamlessly with Brazzen pen systems.



SWEEP YARD WITH SLIDE GATE



SWEEP YARD WITH SLIDE GATE



SWEEP YARD WITH SLIDE GATE

| PRODUCT NAME | SKU | WIDTH | DEPTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **Sweep Yard With Curved Exit Without Slide Gate** | CFYBCE | 21′ | 18′ | 7′9″ | 1788lb |
| **Sweep Yard With Curved Exit Without Slide Gate Offside** | CFYBCEO | 21′ | 18′ | 7′9″ | 1788lb |
| **Sweep Yard With Curved Exit Without Slide Gate - 90 Degrees** | CFYBCE-90 | 10′5″ | 18′ | 7′9″ | 1210lb |
| **Sweep Yard With Curved Exit Without Slide Gate - 90 Degrees Offside** | CFYBCEO-90 | 10′5″ | 18′ | 7′9″ | 1210lb |



# CATTLE EQUIPMENT

## COMBO PANEL & GATE

- These panels will pen in Cattle, Sheep and Goats
- 8 Rails 2.75″x1.57″ Oval Rail
- 2 Posts 1.97″x1.97″
- Gate comes with slam latch and chain latch

**Gate Spacing (Bottom Rails)**








**Panel Spacing (Bottom Rails)**




| PRODUCT NAME | SKU | LENGTH | HEIGHT | WEIGHT |
|---|---|---|---|---|
| **Combo Panel** | C/SPS12/6 | 12′ | 5′11″ | 154lb |
| **Combo Gate** | C/SGS8/10 | 8′ | 10′ | 216lb |
| **Combo Gate** | C/SGS12/10 | 12′ | 10′ | 284lb |



# SHEEP EQUIPMENT

## SHEEP HANDLER

***Please note: This image shows optional panels and slide gates. The Sheep Handler includes two slide gates; all additional equipment pictured is sold separately.***



**SHEEP HANDLER WITH YARD**



- Designed to Improve the efficiency of managing your sheep or goats
- Comes with 4 adjustment positions, to accommodate all stock sizes
- Comes with slide gate front and back
- Easy to tip sheep/goat up at a safe working height and do handling work
- Supplied in Flat Pack





| PRODUCT NAME | SKU | LENGTH | WIDTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **Sheep Handler** | SGH | 5'9" | 3'11" | 3'11" | 313lb |



# SHEEP EQUIPMENT

## SHEEP V 3 WAY DRAFT

- Manufactured from Galvanized Steel
- Fully Sheeted
- The 'v' profile minimizes the chance of small stock turning around in the alley
- Alley has full sheeted sides (prevents legs and heads from getting out, and improves stock flow)
- Alley is made without overhead bracing this eliminates the danger of an operator getting his arm caught between the yard and animal



| PRODUCT NAME | SKU | LENGTH | DEPTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **Sheep V** | SRAFP | 11'2" | 1'9" | 3'10" | 485lb |

## SHEEP ALLEY BOW



| PRODUCT NAME | SKU | WIDTH | HEIGHT | WEIGHT |
|---|---|---|---|---|
| **Sheep Alley Bow** | SRBB | 2'2" | 3'7" | 24lb |

## PREMIUM SHEEP PANEL

- Manufactured from Galvanized Steel
- Wide top rail for operator comfort when leaning over or accessing yard to yard
- Lamb proof rail spacing
- Panels can be used in permanent or portable applications



| PRODUCT NAME | SKU | LENGTH | HEIGHT | WEIGHT |
|---|---|---|---|---|
| **Premium Sheep Panel 1.0** | SPP1.0 | 3'3" | 3'7" | 29lb |
| **Premium Sheep Panel 1.25** | SPP1.25 | 4'1" | 3'7" | 35lb |
| **Premium Sheep Panel 2.0** | SPP2.0 | 6'6" | 3'7" | 53lb |
| **Premium Sheep Panel 3.0** | SPP3.0 | 9'10" | 3'7" | 75lb |



# SHEEP EQUIPMENT

## SHEEP PREMIUM DRENCH RACE PANEL

- 6 rails 2.36x1.18 inch oval tubes
- 2 posts 1.57x1.57 inch square posts
- Top rail is removable







| PRODUCT NAME | SKU | LENGTH | HEIGHT |
|---|---|---|---|
| **Sheep Premium Drench Race Panel 3.0m** | SPPD3.0 | 9'10" | 3'7" |

## SHEEP MARKING PANEL

- Post: 40 x 40 x 1.7mm square tube
- Rails: 60 x 30 x 1.5mm oval tube
- Top 2 rails drop down





| PRODUCT NAME | SKU | LENGTH | HEIGHT |
|---|---|---|---|
| **Sheep Marking Panel** | SPPM3.0 | 9'10" | 3'7" |



# SHEEP EQUIPMENT

## BLIND SHEEP PANEL

- Manufactured from Galvanized Steel
- Panels can be used in Permanent or Portable applications
- Handy lugs for ground pinning
- Wide top rail for operator comfort when leaning over or accessing yard to yard
- Height is 3'7"



| PRODUCT NAME | SKU | LENGTH | HEIGHT | WEIGHT |
|---|---|---|---|---|
| **Blind Sheep Panel 1.0** | SPPB1.0 | 3'3" | 3'7" | 37lb |
| **Blind Sheep Panel 2.0** | SPPB2.0 | 6'7" | 3'7" | 71lb |
| **Blind Sheep Panel 3.0** | SPPB3.0 | 9'10" | 3'7" | 97lb |

## BUDGET SHEEP PANEL

- Frame OD 1.25" pipe, lower 6 rails made of 1" Round pipes
- Mid-plate welded on
- C lugs provided for connection on two ends



| PRODUCT NAME | SKU | WIDTH | HEIGHT | WEIGHT |
|---|---|---|---|---|
| **Budget Sheep Panel** | SPB10/3.3-7 | 9'9" | 3'3" | 44lb |

## BUDGET SHEEP GATE

- Overall Size: 9'4"
- Frame Pipe is 2" x 2" HDG US Pipe
- Inner Gate Frame is 1.26" OD x 16 GA
- Rails for inner gate are 0.98" OD pipes



| PRODUCT NAME | SKU | WIDTH | HEIGHT | WEIGHT |
|---|---|---|---|---|
| **Budget Sheep Gate** | SGB10/3.3-7 | 9'4" | 3'3" | 95lb |



# SHEEP EQUIPMENT

## SHEEP DRAFT GATE



| PRODUCT NAME | SKU | LENGTH | HEIGHT | WEIGHT |
|---|---|---|---|---|
| **Sheep Draft Gate** | SGB1.0 | 3′3″ | 3′10″ | 44lb |

## SHEEP ALLEY GATE



| PRODUCT NAME | SKU | LENGTH | HEIGHT | WEIGHT |
|---|---|---|---|---|
| **Sheep Alley Gate** | SGR | 2′2″ | 3′3″ | 37lb |

## SHEEP PREMIUM ALLEY



| PRODUCT NAME | SKU | LENGTH | HEIGHT | WEIGHT |
|---|---|---|---|---|
| **Sheep Premium Alley** | SGPR | 2′2″ | 3′10″ | 44lb |



# SHEEP EQUIPMENT

## PREMIUM SHEEP GATE

- Manufactured from Galvanized Steel



| PRODUCT NAME | SKU | LENGTH | HEIGHT | WEIGHT |
|---|---|---|---|---|
| **Premium Sheep Gate 1.0** | SGP1.0 | 3′3″ | 3′7″ | 68lb |
| **Premium Sheep Gate 1.25** | SGP1.25 | 4′1″ | 3′7″ | 75lb |
| **Premium Sheep Gate 2.0** | SGP2.0 | 6′6″ | 3′7″ | 110lb |
| **Premium Sheep Gate 3.0** | SGP3.0 | 9′10″ | 3′7″ | 134lb |

## SHEEP SLIDE GATE

- Manufactured from Galvanized Steel
- Push/pull operation from either side



| PRODUCT NAME | SKU | LENGTH | HEIGHT | WEIGHT |
|---|---|---|---|---|
| **Sheep Slide Gate** | SGS | 2′6″ | 3′9″ | 68lb |

## 2 WAY SHEEP ALLEY GATE

- Easy operation
- Designed to facilitate the sorting and separating of sheep while minimizing stress on the animals
- Fully sheeted sides to help minimize sheep distraction
- Can be operated from both sides



| PRODUCT NAME | SKU | LENGTH | WIDTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **2 Way Sheep Alley Gate** | SG2W | 4′4″ | 4′ | 3′5″ | 234lb |



# SHEEP EQUIPMENT

## 3 WAY SHEEP ALLEY GATE



| PRODUCT NAME | SKU | LENGTH | WIDTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **3 Way Sheep Alley Gate** | SG3W | 3′5″ | 3′5″ | 4′ | 190lb |

## STANDARD SHEEP LOADING RAMP

- Walkway mounts to left side only
- Manufactured from galvanized steel
- Handy lugs for ground pinning
- Fully sheeted
- Fully adjustable height for trailer to truck loading



**Optional Walkway Kit Available**



| PRODUCT NAME | SKU | LENGTH | WIDTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **Standard Sheep Loading Ramp** | SLR | 10′7″ | 4′2″ | 10′2″ | 626lb |
| **Walkway Kit** | SLRWK | 10′7″ | 1″ | | 110lb |



# SHEEP EQUIPMENT

## RUSTLER RAMP

- 3 piece design easily flat packed for transport
- Ideal for use with a chute or trailer



| PRODUCT NAME | SKU | LENGTH | WIDTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **Rustler Ramp** | SFL | 7'6" | 2'2" | 3'3" | 207lb |

## ANTI-BACKING WING

- Sold in pairs
- Mount to sheep alley panels



## SHEEP PERMANENT POST



| PRODUCT NAME | SKU | HEIGHT | WEIGHT |
|---|---|---|---|
| **Sheep Permanent Post** | SPPH | 6'2" | 22lb |



# COMBO GATES/PANELS

## COMBO GATES

**Standard**
- 8 Rails 2.76″ x 1.57″ Oval Rail
- 2 Post 2″ x 2″ Posts

**Budget**
- 8 Rails 2.36″ x 1.18″ Oval Rail
- 2 Post 1.57″ x 1.57″ Posts

Fits all livestock types including cattle, horses, sheep, and goats.



STANDARD GATE



BUDGET COMBO GATE

| PRODUCT NAME | SKU | LENGTH | HEIGHT | WEIGHT |
|---|---|---|---|---|
| **Standard Combo Gate** | C/SGS2.1 | 6'10″ | 7'2″ | 170lb |
| **Budget Combo Gate** | C/SGBA | 6'10″ | 9'10″ | 152lb |

## COMBO PANELS

**Standard**
- 8 Rails 2.76″ x 1.57″ Oval Rail
- 2 Post 2″ x 2″ Posts

**Budget**
- 8 Rails 2.36″ x 1.18″ Oval Rail
- 2 Post 1.57″ x 1.57″ Posts

Fits all livestock types including cattle, horses, sheep, and goats.



STANDARD PANEL



BUDGET PANEL

| PRODUCT NAME | SKU | LENGTH | HEIGHT | WEIGHT |
|---|---|---|---|---|
| **Standard Combo Panel** | C/SPS2.1 | 6'10″ | 5'10″ | 108lb |
| **Budget Combo Panel** | C/SPB2.1 | 6'10″ | 5'10″ | 86lb |



# PIG EQUIPMENT

## PIG PANEL

- Vertical slats to discourage climbing



| PRODUCT NAME | SKU | LENGTH | HEIGHT |
|---|---|---|---|
| **Pig Panel 2.0m** | PP6.6 | 6'6" | 3'5" |
| **Pig Panel 3.0m** | PP9.10 | 9'10" | 3'5" |

## PIG GATE

- Flip Latch and Chain Latch



| PRODUCT NAME | SKU | LENGTH | HEIGHT | WEIGHT |
|---|---|---|---|---|
| **Pig Gate 2.0m** | PG6.6 | 6'6" | 3'7" | 110lb |



# GOAT EQUIPMENT

## GOAT PANEL

- Outer frame made by OD1.26x0.05in pipe
- Inside 7 rail made by OD1x0.05in
- C-lugs provided
- Middle strap welded to all rails on 9'-10" long panels



| PRODUCT NAME | SKU | LENGTH | HEIGHT | WEIGHT |
|---|---|---|---|---|
| **Goat Panel 6.6** | GP2.0 | 6'6" | 4'1" | 39lb |
| **Goat Panel 9.10** | GP3.0 | 9'10" | 4'1" | 55lb |

## GOAT GATE

- Frame's bottom rail made by 2x2x0.09in HDG tube
- Panel frame made by OD1.26x0.06in, 7 rail OD0.98x0.05in pipe
- Uprights 2x2x0.067in HDG tube
- C-lugs provided
- Chain lock system provided



| PRODUCT NAME | SKU | LENGTH | HEIGHT | WEIGHT |
|---|---|---|---|---|
| **Goat Gate 6.6** | GG2.0 | 6'6" | 4'5" | 77lb |
| **Goat Gate 9.10** | GG3.0 | 9'10" | 4'5" | 99lb |

## HEAVY DUTY GOAT PANEL

- Posts: 1.97" × 1.97" square tube
- 6 rails: 2.76" × 1.57" pregal oval tube
- Middle support welded on
- Large end feet help prevent sinking in sand and mud
- C-lugs on both ends



| PRODUCT NAME | SKU | HORIZONTAL | UPRIGHTS | RAILS | LENGTH | HEIGHT |
|---|---|---|---|---|---|---|
| **Heavy Duty Goat Panel** | GPH3.0 | 2.76" X 1.57" | 2" X 2" | 6 | 9'10" | 4'5" |

## HEAVY DUTY GOAT GATE

- Frame and 2 posts: 1.97" × 1.97" square tube
- 6 rails: 2.76" × 1.57" pregal oval tube
- Chain lock provided
- C-lugs on both ends



| PRODUCT NAME | SKU | HORIZONTAL | UPRIGHTS | RAILS | LENGTH | HEIGHT |
|---|---|---|---|---|---|---|
| **Heavy Duty Goat Gate** | GGH1.35 | 2.76" X 1.57" | 2" X 2" | 6 | 4'5" | 7'2" |



# HORSE EQUIPMENT

## DOUBLE HORSE SHELTER

- Suitable shelter for animals, stock feed and machinery
- Providing shelter along with air flow for all conditions
- Lined with heavy duty marine ply to protect stock from injury
- Supplied in flat pack
- Anchor plates so you can bolt the shelter down
- Handy lugs on the front so you can attach panels or gates



## SINGLE HORSE SHELTER

**CONFIGURATION OPTIONS:**

1. Basic Design with Roof, No Mesh, No Sheet , No Front Panel/Gate
2. With Mesh
3. With Mesh with Sheet
4. Steel Gate/Panel Optional
5. Plywood Panel & Gate Optional
6. Foot Pegs Are Optional



**Foot Pegs FPR457**

*** Pegs are optional for all horse shelters**



**Please check with us for other configuration item codes.**

| PRODUCT NAME | SKU | WIDTH | DEPTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **3m Horse Shelter - Single** | HS3/3 | 9'10" | 9'10" | 8'9" | 1025lb |
| **4m Horse Shelter - Single** | HS4/4 | 13'1" | 13'1" | 8'9" | 1484lb |



# HORSE EQUIPMENT

## MOBILE SHELTER SMALL

- Suitable for calves, goats, sheep, pigs and poultry
- Galvanized square steel frame
- Corrugated steel roof and three side walls
- Six high-zinc corner protectors for strength and corrosion resistance
- Twin round-tube skids for easy paddock towing
- Front steel gate with 2″ × 2″ mesh for ventilation and protection from large wild animals



| PRODUCT NAME | SKU | LENGTH | WIDTH | HEIGHT |
|---|---|---|---|---|
| **Mobile Shelter Small** | SMS | 10′6″ | 7′10″ | 4′9″ |
| **Opt. Front Gate** | SMSG | | | |

## HORSE STALL

- Suitable shelters for animals, stock feed and machinery
- Providing shelter along with air flow for all conditions
- Supplied in flat pack, with modular function for side-by-side Stalls with common walls
- Handy lugs on the front so you can attach panels or gates.



| PRODUCT NAME | SKU | WIDTH | DEPTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **Horse Stall** | HS12F | 12′ | 12′ | 10′ | 1631lb |



# HORSE EQUIPMENT

## PREMIUM 4 RAIL PANEL

- Panels can be used for horses and cattle



| PRODUCT NAME | SKU | RAILS | LENGTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **Premium 4 Rail Panel 6.0** | CPP6/5.2-4 | 4 | 6′ | 5′2″ | 66lb |
| **Premium 4 Rail Panel 8.0** | CPP8/5.2-4 | 4 | 8′ | 5′2″ | 84lb |
| **Premium 4 Rail Panel 10** | CPP10/5.2-4 | 4 | 10′ | 5′2″ | 106lb |
| **Premium 4 Rail Panel 12** | CPP12/5.2-4 | 4 | 12′ | 5′2″ | 110lb |

## PREMIUM HEAVY DUTY 4 RAIL GATE



| PRODUCT NAME | SKU | LENGTH | HEIGHT | WEIGHT |
|---|---|---|---|---|
| **Premium 4 Rail Gate 6.0** | CGP6/10-4 | 6′ | 10′ | 159lb |
| **Premium 4 Rail Gate 8** | CGP8/10-4 | 8′ | 10′ | 180lb |
| **Premium 4 Rail Gate 12** | CGP12/10-4 | 12′ | 10′ | 251lb |




# HORSE EQUIPMENT

## HORSE PANEL

Round Yard Diameter Specifications (Approx.)

| | |
|---|---|
| 33ft | 13 panels plus 1 gate = 14 Units |
| 39ft | 15 panels plus 1 gate = 16 Units |
| 43ft | 17 panels plus 1 gate = 18 Units |
| 46ft | 19 panels plus 1 gate = 20 Units |
| 51ft | 21 panels plus 1 gate = 22 Units |
| 55ft | 23 panels plus 1 gate = 24 Units |
| 59ft | 25 panels plus 1 gate = 26 Units |
| 66ft | 27 panels plus 1 gate = 28 Units |



| PRODUCT NAME | SKU | RAILS | LENGTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **Horse Panel** | HP2.1 | 5 | 6'10" | 5'5" | 57lb |

## ADJUSTABLE TOP HORSE GATE

- 5 rails made by 2.36"x1.18" pregal oval tube at 16GA
- 2 posts made by 1.57" x 1.57" pregal gal tube at 16GA
- Frame made by 2" x 2" hot dip gal tube at 14GA
- C-Lugs and pins provided for connecting , chain lock provided



| PRODUCT NAME | SKU | LENGTH | HEIGHT | WEIGHT |
|---|---|---|---|---|
| **Adjustable Top Horse Gate** | HGA | 6'10" | 9'9" | 119lb |



# HORSE EQUIPMENT

## HORSE FLOAT PANELS

- Powder coated
- Ideal for temporary holding yards
- Portable light weight panels
- 2x panel pieces make a 6'6" x 6'6" holding pen







| PRODUCT NAME | SKU | HEIGHT | WIDTH FOLDED | WIDTH FLAT | WEIGHT |
|---|---|---|---|---|---|
| **Horse Float Panel** | HFP2.0 | 4'1" | 6'6" | 13'1" | 40lb |



# FEEDERS

## ROUND FEEDERS

- Holds 6 ft round bales
- Feeds up to 18 animals simultaneously
- 3 Piece construction makes it easy to relocate
- Hot dipped galvanized after welding





| PRODUCT NAME | SKU | DIAMETER | HEIGHT | WEIGHT |
|---|---|---|---|---|
| **Round Bale Feeder-Straight Bar** | FRSH | 7′ | 4′3″ | 227lb |
| **Round Bale Feeder-Angled Bar** | FRAH | 7′ | 4′3″ | 205lb |




# FEEDERS

## SQUARE FEEDERS

- Can fit one large square bale
- Feeds up to 22 animals simultaneously
- 4 Piece construction makes it easy to relocate
- Hot dipped galvanized after welding





| PRODUCT NAME | SKU | WIDTH | LENGTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **Square Bale Feeder-Straight Bar** | FSSH | 5′ | 9′ | 4′3″ | 313lb |
| **Square Bale Feeder-Angled Bar** | FSAH | 5′ | 9′ | 4′3″ | 309lb |



# FEEDERS

## LINE FEEDER



| PRODUCT NAME | SKU | LENGTH | HEIGHT | WEIGHT |
|---|---|---|---|---|
| **Line Feeder 5.0** | FL-5 | 5′ | 4′3″ | 53lb |
| **Line Feeder 9.0** | FL-9 | 9′ | 4′3″ | 91lb |
| **Line Feeder 18** | FL-18 | 18′ | 4′3″ | 182lb |

## DIAGONAL FEEDER

- Holds large rectangle bales
- Hot dip galvanized after welding



| PRODUCT NAME | SKU | WIDTH | LENGTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **Diagonal Feeder** | FD18H | 5′ | 18′ | 4′3″ | 542lb |



# FEEDERS

## CRADLE FEEDER

- Holds large rectangle bales
- Keeps bales raised off the ground
- Manufactured from hot dipped galvanized pipe





**FSC/R Optional Rubber Tray**

| PRODUCT NAME | SKU | WIDTH | DEPTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **Cradle Feeder** | FSC | 9′6″ | 4′11″ | 3′6″ | 313lb |
| **Cradle Feeder with Rubber Tray** | FSC/R | 9′6″ | 4′11″ | 3′6″ | 379lb |

## AU ROUND HAY FEEDER

- Holds 6ft round bales
- Feeds up to 15 animals simultaneously
- 3 piece construction makes it easy to relocate (3x FRP makes one ring)



| PRODUCT NAME | SKU | DIAMETER | HEIGHT | WEIGHT |
|---|---|---|---|---|
| **AU Round Hay Feeder** | FRP | 6′6″ | 3′5″ | 73lb |



# FEEDERS

## ROUND BALE CRADLE FEEDER

- Full 1-1/4" OD pipe
- Holds 1x round bale



| PRODUCT NAME | SKU | WIDTH | DEPTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **Round Bale Cradle Feeder** | FRC | 5'5" | 5' | 4' | 313lb |

## DUAL HAY FEEDER

- Holds 2x round bales or 1x large



| PRODUCT NAME | SKU | WIDTH | DEPTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **Dual Hay Feeder** | FSCS | 9'5" | 7'3" | 3'9" | 282lb |



# FEEDERS

## HEAVY DUTY V TOP SQUARE FEEDER



| PRODUCT NAME | SKU | WIDTH | LENGTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **Heavy Duty V Top Square Feeder** | FSVHDH | 5′5″ | 9′3″ | 4′5″ | 434lb |

## LARGE SHEEP FEEDER

- Overall size: 5′4″ x 4′9″ x 2′7″ H
- Main frame made by 1.18″ and square tube at 2 GA
- Supplied flat packed to be bolted together for ease of storage and delivery.
- Fully Galvanized



| PRODUCT NAME | SKU | WIDTH | DEPTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **Large Sheep Feeder** | LSF | 5′4″ | 4′9″ | 2′7″ | 171lb |



# FEEDERS

## SHEEP UK FEEDER

- Two corners bolted together and two corners connected with coupling bars
- Open bottom feeder
- 11.42″ deep welded sheeted base to form skirting
- Supplied flat packed for ease of storage and delivery



| PRODUCT NAME | SKU | WIDTH | LENGTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **Sheep UK Feeder** | SFUK | 5′ | 9′ | 3′3″ | 209lb |

## SHEEP HANGING FEEDER



| PRODUCT NAME | SKU | LENGTH | WIDTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **Sheep Hanging Feeder** | SFH | 1′10″ | 1′ | 1′6″ | 9lb |



# FEEDERS

## SHEEP FEEDER WITH SKID

- Overall size: 2401L x 800D x 1200H
- 1200mm Height designed to assist any tractor job to lead hay easily
- Lip rolled to the outside means no feed build up, fresher feed and no mold.
- Formed so bunks can be set end-to-end or stacked for storage
- HDG rounded skid legs allow for easy movement in muddy conditions while providing lasting strength and reliability
- A distinctive design that helps to reduce hay wastage



| PRODUCT NAME | SKU | LENGTH | DEPTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **Sheep Feeder with Skid** | FSVT | 7'10" | 2'7" | 3'11" | 249lb |

## SHEEP TROLLEY FEEDER

- Ideal to keep the weather off stock-feed
- Reduces waste
- Supplied with 4 x 10" wheels x 0.78 " bore with rubber tire with 2'7½" wide lid c/w protex fastening and lid catch
- Double sided 3" x 3" hay-rack



| PRODUCT NAME | SKU | WIDTH | DEPTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **Sheep Trolley Feeder** | FTS | 4'7" | 2'8" | 2'7" | 123lb |



# FEEDERS

## LICK FEEDER 5200L

- Unique barrel design increases strength and does away with the need for internal supports
- Sizes available
  5200 L (3.9 tonnes)
  4200 L (3.1 tonnes)
  3200 L (2.4 tonnes)
  2400 L (1.8 tonnes)
  800 L (0.6 tonnes)
- Fully adjustable
- Full top hinge opening lid
- 3 viewing feed level indicators
- Robust galvanized contruction with fork slots for easy moving

*Sizes are a general guide. Actual weight may vary slightly depending on the type and density of the grain, whether it's wheat, barley, sorghum, pellets, or other grains.*





| PRODUCT NAME | SKU | LENGTH | WIDTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **800L** | SFL800 | 3'10" | 4' | 4'8" | 322lb |
| **2400L** | SFL24 | 7'5" | 3'9" | 5'8" | 695lb |
| **3200L** | CFL32 | 7'5" | 3'10" | 6'11" | 867lb |
| **4200L** | CFL42 | 7'5" | 4'7" | 7'4" | 893lb |
| **5200L** | CFL52 | 9'6" | 5'2" | 5'2" | 1146LB |





# RAISED DOG KENNELS

**Premium Raised Dog Kennels**

- Available in single and double in both standard and raised
- Raised flooring composite boards with drainage gaps
- Sturdy construction and design
- Providing great protection for your pets

Materials:
Frame 30 x 30 x 1.6mm galvanized tube
Mesh: 25 x 84mm with 3mm diameter
Hot dip galvanized

*All Brazzen raised dog kennels feature an innovative modular design that easily expands from a single unit into double, triple, quadruple, or larger enclosures.*



**DCSR**



**DCDR**

| PRODUCT NAME | SKU | DEPTH | WIDTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **Premium Single Raised Dog Kennel** | DCSR | 7'6" | 3'7" | 5'6" | 370 |
| **Premium Dog Kennel Raised Extension** | DCRE | 7'6" | 3'7" | 5'6" | |



# DOGS

## RAISED DOG KENNELS

**Raised Dog Kennels**

- With rear door
- FRP (Fiber glass grating floor)
- Designed as modular, it can be set up into a single, double, triple, etc...
- Detachable mid-wall
- Comes in Flat pack version
- Anti-UV Trim Deck and flashing provided

*All Brazzen raised dog kennels feature an innovative modular design that easily expands from a single unit into double, triple, quadruple, or larger enclosures.*



**DCBSR**



**DCBSR+DCBRE**

| PRODUCT NAME | SKU | DEPTH | WIDTH | HEIGHT |
|---|---|---|---|---|
| **Single Raised Dog Kennel** | DCBSR | 7'6" | 3'6" | 5'4" |
| **Dog Kennel Raised Extension** | DCBRE | 7'6" | 3'6" | 5'4" |





# DOG KENNEL - MEDIUM

- Lightweight, corrosion-resistant anodized aluminum frame
- Insulated panels for superior year-round comfort
- Fire-resistant, moisture-resistant, and UV-resistant construction
- Quick and easy one-person assembly
- Lightweight design for easy repositioning
- Convenient latched access lid
- Removable transparent door flaps for seasonal use
- Flat-pack design for easy shipping and handling





| PRODUCT NAME | SKU | WIDTH | DEPTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **Dog Kennel Medium** | DKM | 36″ | 30″ | 32″/30″ Front/Rear | 50lb |

# ANIMAL PENS

A secure and versatile enclosure suitable for a wide variety of animals, including dogs, sheep, goats, chickens, ducks, geese, cats, rabbits, guinea pigs, ferrets, and medium to large birds.



**SINGLE**



**DOUBLE**

| PRODUCT NAME | SKU | DEPTH | LENGTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **Animal Pen Single** | DCS | 12′ | 7′ | 6′ | 392lb |
| **Animal Pen Double** | DCD | 12′ | 7′10″ | 6′ | 613lb |



# CHICKEN

## MOBILE CHICKEN COOP

- Anodized aluminum frame with stainless fixtures
- Galvanized predator-proof mesh with excellent airflow
- Insulated panels - fire, moisture & UV resistant for year-round comfort
- Double-locking front/rear gates; raised mesh floor keeps interiors dry
- Modular design - start 2-panel, expand to 3 or 4 as your flock grows
- One-person assembly; tools and parts included
- Smooth-rolling wheels for easy daily moves
- 3-panel setup suits up to 8 chickens (with daytime free-ranging)



**CCM2**



**CCM2 + CCME**



**CCM2 + CCME**

| PRODUCT NAME | SKU | LENGTH | WIDTH | HEIGHT | WEIGHT |
|---|---|---|---|---|---|
| **Chicken Coop 2 Panel** | CCM2 | 5′8″ | 2′9″ | 2′11″ | 68lb |
| **Chicken Coop Extension** | CCME | 8′5″ | 2′9″ | 2′11″ | 32lb |








# How To Recognize
# GENUINE BRAZZEN EQUIPMENT

**BRAZZEN, OVER THE YEARS HAS BECOME A DOMINANT PLAYER IN THE LIVESTOCK EQUIPMENT INDUSTRY.**

1. We pride ourselves in having excellent galvanizing and even our upright posts are hot dipped galvanized on all our panels which is important as this is the part that touches the ground.
2. All the gauges/tube wall thickness of our rails and posts are exactly the thickness as stated in our specifications.
3. Our workers pride themselves in their welding and you will see the difference with our welding compared with our competitors.
4. All our equipment has the anti-rattle rubbers where the pins join the Equipment.
5. Our 2.1m 6-rail Standard Panels are 36kg/79lbs in weight, the biggest deception with cheaper panels is the thin steel tube gauge which reflects in the weight of steel.
6. Some companies have cheap panels with only half a C-Lugs on one side to save on steel. When linked with other panels this is much weaker than the full C-Lugs. Beware of these inferior panels.



***"If it is not Genuine Brazzen there is no Brazzen Warranty"***



The factory manufacturing is controlled by Australians and so the quality control and the development are all looked after by Australians. Australia Livestock Equipment is known to be the most robust equipment throughout the world and a lot of Brazzen equipment in used in the Northern Territory and the outback where buffalos and wild cattle and horses are penned and captured in Brazzen Equipment.

We now have a lot of manufacturers starting to copy our equipment and trying to sell them as Brazzen Equipment.

For you to recognize Genuine Brazzen Equipment, you will see a logo on the cap on the top of the posts on our panels, you will see a Brazzen sticker on the panels. A lot of our equipment will have the logo stamped in them.




***If you have a ranch and would like to make another income we are looking for dealers. Reach out if this is something you are interested in.***

**Do please keep buying Brazzen Equipment and make sure it is genuine.**

# BE BRAZEN BUY BRAZZEN

BRAZZEN
LIVESTOCK EQUIPMENT

# Contact & Sales

DESIGNED & TESTED BY
**RANCHERS WORLD**WIDE


**HEAD OFFICE**

**Tel (435) 901-5404**

1145 South 800 East
Suite 111
Orem, UT 84097

www.brazzen.com
cam@brazzen.com